

**Ethiopia**

**Central Statistical Agency, Ministry of Finance and Economic Development**

**Livestock Sample Survey 2005-2006 (1998 E.C)**

**Study Documentation**

January 17, 2011

# Metadata Production

<b>Metadata Producer(s)</b>	Central Statistical Agency (CSA) , Ministry of Finance and Economic Development , Production and documentation of the study International Household Survey Network (IHSN) , Review of the metadata
<b>Production Date</b>	March 1, 2006
<b>Version</b>	Version 1.1: Edited on December 2010
<b>Identification</b>	DDI-ETH-CSA-AgSSLV-2005-v1.1

This document was generated using the [IHSN Microdata Management Toolkit](#)

# Table of Contents

<a href="#">Overview</a>	<a href="#">1</a>
<a href="#">Scope &amp; Coverage</a>	<a href="#">1</a>
<a href="#">Producers &amp; Sponsors</a>	<a href="#">2</a>
<a href="#">Sampling</a>	<a href="#">2</a>
<a href="#">Data Collection</a>	<a href="#">3</a>
<a href="#">Data Processing &amp; Appraisal</a>	<a href="#">4</a>
<a href="#">Accessibility</a>	<a href="#">4</a>
<a href="#">Rights &amp; Disclaimer</a>	<a href="#">5</a>
<a href="#">Files Description</a>	<a href="#">6</a>
<a href="#">HHINFO</a>	<a href="#">6</a>
<a href="#">COW</a>	<a href="#">6</a>
<a href="#">SHEEP</a>	<a href="#">6</a>
<a href="#">GOAT</a>	<a href="#">7</a>
<a href="#">MULE</a>	<a href="#">7</a>
<a href="#">HORSE</a>	<a href="#">7</a>
<a href="#">DONKEY</a>	<a href="#">8</a>
<a href="#">CAMEL</a>	<a href="#">8</a>
<a href="#">POULTRY</a>	<a href="#">8</a>
<a href="#">BEEHIVE</a>	<a href="#">9</a>
<a href="#">HONEY</a>	<a href="#">9</a>
<a href="#">COWCAMEL</a>	<a href="#">9</a>
<a href="#">EGG</a>	<a href="#">10</a>
<a href="#">DISEASE</a>	<a href="#">10</a>
<a href="#">NEWBIRTH</a>	<a href="#">10</a>
<a href="#">VACCIN</a>	<a href="#">11</a>
<a href="#">CATTLEFEED</a>	<a href="#">11</a>
<a href="#">EXTENSION</a>	<a href="#">11</a>
<a href="#">Variables List</a>	<a href="#">13</a>
<a href="#">HHINFO</a>	<a href="#">13</a>
<a href="#">COW</a>	<a href="#">13</a>
<a href="#">SHEEP</a>	<a href="#">15</a>
<a href="#">GOAT</a>	<a href="#">17</a>
<a href="#">MULE</a>	<a href="#">19</a>
<a href="#">HORSE</a>	<a href="#">20</a>
<a href="#">DONKEY</a>	<a href="#">21</a>
<a href="#">CAMEL</a>	<a href="#">22</a>
<a href="#">POULTRY</a>	<a href="#">23</a>
<a href="#">BEEHIVE</a>	<a href="#">24</a>
<a href="#">HONEY</a>	<a href="#">25</a>
<a href="#">COWCAMEL</a>	<a href="#">25</a>
<a href="#">EGG</a>	<a href="#">26</a>
<a href="#">DISEASE</a>	<a href="#">27</a>
<a href="#">NEWBIRTH</a>	<a href="#">27</a>
<a href="#">VACCIN</a>	<a href="#">28</a>
<a href="#">CATTLEFEED</a>	<a href="#">29</a>
<a href="#">EXTENSION</a>	<a href="#">30</a>
<a href="#">Variables Description</a>	<a href="#">31</a>
<a href="#">HHINFO</a>	<a href="#">31</a>
<a href="#">COW</a>	<a href="#">37</a>
<a href="#">SHEEP</a>	<a href="#">43</a>
<a href="#">GOAT</a>	<a href="#">48</a>
<a href="#">MULE</a>	<a href="#">54</a>
<a href="#">HORSE</a>	<a href="#">57</a>
<a href="#">DONKEY</a>	<a href="#">60</a>

<a href="#">CAMEL</a> .....	<a href="#">63</a>
<a href="#">POULTRY</a> .....	<a href="#">67</a>
<a href="#">BEEHIVE</a> .....	<a href="#">71</a>
<a href="#">HONEY</a> .....	<a href="#">73</a>
<a href="#">COWCAMEL</a> .....	<a href="#">75</a>
<a href="#">EGG</a> .....	<a href="#">77</a>
<a href="#">DISEASE</a> .....	<a href="#">80</a>
<a href="#">NEWBIRTH</a> .....	<a href="#">82</a>
<a href="#">VACCIN</a> .....	<a href="#">86</a>
<a href="#">CATTLEFEED</a> .....	<a href="#">90</a>
<a href="#">EXTENSION</a> .....	<a href="#">92</a>
<a href="#">Documentation</a> .....	<a href="#">95</a>

## Ethiopia (2005) Livestock Sample Survey 2005-2006 (1998 E.C) (AgSSLV 2005-2006)

Overview	
<b>Type</b>	Agricultural Survey [ag/oth]
<b>Identification</b>	ETH-CSA-AgSSLV-2005-v1.1
<b>Version</b>	Version 1.1: Edited and non anonymized dataset, for internal use only.
<p><b>Abstract</b></p> <p>Ethiopia is believed to have the largest livestock population in Africa. This livestock sector has been contributing considerable portion to the economy of the country, and still promising to rally round the economic development of the country. It is eminent that livestock products and by-products in the form of meat, milk, honey, eggs, cheese, and butter supply the needed animal protein that contribute to the improvement of the nutritional status of the people. Livestock also plays an important role in providing export commodities, such as live animals, hides, and skins to earn foreign exchanges to the country. On the other hand, draught animals provide power for the cultivation of the smallholdings and for crop threshing virtually all over the country and are also essential modes of transport to take holders and their families long-distances, to convey their agricultural products to the market places and bring back their domestic necessities. Livestock as well confer a certain degree of security in times of crop failure, as they are a “near-cash” capital stock. Furthermore, livestock provides farmyard manure that is commonly applied to improve soil fertility and also used as a source of energy.</p> <p>Due to the very important role that the livestock sector plays in the economy of the country, formulation of development plan regarding the sector is indispensable. It is therefore imperative that livestock development plans should be formulated on the basis of reliable statistical data, and hence, timely and accurate livestock data are required for the formulation, implementation, monitoring, and evaluation of development plan and program in the sector. These livestock data can be generated usually using surveys and censuses. In this regard, subsequent surveys and a solitary agricultural census have been carried out by the Central Statistical Agency (CSA) to make available data on livestock though they were not comprehensive. The 2005/06 Annual Agricultural Sample Survey was also conducted to produce these same data so as to keep hold of continuity and update users in general.</p> <p>Due to the very important role that the livestock sector plays in the economy of the country, formulation of development plan regarding the sector is indispensable. It is therefore imperative that livestock development plans should be formulated on the basis of reliable statistical data, and hence, timely and accurate livestock data are required for the formulation, implementation, monitoring, and evaluation of development plan and program in the sector. These livestock data can be generated usually using surveys and censuses. In this regard, subsequent surveys and a solitary agricultural census have been carried out by the Central Statistical Agency (CSA) to make available data on livestock though they were not comprehensive. The 2005/06 Annual Agricultural Sample Survey was also conducted to produce these same data so as to keep hold of continuity and update users in general.</p>	
<b>Kind of Data</b>	Sample survey data [ssd]
<b>Unit of Analysis</b>	- Agricultural households - Holders - Livestocks

### Scope & Coverage

#### Scope

The scope of Livestock Sample Survey includes:

- Identification particulars: Geographic area information; Holder sex, education status family size and type of holding

- Livestock population and livestock products: This section covered information regarding number of cattle, sheep, goats, horses, mules, donkeys, camels by age and purposes; poultry, honey production per beehive, milk and egg; livestock diseases and treatments; number of births, purchases, sales, slaughters, and deaths of livestock; livestock diseases, treatment and vaccination ; and livestock feeds utilization.

### **Geographic Coverage**

The 2005-2006 (1998 E.C) Annual Livestock Sample Survey covered the rural agricultural population in all the regions of the country except all zones of Gambella Region, and the non-sedentary population of three zones of Afar & six zones of Somali regions.

### **Universe**

Households, who were engaged in growing crops and/or breeding and raising livestock in private or in partnership with others in the selected sample.

## **Producers & Sponsors**

### **Primary Investigator(s)**

Central Statistical Agency, Ministry of Finance and Economic Development

### **Funding Agency/ies**

Government of Ethiopia (GoE)

## **Sampling**

### **Sampling Procedure**

#### Sample Frame:

The list containing EAs of all regions and their respective agricultural households obtained from the 2001/02 Ethiopian Agricultural Sample Enumeration (EASE) was used as the sampling frame in order to select EAs (Primary sampling units for non-resettlement areas). Consequently, all sample EAs were selected from this frame based on the design proposed for the survey. The list of all resettlement localities of each region, which is obtained from regional administrative records, is also used to select resettlement localities (Primary sampling units for resettlement areas) from each region. Second stage sampling units, households, On the other hand, were selected from a fresh list of households that were prepared for each EA/ resettlement locality at the beginning of the survey.

#### Sample Design:

A two stage stratified cluster sample design was used to select the sample in which the clusters or primary sampling units (PSUs) were enumeration areas/ resettlement localities and second stage sampling units were households. Except Harari, Addis Ababa and Dire Dawa, where each region as a whole is considered to be the domain of estimation, every zone/special wereda of a region was adopted as a stratum for which major findings of the survey are reported.

#### Selection Scheme:

Enumeration areas from each stratum were selected systematically using probability proportional to size sampling technique; size being number of agricultural households obtained from the 1994 Population & Housing Census and adjusted for the sub-sampling effect. With regard to resettlement localities, the survey covered about 93 % of the localities found in the country. As a result, the chance of being included in the sample, are purposefully not given for resettlement localities with very few households (below 30). Consequently, selection of required number of localities from the rest of localities is accomplished on the basis of equal probability. Within each sample EA/ resettlement locality 30 agricultural households were selected systematically from the fresh list of households prepared at the beginning of the survey.

Note: Distribution of sampling units (sampled and covered EAs and resettlement localities) by stratum is presented in Appendix-I of 2005-2006 (1998 E.C) Livestock Sample Survey report which is provided as external resource.

### **Deviations from Sample Design**

To be covered by the survey, a total of 2,024 enumeration areas (EAs) and 250 resettlement localities were selected. However, due to various reasons that are beyond control, in 12 EAs and 1 resettlement locality the survey could not be successful and hence interrupted. Thus, all in all the survey succeeded to cover 2,012 EAs and 249 resettlement localities (99.43%) throughout the regions.

### **Response Rate**

The Livestock Sample Survey was conducted on the basis of 30 agricultural households selected from each EA / resettlement locality. Regarding the ultimate sampling units, it was intended to cover a total of 68,220 agricultural households, however, 67,502 (98.95%) were actually covered by the survey.

## **Data Collection**

<b>Data Collection Dates</b>	start 2005-03-10 end 2005-03-17
------------------------------	------------------------------------

<b>Data Collection Mode</b>	Face-to-face [f2f]
-----------------------------	--------------------

### **Data Collection Notes**

Field Organization:

The entire 25 Branch Statistical Offices of the CSA participated in the survey undertaking, especially in organizing the second stage training, in deploying the field staff to their respective sites of assignment, and retrieving completed questionnaires and submitting them to the head office for data processing. They were also responsible in administering the financial and logistic aspect of the survey within the areas of their assignment. In the data collection, enumerators and field supervisors were involved with an average supervisor-enumerator ratio of 1to5. To accomplish the data collection operation, all the enumerators were supplied with the necessary survey equipment at the completion of the training. To assist the data collection activities in deployment, supervision, and retrieval of completed questionnaires, reasonably adequate four-wheel vehicles were used.

Training of Field Staff:

The field staff-training program was carried out in two stages. The first-stage consisted of trainees from the head office, Branch Statistical Office heads, and some of the field supervisors. The training was given for about twelve days at CSA's headquarters in Addis Ababa. Many of these personnel trained in the first-stage conducted similar training for field supervisors and enumerators for about three weeks in branch offices, which are distributed around the country. During the second-stage training, the field staff were given detailed classroom instruction on the objectives and uses of the survey, concepts and definitions of terms used, interviewing procedures, how to fill questionnaires, ...etc. The enumerators' training also includes a field practice to strengthen the concepts discussed in the classroom.

Method of Data Collection:

In each selected site, a fresh list of households was prepared and then agricultural households were identified from the list of households. From these identified agricultural households, 30 agricultural households were selected using systematic sampling techniques. Thus, all agricultural holders belonging to each selected agricultural households were interviewed and the appropriate data were collected. The reference date for enumerating livestock, poultry, & beehives was Nov.10, 2005 (Hidar 1/1998 E.C.).

### **Questionnaires**

The 2005-2006 Livestock Sample Survey used structured questionnaire to collect data on livestock and livestock characteristics.

The questionnaire is organized in to two parts:

- Part 1: Identification particulars: This part contains area identification of the selected household. It dealt with area identification of respondents such as Region, Zone, wereda, Farmer's association, Enumeration area household number, holder number, and type of holding.
- Part 2: Livestock population and products: This part of the questionnaire dealt with number of cattle, sheep, goats, horses, mules, donkeys, camels by age and purposes; poultry, honey production per beehive, milk and egg; livestock diseases and treatments; number of births, purchases, sales, slaughters, and deaths of livestock; livestock diseases, treatment and vaccination; and livestock feeds utilization.

The questionnaire used in the field for data collection purpose was prepared in Amharic language. A copy of the questionnaire translated to English is attached as external resource.

<b>Data Collector(s)</b>	Central Statistical Agency (CSA) , Ministry of Finance and Economic Development
--------------------------	---

## Data Processing & Appraisal

### **Data Editing**

Editing, Coding, and Verification:

The editing and coding instruction manuals were prepared, and intensive training was given to the editor-coders. Those trained editors-coders were accomplished the editing and coding tasks. In due course, professional staff members were assigned to facilitate the editing and coding activities and the edited and coded questionnaires were verified by statistical technicians as well as by professionals.

Data Entry, Cleaning, and Processing:

The data were entered in personal computers by data encoders using IMPS (Integrated Microcomputer Processing System) software. Then the data were checked and cleaned by regular staff members. Finally, the data processing activity was also done by personal computers (PCs) to produce results that were indicated in the tabulation plan.

### **Estimates of Sampling Error**

Estimates of standard errors and coefficient of variations for selected estimates are also presented in the Annex Tables 1-10 of the 2005-2006 report.

## Accessibility

<b>Access Authority</b>	Central Statistical Agency of Ethiopia (Ministry of Finance and Economic Development) , <a href="http://www.csa.gov.et">http://www.csa.gov.et</a> , <a href="mailto:csa@csa.gov.et">csa@csa.gov.et</a>
-------------------------	--

<b>Contact(s)</b>	Data Administrator (Central Statistical Agency) , <a href="http://www.csa.gov.et">http://www.csa.gov.et</a> , <a href="mailto:data@csa.gov.et">data@csa.gov.et</a>
-------------------	--

### **Access Conditions**

The Central Statistical Agency (CSA) is committed to achieving excellence in the provision of timely, reliable and affordable official statistics for informed decision making in order to maximize the welfare of all Ethiopians. This is achieved through the collection and analysis of censuses, surveys and the use of administrative data as well as the dissemination a range of statistical products and providing assistance and services to users.

A microdata dissemination policy is established by CSA to address the conditions and the manner in which anonymized microdata files may be released to users for research purposes. It also strives to identify the different levels of anonymization for different categories of data use. This policy is available at CSA website ([www.csa.gov.et](http://www.csa.gov.et) <<http://www.csa.gov.et>>).

CSA will release microdata files for use by researchers for scientific research purposes when:

The Director General is satisfied that all reasonable steps have been taken to prevent the identification of individual respondents

The release of the data will substantially enhance the analytic value of the data that have been collected

For all but purely public files, researchers disclose the nature and objectives of their intended research,

It can be demonstrated that there are no credible alternative sources for these data, and

The researchers have signed an appropriate undertaking.

Terms and conditions of use of public data files are the following:

The data and other materials provided by CSA will not be redistributed or sold to other individuals, institutions, or organizations without the written agreement of CSA.

The data will be used for statistical and scientific research purposes only. They will be used solely for reporting of aggregated information, and not for investigation of specific individuals or organizations.

No attempt will be made to re-identify respondents, and no use will be made of the identity of any person or establishment discovered inadvertently. Any such discovery would immediately be reported to the CSA. No attempt will be made to produce links among datasets provided by CSA, or among data from the CSA and other datasets that could identify individuals or organizations. Any books, articles, conference papers, theses, dissertations, reports, or other publications that employ data obtained from CSA will cite the source of data in accordance with the Citation Requirement provided with each dataset. An electronic copy of all reports and publications based on the requested data will be sent to CSA. The original collector of the data, CSA, and the relevant funding agencies bear no responsibility for use of the data or for interpretations or inferences based upon such uses.

**Cost Recovery Policy:**

It is the policy of CSA to encourage broad use of its products by making them affordable for users. Accordingly, CSA attempts to ensure that the costs of creating anonymized microdata files are built-in to the survey budget. At the same time, CSA attempts to recover costs associated with the provisions of special services that benefit only a specific group. Information on the price of each dataset is available at CSA website ([www.csa.gov.et](http://www.csa.gov.et) <<http://www.csa.gov.et>>).

**Citation Requirements**

The following statement must be used as citation:  
 "Central Statistical Authority of Ethiopia (CSA). Livestock Sample Survey (AgSSLV 2005) "

**Rights & Disclaimer**

**Disclaimer**

The user of the data acknowledges that the original collector of the data, the authorized distributor of the data, and the relevant funding agency bear no responsibility for use of the data or for interpretations or inferences based upon such uses.

**Copyright**

(c) 2005, Central Statistical Agency of Ethiopia

# Files Description

Dataset contains 18 file(s)

<b>HHINFO</b>	
<b># Cases</b>	70839
<b># Variable(s)</b>	15
<b>File Structure</b>	Type: relational Key(s): V01 (Region) , V02 (Zone) , V03 (Wereda) , V04 (Farmers' association) , V05 (Enumeration area) , V06 (Household number) , V07 (Holder number)
<b>File Content</b> Dataset collected at household holder level and contains information about holder's sex, age, educational background and type of holding.	
<b>Producer</b> Central Statistical Agency of Ethiopia	
<b>Version</b> Version 1.1: In this version of the dataset appropriate variable information are provided and missing variable documentation information is also given including value labels.	

<b>COW</b>	
<b># Cases</b>	70796
<b># Variable(s)</b>	55
<b>File Structure</b>	Type: relational Key(s): V01 (Region) , V02 (Zone) , V03 (Wereda) , V04 (Farmers' association) , V05 (Enumeration area) , V06 (Household number) , V07 (Holder number)
<b>File Content</b> Dataset collected at household holder level and contains information about number of cattles by age, sex and purpose.	
<b>Producer</b> Central Statistical Agency of Ethiopia	
<b>Version</b> Version 1.1: In this version of the dataset appropriate variable information are provided and missing variable documentation information is also given including value labels.	

<b>SHEEP</b>	
<b># Cases</b>	23979
<b># Variable(s)</b>	48
<b>File Structure</b>	Type: relational Key(s): V01 (Region) , V02 (Zone) , V03 (Wereda) , V04 (Farmers' association) , V05 (Enumeration area) , V06 (Household number) , V07 (Holder number)
<b>File Content</b> Dataset collected at household holder level and contains information about number of sheep by age, sex and purpose.	
<b>Producer</b>	

Central Statistical Agency of Ethiopia

**Version**

Version 1.1: In this version of the dataset appropriate variable information are provided and missing variable documentation information is also given including value labels.

**GOAT**

**# Cases** 20017

**# Variable(s)** 47

**File Structure** Type: relational  
Key(s): V01 (Region) , V02 (Zone) , V03 (Wereda) , V04 (Farmers' association) , V05 (Enumeration area) , V06 (Household number) , V07 (Holder number)

**File Content**

Dataset collected at household holder level and contains information about number of goats by age, sex and purpose.

**Producer**

Central Statistical Agency of Ethiopia

**Version**

Version 1.1: In this version of the dataset appropriate variable information are provided and missing variable documentation information is also given including value labels.

**MULE**

**# Cases** 1672

**# Variable(s)** 27

**File Structure** Type: relational  
Key(s): V01 (Region) , V02 (Zone) , V03 (Wereda) , V04 (Farmers' association) , V05 (Enumeration area) , V06 (Household number) , V07 (Holder number)

**File Content**

Dataset collected at household holder level and contains information about number of mules by age, sex and purpose.

**Producer**

Central Statistical Agency of Ethiopia

**Version**

Version 1.1: In this version of the dataset appropriate variable information are provided and missing variable documentation information is also given including value labels.

**HORSE**

**# Cases** 4670

**# Variable(s)** 27

**File Structure** Type: relational  
Key(s): V01 (Region) , V02 (Zone) , V03 (Wereda) , V04 (Farmers' association) , V05 (Enumeration area) , V06 (Household number) , V07 (Holder number)

**File Content**

Dataset collected at household holder level and contains information about number of horses by age, sex and purpose.

<b>Producer</b> Central Statistical Agency of Ethiopia
<b>Version</b> Version 1.1: In this version of the dataset appropriate variable information are provided and missing variable documentation information is also given including value labels.

<b>DONKEY</b>	
<b># Cases</b>	17196
<b># Variable(s)</b>	27
<b>File Structure</b>	Type: relational Key(s): V01 (Region) , V02 (Zone) , V03 (Wereda) , V04 (Farmers' association) , V05 (Enumeration area) , V06 (Household number) , V07 (Holder number)
<b>File Content</b> Dataset collected at household holder level and contains information about number of donkeys by age, sex and purpose.	
<b>Producer</b> Central Statistical Agency of Ethiopia	
<b>Version</b> Version 1.1: In this version of the dataset appropriate variable information are provided and missing variable documentation information is also given including value labels.	

<b>CAMEL</b>	
<b># Cases</b>	1791
<b># Variable(s)</b>	32
<b>File Structure</b>	Type: relational Key(s): V01 (Region) , V02 (Zone) , V03 (Wereda) , V04 (Farmers' association) , V05 (Enumeration area) , V06 (Household number) , V07 (Holder number)
<b>File Content</b> Dataset collected at household holder level and contains information about number of camels by age, sex and purpose.	
<b>Producer</b> Central Statistical Agency of Ethiopia	
<b>Version</b> Version 1.1: In this version of the dataset appropriate variable information are provided and missing variable documentation information is also given including value labels.	

<b>POULTRY</b>	
<b># Cases</b>	37184
<b># Variable(s)</b>	37
<b>File Structure</b>	Type: relational Key(s): V01 (Region) , V02 (Zone) , V03 (Wereda) , V04 (Farmers' association) , V05 (Enumeration area) , V06 (Household number) , V07 (Holder number)
<b>File Content</b>	

Dataset collected at household holder level and contains information about poultry.

**Producer**

Central Statistical Agency of Ethiopia

**Version**

Version 1.1: In this version of the dataset appropriate variable information are provided and missing variable documentation information is also given including value labels.

**BEEHIVE****# Cases**

70789

**# Variable(s)**

15

**File Structure**

Type: relational  
Key(s): V01 (Region) , V02 (Zone) , V03 (Wereda) , V04 (Farmers' association) , V05 (Enumeration area) , V06 (Household number) , V07 (Holder number)

**File Content**

Dataset collected at household holder level and contains information about beehives.

**Producer**

Central Statistical Agency of Ethiopia

**Version**

Version 1.1: In this version of the dataset appropriate variable information are provided and missing variable documentation information is also given including value labels.

**HONEY****# Cases**

6564

**# Variable(s)**

15

**File Structure**

Type: relational  
Key(s): V01 (Region) , V02 (Zone) , V03 (Wereda) , V04 (Farmers' association) , V05 (Enumeration area) , V06 (Household number) , V07 (Holder number)

**File Content**

Dataset collected at household holder level and contains information about honey production.

**Producer**

Central Statistical Agency of Ethiopia

**Version**

Version 1.1: In this version of the dataset appropriate variable information are provided and missing variable documentation information is also given including value labels.

**COWCAMEL****# Cases**

67776

**# Variable(s)**

17

**File Structure**

Type: relational  
Key(s): V01 (Region) , V02 (Zone) , V03 (Wereda) , V04 (Farmers' association) , V05 (Enumeration area) , V06 (Household number) , V07 (Holder number)

**File Content**

Dataset collected at household holder level and contains information about dairy cows and camels.

<b>Producer</b> Central Statistical Agency of Ethiopia	
<b>Version</b> Version 1.1: In this version of the dataset appropriate variable information are provided and missing variable documentation information is also given including value labels.	

<b>EGG</b>	
<b># Cases</b>	54749
<b># Variable(s)</b>	18
<b>File Structure</b>	Type: relational Key(s): V01 (Region) , V02 (Zone) , V03 (Wereda) , V04 (Farmers' association) , V05 (Enumeration area) , V06 (Household number) , V07 (Holder number)
<b>File Content</b> Dataset collected at household holder level and contains information about egg production.	
<b>Producer</b> Central Statistical Agency of Ethiopia	
<b>Version</b> Version 1.1: In this version of the dataset appropriate variable information are provided and missing variable documentation information is also given including value labels.	

<b>DISEASE</b>	
<b># Cases</b>	53181
<b># Variable(s)</b>	16
<b>File Structure</b>	Type: relational Key(s): V01 (Region) , V02 (Zone) , V03 (Wereda) , V04 (Farmers' association) , V05 (Enumeration area) , V06 (Household number) , V07 (Holder number) , pq151 (Livestock type)
<b>File Content</b> Dataset collected at household holder level and contains information about livestock diseases and treatments during the reference period.	
<b>Producer</b> Central Statistical Agency of Ethiopia	
<b>Version</b> Version 1.1: In this version of the dataset appropriate variable information are provided and missing variable documentation information is also given including value labels.	

<b>NEWBIRTH</b>	
<b># Cases</b>	138267
<b># Variable(s)</b>	34
<b>File Structure</b>	Type: relational Key(s): V01 (Region) , V02 (Zone) , V03 (Wereda) , V04 (Farmers' association) , V05 (Enumeration area) , V06 (Household number) , V07 (Holder number) , pq161 (Livestock type)
<b>File Content</b>	

Dataset collected at household holder level and contains information about number of newborn livestock by type during the reference period.

**Producer**

Central Statistical Agency of Ethiopia

**Version**

Version 1.1: In this version of the dataset appropriate variable information are provided and missing variable documentation information is also given including value labels.

**VACCIN****# Cases**

22793

**# Variable(s)**

28

**File Structure**

Type: relational  
Key(s): V01 (Region) , V02 (Zone) , V03 (Wereda) , V04 (Farmers' association) , V05 (Enumeration area) , V06 (Household number) , V07 (Holder number) , PQ171 (Livestock type)

**File Content**

Dataset collected at household holder level and contains information about livestock diseases, treatment and vaccination during the reference period.

**Producer**

Central Statistical Agency of Ethiopia

**Version**

Version 1.1: In this version of the dataset appropriate variable information are provided and missing variable documentation information is also given including value labels.

**CATTLFEED****# Cases**

397423

**# Variable(s)**

14

**File Structure**

Type: relational  
Key(s): V01 (Region) , V02 (Zone) , V03 (Wereda) , V04 (Farmers' association) , V05 (Enumeration area) , V06 (Household number) , V07 (Holder number) , PQ182 (Type of livestock feed)

**File Content**

Dataset collected at household holder level and contains information about livestock type feed.

**Producer**

Central Statistical Agency of Ethiopia

**Version**

Version 1.1: In this version of the dataset appropriate variable information are provided and missing variable documentation information is also given including value labels.

**EXTENSION****# Cases**

68486

**# Variable(s)**

11

**File Structure**

Type: relational

Key(s): V01 (Region) , V02 (Zone) , V03 (Wereda) , V04 (Farmers' association) , V05 (Enumeration area) , V06 (Household number) , V07 (Holder number)
---

**File Content**

Dataset collected at household holder level and contains information about participation in any livestock extension program.

**Producer**

Central Statistical Agency of Ethiopia

**Version**

Version 1.1: In this version of the dataset appropriate variable information are provided and missing variable documentation information is also given including value labels.

# Variables List

Dataset contains 483 variable(s)

File HHINFO							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	<a href="#">V01</a>	Region	discrete	numeric-2.0	70839	0	Region
2	<a href="#">V02</a>	Zone	continuous	numeric-2.0	70839	0	Zone
3	<a href="#">V03</a>	Wereda	continuous	numeric-2.0	70839	0	Wereda
4	<a href="#">V04</a>	Farmers' association	continuous	numeric-3.0	70839	0	Farmers' association
5	<a href="#">V05</a>	Enumeration area	continuous	numeric-2.0	70839	0	Enumeration area
6	<a href="#">V06</a>	Household number	continuous	numeric-3.0	70839	0	Household number
7	<a href="#">V07</a>	Holder number	continuous	numeric-1.0	70839	0	Holder number
8	<a href="#">V09</a>	Holder age	discrete	numeric-2.0	70839	0	Holder age
9	<a href="#">V10</a>	Holder sex	discrete	numeric-1.0	70839	0	Holder sex
10	<a href="#">V11</a>	Holder educational status	discrete	numeric-2.0	70839	0	Holder educational status
11	<a href="#">V12</a>	Holder family size	discrete	numeric-2.0	70825	14	Holder family size
12	<a href="#">V13</a>	Type of holding	discrete	numeric-1.0	70839	0	Type of holding
13	<a href="#">PQ1</a>	Have livestock and/or beehives	discrete	numeric-1.0	70839	0	Did you have livestock and/or beehives?
14	<a href="#">WEIGHT</a>	Household weight	continuous	numeric-7.2	70839	0	Household weight
15	<a href="#">RATE</a>	Rate	continuous	numeric-9.7	70839	0	Rate

File COW							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	<a href="#">V01</a>	Region	discrete	numeric-2.0	70796	0	Region
2	<a href="#">V02</a>	Zone	continuous	numeric-2.0	70796	0	Zone
3	<a href="#">V03</a>	Wereda	continuous	numeric-2.0	70796	0	Wereda
4	<a href="#">V04</a>	Farmers' association	continuous	numeric-3.0	70796	0	Farmers' association
5	<a href="#">V05</a>	Enumeration area	continuous	numeric-2.0	70796	0	Enumeration area
6	<a href="#">V06</a>	Household number	continuous	numeric-3.0	70796	0	Household number
7	<a href="#">V07</a>	Holder number	continuous	numeric-1.0	70796	0	Holder number
8	<a href="#">P01</a>	Total cattle of all age	continuous	numeric-4.0	70796	0	Total cattle of all age
9	<a href="#">P02</a>	Male cattle of all age	continuous	numeric-4.0	70796	0	Male cattle of all age
10	<a href="#">P03</a>	Female cattle of all age	continuous	numeric-4.0	70796	0	Female cattle of all age
11	<a href="#">P04</a>	Total cattle age less than 6 months	continuous	numeric-4.0	70796	0	Total cattle age less than 6 months
12	<a href="#">P05</a>	Male cattle age less than 6 months	continuous	numeric-4.0	70796	0	Male cattle age less than 6 months
13	<a href="#">P06</a>	Female cattle age less than 6 months	continuous	numeric-4.0	70796	0	Female cattle age less than 6 months
14	<a href="#">P07</a>	Total cattle age 6 months to 1 year	continuous	numeric-4.0	70796	0	Total cattle age 6 months to 1 year

File COW							
#	Name	Label	Type	Format	Valid	Invalid	Question
15	<a href="#">P08</a>	Male cattle age 6 months to 1 year	continuous	numeric-4.0	70796	0	Male cattle age 6 months to 1 year
16	<a href="#">P09</a>	Female cattle age 6 months to 1 year	continuous	numeric-4.0	70796	0	Female cattle age 6 months to 1 year
17	<a href="#">P10</a>	Total cattle age 1 year to 3 years	continuous	numeric-4.0	70796	0	Total cattle age 1 year to 3 years
18	<a href="#">P11</a>	Male cattle age 1 year to 3 years	continuous	numeric-4.0	70796	0	Male cattle age 1 year to 3 years
19	<a href="#">P12</a>	Female cattle age 1 year to 3 years	continuous	numeric-4.0	70796	0	Female cattle age 1 year to 3 years
20	<a href="#">P13</a>	Total cattle age 3 years to 10 years	continuous	numeric-4.0	70796	0	Total cattle age 3 years to 10 years
21	<a href="#">P14</a>	Male cattle age 3 years to 10 years	continuous	numeric-4.0	70796	0	Male cattle age 3 years to 10 years
22	<a href="#">P15</a>	Female cattle age 3 years to 10 years	continuous	numeric-4.0	70796	0	Female cattle age 3 years to 10 years
23	<a href="#">P16</a>	Total beef cattle age 3 years to 10 years	continuous	numeric-4.0	70796	0	Total beef cattle age 3 years to 10 years
24	<a href="#">P17</a>	Male beef cattle age 3 years to 10 years	continuous	numeric-4.0	70796	0	Male beef cattle age 3 years to 10 years
25	<a href="#">P18</a>	Female beef cattle age 3 years to 10 years	continuous	numeric-4.0	70796	0	Female beef cattle age 3 years to 10 years
26	<a href="#">P19</a>	Total breeding cattle age 3 years to 10 years	continuous	numeric-4.0	70796	0	Total breeding cattle age 3 years to 10 years
27	<a href="#">P20</a>	Male breeding cattle age 3 years to 10 years	continuous	numeric-4.0	70796	0	Male breeding cattle age 3 years to 10 years
28	<a href="#">P21</a>	Female breeding cattle age 3 years to 10 years	continuous	numeric-4.0	70796	0	Female breeding cattle age 3 years to 10 years
29	<a href="#">P22</a>	Total dairy cows age 3 years to 10 years	continuous	numeric-4.0	70796	0	Total dairy cows age 3 years to 10 years
30	<a href="#">P23</a>	Female dairy cows age 3 years to 10 years	continuous	numeric-4.0	70796	0	Female dairy cows age 3 years to 10 years
31	<a href="#">P24</a>	Total cows gave milk for the last 12 months age 3 years to 10 years	continuous	numeric-4.0	70796	0	Total cows gave milk for the last 12 months age 3 years to 10 years
32	<a href="#">P25</a>	Female cows gave milk for the last 12 months age 3 years to 10 years	continuous	numeric-4.0	70796	0	Female cows gave milk for the last 12 months age 3 years to 10 years
33	<a href="#">P26</a>	Total draft cattle age 3 years to 10 years	continuous	numeric-4.0	70796	0	Total draft cattle age 3 years to 10 years
34	<a href="#">P27</a>	Male draft cattle age 3 years to 10 years	continuous	numeric-4.0	70796	0	Male draft cattle age 3 years to 10 years
35	<a href="#">P28</a>	Female draft cattle age 3 years to 10 years	continuous	numeric-4.0	70796	0	Female draft cattle age 3 years to 10 years
36	<a href="#">P29</a>	Total cattle for other purposes age 3 years to 10 years	continuous	numeric-4.0	70796	0	Total cattle for other purposes age 3 years to 10 years
37	<a href="#">P30</a>	Male cattle for other purposes age 3 years to 10 years	continuous	numeric-4.0	70796	0	Male cattle for other purposes age 3 years to 10 years

File COW							
#	Name	Label	Type	Format	Valid	Invalid	Question
38	<a href="#">P31</a>	Female cattle for other purposes age 3 years to 10 years	continuous	numeric-4.0	70796	0	Female cattle for other purposes age 3 years to 10 years
39	<a href="#">P32</a>	Total cattle 10 years and older	continuous	numeric-4.0	70796	0	Total cattle 10 years and older
40	<a href="#">P33</a>	Male cattle 10 years and older	continuous	numeric-4.0	70796	0	Male cattle 10 years and older
41	<a href="#">P34</a>	Female cattle 10 years and older	continuous	numeric-4.0	70796	0	Female cattle 10 years and older
42	<a href="#">P35</a>	Total grand	continuous	numeric-4.0	70796	0	Total grand
43	<a href="#">P36</a>	Male total grand	continuous	numeric-4.0	70796	0	Male total grand
44	<a href="#">P37</a>	Female total grand	continuous	numeric-4.0	70796	0	Female total grand
45	<a href="#">P38</a>	Total local breed	continuous	numeric-4.0	70796	0	Total local breed
46	<a href="#">P39</a>	Male total local breed	continuous	numeric-4.0	70796	0	Male total local breed
47	<a href="#">P40</a>	Female total local breed	continuous	numeric-4.0	70796	0	Female total local breed
48	<a href="#">P41</a>	Total exotic	continuous	numeric-4.0	70796	0	Total exotic
49	<a href="#">P42</a>	Male total exotic	continuous	numeric-4.0	70796	0	Male total exotic
50	<a href="#">P43</a>	Female total exotic	continuous	numeric-4.0	70796	0	Female total exotic
51	<a href="#">P44</a>	Total hybrid	continuous	numeric-4.0	70796	0	Total hybrid
52	<a href="#">P45</a>	Male total hybrid	continuous	numeric-4.0	70796	0	Male total hybrid
53	<a href="#">P46</a>	Female total hybrid	continuous	numeric-4.0	70796	0	Female total hybrid
54	<a href="#">weight</a>	Household weight	continuous	numeric-7.2	70796	0	Household weight
55	<a href="#">rate</a>	Rate	continuous	numeric-9.7	70796	0	Rate

File SHEEP							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	<a href="#">V01</a>	Region	discrete	numeric-2.0	23979	0	Region
2	<a href="#">V02</a>	Zone	continuous	numeric-2.0	23979	0	Zone
3	<a href="#">V03</a>	Wereda	continuous	numeric-2.0	23979	0	Wereda
4	<a href="#">V04</a>	Farmers' association	continuous	numeric-3.0	23979	0	Farmers' association
5	<a href="#">V05</a>	Enumeration area	continuous	numeric-2.0	23979	0	Enumeration area
6	<a href="#">V06</a>	Household number	continuous	numeric-3.0	23979	0	Household number
7	<a href="#">V07</a>	Holder number	continuous	numeric-1.0	23979	0	Holder number
8	<a href="#">P47</a>	Total sheep of all age	continuous	numeric-4.0	23979	0	Total sheep of all age
9	<a href="#">P48</a>	Male sheep of all age	continuous	numeric-4.0	23979	0	Male sheep of all age
10	<a href="#">P49</a>	Female sheep of all age	continuous	numeric-4.0	23979	0	Female sheep of all age
11	<a href="#">P50</a>	Total sheep age less than 6 months	continuous	numeric-4.0	23979	0	Total sheep age less than 6 months
12	<a href="#">P51</a>	Male sheep age less than 6 months	continuous	numeric-4.0	23979	0	Male sheep age less than 6 months
13	<a href="#">P52</a>	Female sheep age less than 6 months	continuous	numeric-4.0	23979	0	Female sheep age less than 6 months

File SHEEP							
#	Name	Label	Type	Format	Valid	Invalid	Question
14	<a href="#">P53</a>	Total sheep age 6 months to 1 year	continuous	numeric-4.0	23979	0	Total sheep age 6 months to 1 year
15	<a href="#">P54</a>	Male sheep age 6 months to 1 year	continuous	numeric-4.0	23979	0	Male sheep age 6 months to 1 year
16	<a href="#">P55</a>	Female sheep age 6 months to 1 year	continuous	numeric-4.0	23979	0	Female sheep age 6 months to 1 year
17	<a href="#">P56</a>	Total sheep age 1 years to 2 years	continuous	numeric-4.0	23979	0	Total sheep age 1 years to 2 years
18	<a href="#">P57</a>	Male sheep age 1 years to 2 years	continuous	numeric-4.0	23979	0	Male sheep age 1 years to 2 years
19	<a href="#">P58</a>	Female sheep age 1 years to 2 years	continuous	numeric-4.0	23979	0	Female sheep age 1 years to 2 years
20	<a href="#">P59</a>	Total sheep age 2 years and older	continuous	numeric-4.0	23979	0	Total sheep age 2 years and older
21	<a href="#">P60</a>	Male sheep age 2 years and older	continuous	numeric-4.0	23979	0	Male sheep age 2 years and older
22	<a href="#">P61</a>	Female sheep age 2 years and older	continuous	numeric-4.0	23979	0	Female sheep age 2 years and older
23	<a href="#">P62</a>	Total sheep for mutton age 2 years and older	continuous	numeric-4.0	23979	0	Total sheep for meet age 2 years and older
24	<a href="#">P63</a>	Male sheep for mutton age 2 years and older	continuous	numeric-4.0	23979	0	Male sheep for meet age 2 years and older
25	<a href="#">P64</a>	Female sheep for mutton age 2 years and older	continuous	numeric-4.0	23979	0	Female sheep for meet age 2 years and older
26	<a href="#">P65</a>	Total sheep for wool only age 2 years and older	continuous	numeric-4.0	23979	0	Total sheep for Wool only age 2 years and older
27	<a href="#">P66</a>	Male sheep for wool only age 2 years and older	continuous	numeric-4.0	23979	0	Male sheep for Wool only age 2 years and older
28	<a href="#">P67</a>	Female sheep for wool only age 2 years and older	continuous	numeric-4.0	23979	0	Female sheep for Wool only age 2 years and older
29	<a href="#">P68</a>	Total sheep for breeding only age 2 years and older	continuous	numeric-4.0	23979	0	Total sheep for breeding only age 2 years and older
30	<a href="#">P69</a>	Male sheep for breeding only age 2 years and older	continuous	numeric-4.0	23979	0	Male sheep for breeding only age 2 years and older
31	<a href="#">P70</a>	Female sheep for breeding only age 2 years and older	continuous	numeric-4.0	23979	0	Female sheep for breeding only age 2 years and older
32	<a href="#">P71</a>	Total sheep for other purposes age 2 years and older	continuous	numeric-4.0	23979	0	Total sheep for other purposes age 2 years and older
33	<a href="#">P72</a>	Male sheep for other purposes age 2 years and older	continuous	numeric-4.0	23979	0	Male sheep for other purposes age 2 years and older
34	<a href="#">P73</a>	Female sheep for other purposes age 2 years and older	continuous	numeric-4.0	23979	0	Female sheep for other purposes age 2 years and older
35	<a href="#">P74</a>	Total grand	continuous	numeric-4.0	23979	0	Total grand
36	<a href="#">P75</a>	Male total grand	continuous	numeric-4.0	23979	0	Male total grand
37	<a href="#">P76</a>	Female total grand	continuous	numeric-4.0	23979	0	Female total grand
38	<a href="#">P77</a>	Total local breed	continuous	numeric-4.0	23979	0	Total local breed

<b>File SHEEP</b>							
#	Name	Label	Type	Format	Valid	Invalid	Question
39	<a href="#">P78</a>	Male total local breed	continuous	numeric-4.0	23979	0	Male total local breed
40	<a href="#">P79</a>	Female total local breed	continuous	numeric-4.0	23979	0	Female total local breed
41	<a href="#">P80</a>	Total exotic	continuous	numeric-4.0	23979	0	Total exotic
42	<a href="#">P81</a>	Male total exotic	continuous	numeric-4.0	23979	0	Male total exotic
43	<a href="#">P82</a>	Female total exotic	continuous	numeric-4.0	23979	0	Female total exotic
44	<a href="#">P83</a>	Total hybrid	continuous	numeric-4.0	23979	0	Total hybrid
45	<a href="#">P84</a>	Male total hybrid	continuous	numeric-4.0	23979	0	Male total hybrid
46	<a href="#">P85</a>	Female total hybrid	continuous	numeric-4.0	23979	0	Female total hybrid
47	<a href="#">weight</a>	Household weight	continuous	numeric-7.2	23979	0	Household weight
48	<a href="#">rate</a>	Rate	continuous	numeric-9.7	23979	0	Rate

<b>File GOAT</b>							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	<a href="#">V01</a>	Region	discrete	numeric-2.0	20017	0	Region
2	<a href="#">V02</a>	Zone	continuous	numeric-2.0	20017	0	Zone
3	<a href="#">V03</a>	Wereda	continuous	numeric-2.0	20017	0	Wereda
4	<a href="#">V04</a>	Farmers' association	continuous	numeric-3.0	20017	0	Farmers' association
5	<a href="#">V05</a>	Enumeration area	continuous	numeric-2.0	20017	0	Enumeration area
6	<a href="#">V06</a>	Household number	continuous	numeric-3.0	20017	0	Household number
7	<a href="#">V07</a>	Holder number	continuous	numeric-1.0	20017	0	Holder number
8	<a href="#">P86</a>	Total goats of all ages	continuous	numeric-4.0	20017	0	Total goats of all ages
9	<a href="#">P87</a>	Male goats of all ages	continuous	numeric-4.0	20017	0	Male goats of all ages
10	<a href="#">P88</a>	Female goats of all ages	continuous	numeric-4.0	20017	0	Female goats of all ages
11	<a href="#">P89</a>	Total goats age less than 6 months	continuous	numeric-4.0	20017	0	Total goats age less than 6 months
12	<a href="#">P90</a>	Male goats age less than 6 months	continuous	numeric-4.0	20017	0	Male goats age less than 6 months
13	<a href="#">P91</a>	Female goats age less than 6 months	continuous	numeric-4.0	20017	0	Female goats age less than 6 months
14	<a href="#">P92</a>	Total goats age 6 months to 1 year	continuous	numeric-4.0	20017	0	Total goats age 6 months to 1 year
15	<a href="#">P93</a>	Male goats age 6 months to 1 year	continuous	numeric-4.0	20017	0	Male goats age 6 months to 1 year
16	<a href="#">P94</a>	Female goats age 6 months to 1 year	continuous	numeric-4.0	20017	0	Female goats age 6 months to 1 year
17	<a href="#">P95</a>	Total goats age 1 year to 2 years	continuous	numeric-4.0	20017	0	Total goats age 1 year to 2 years
18	<a href="#">P96</a>	Male goats age 1 year to 2 years	continuous	numeric-4.0	20017	0	Male goats age 1 year to 2 years
19	<a href="#">P97</a>	Female goats age 1 year to 2 years	continuous	numeric-4.0	20017	0	Female goats age 1 year to 2 years
20	<a href="#">P98</a>	Total goats age 2 years and olders	continuous	numeric-4.0	20017	0	Total goats age 2 years and olders

File GOAT							
#	Name	Label	Type	Format	Valid	Invalid	Question
21	<a href="#">P99</a>	Male goats age 2 years and olders	continuous	numeric-4.0	20017	0	Male goats age 2 years and olders
22	<a href="#">P100</a>	Female goats age 2 years and olders	continuous	numeric-4.0	20017	0	Female goats age 2 years and olders
23	<a href="#">P101</a>	Total goats for meat age 2 years and older	continuous	numeric-4.0	20017	0	Total goats for meat age 2 years and older
24	<a href="#">P102</a>	Male goats for meat age 2 years and older	continuous	numeric-4.0	20017	0	Male goats for meat age 2 years and older
25	<a href="#">P103</a>	Female goats for meat age 2 years and older	continuous	numeric-4.0	20017	0	Female goats for meat age 2 years and older
26	<a href="#">P104</a>	Total dairy goats age 2 years and older	continuous	numeric-4.0	20017	0	Total dairy goats age 2 years and older
27	<a href="#">P105</a>	Female dairy goats age 2 years and older	continuous	numeric-4.0	20017	0	Female dairy goats age 2 years and older
28	<a href="#">P106</a>	Total goats for breeding only age 2 years and older	continuous	numeric-4.0	20017	0	Total goats for breeding only age 2 years and older
29	<a href="#">P107</a>	Male goats for breeding only age 2 years and older	continuous	numeric-4.0	20017	0	Male goats for breeding only age 2 years and older
30	<a href="#">P108</a>	Female goats for breeding only age 2 years and older	continuous	numeric-4.0	20017	0	Female goats for breeding only age 2 years and older
31	<a href="#">P109</a>	Total goats for other purposes age 2 years and older	continuous	numeric-4.0	20017	0	Total goats for other purposes age 2 years and older
32	<a href="#">P110</a>	Male goats for other purposes age 2 years and older	continuous	numeric-4.0	20017	0	Male goats for other purposes age 2 years and older
33	<a href="#">P111</a>	Female goats for other purposes age 2 years and older	continuous	numeric-4.0	20017	0	Female goats for other purposes age 2 years and older
34	<a href="#">P112</a>	Total grand	continuous	numeric-4.0	20017	0	Total grand
35	<a href="#">P113</a>	Male total grand	continuous	numeric-4.0	20017	0	Male total grand
36	<a href="#">P114</a>	Female total grand	continuous	numeric-4.0	20017	0	Female total grand
37	<a href="#">P115</a>	Total local breed	continuous	numeric-4.0	20017	0	Total local breed
38	<a href="#">P116</a>	Male total local breed	continuous	numeric-4.0	20017	0	Male total local breed
39	<a href="#">P117</a>	Female total local breed	continuous	numeric-4.0	20017	0	Female total local breed
40	<a href="#">P118</a>	Total exotic	continuous	numeric-4.0	20017	0	Total exotic
41	<a href="#">P119</a>	Male total exotic	continuous	numeric-4.0	20017	0	Male total exotic
42	<a href="#">P120</a>	Female total exotic	continuous	numeric-4.0	20017	0	Female total exotic
43	<a href="#">P121</a>	Total hybrid	continuous	numeric-4.0	20017	0	Total hybrid
44	<a href="#">P122</a>	Male total hybrid	continuous	numeric-4.0	20017	0	Male total hybrid
45	<a href="#">P123</a>	Female total hybrid	continuous	numeric-4.0	20017	0	Female total hybrid
46	<a href="#">weight</a>	Household weight	continuous	numeric-7.2	20017	0	Household weight
47	<a href="#">rate</a>	Rate	continuous	numeric-9.7	20017	0	Rate

File MULE							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	<a href="#">V01</a>	Region	discrete	numeric-2.0	1672	0	Region
2	<a href="#">V02</a>	Zone	continuous	numeric-2.0	1672	0	Zone
3	<a href="#">V03</a>	Wereda	continuous	numeric-2.0	1672	0	Wereda
4	<a href="#">V04</a>	Farmers' association	continuous	numeric-3.0	1672	0	Farmers' association
5	<a href="#">V05</a>	Enumeration area	continuous	numeric-2.0	1672	0	Enumeration area
6	<a href="#">V06</a>	Household number	continuous	numeric-3.0	1672	0	Household number
7	<a href="#">V07</a>	Holder number	continuous	numeric-1.0	1672	0	Holder number
8	<a href="#">P142</a>	Total mules of all ages	continuous	numeric-4.0	1672	0	Total mules of all ages
9	<a href="#">P143</a>	Male mules of all ages	continuous	numeric-4.0	1672	0	Male mules of all ages
10	<a href="#">P144</a>	Female mules of all ages	continuous	numeric-4.0	1672	0	Female mules of all ages
11	<a href="#">P145</a>	Total mules age less than 3 years	continuous	numeric-4.0	1672	0	Total mules age less than 3 years
12	<a href="#">P146</a>	Male mules age less than 3 years	continuous	numeric-4.0	1672	0	Male mules age less than 3 years
13	<a href="#">P147</a>	Female mules age less than 3 years	continuous	numeric-4.0	1672	0	Female mules age less than 3 years
14	<a href="#">P148</a>	Total mules age 3 years and older	continuous	numeric-4.0	1672	0	Total mules age 3 years and older
15	<a href="#">P149</a>	Male mules age 3 years and older	continuous	numeric-4.0	1672	0	Male mules age 3 years and older
16	<a href="#">P150</a>	Female mules age 3 years and older	continuous	numeric-4.0	1672	0	Female mules age 3 years and older
17	<a href="#">P151</a>	Total mules used primarily for draft purpose age 3 years and older	continuous	numeric-4.0	1672	0	Total mules used primarily for draft purpose age 3 years and older
18	<a href="#">P152</a>	Male mules used primarily for draft purpose age 3 years and older	continuous	numeric-4.0	1672	0	Male mules used primarily for draft purpose age 3 years and older
19	<a href="#">P153</a>	Female mules used primarily for draft purpose age 3 years and older	continuous	numeric-4.0	1672	0	Female mules used primarily for draft purpose age 3 years and older
20	<a href="#">P154</a>	Total mules for transportation purposes age 3 years and older	continuous	numeric-4.0	1672	0	Total mules for transportation purposes age 3 years and older
21	<a href="#">P155</a>	Male mules for transportation purposes age 3 years and older	continuous	numeric-4.0	1672	0	Male mules for transportation purposes age 3 years and older
22	<a href="#">P156</a>	Female mules for transportation purposes age 3 years and older	continuous	numeric-4.0	1672	0	Female mules for transportation purposes age 3 years and older
23	<a href="#">P157</a>	Total mules for other purpose age 3 years and older	continuous	numeric-4.0	1672	0	Total mules for other purpose age 3 years and older
24	<a href="#">P158</a>	Male mules for other purposes age 3 years and older	continuous	numeric-4.0	1672	0	Male mules for other purposes age 3 years and older
25	<a href="#">P159</a>	Female mules for other purposes age 3 years and older	continuous	numeric-4.0	1672	0	Female mules for other purposes age 3 years and older

File MULE							
#	Name	Label	Type	Format	Valid	Invalid	Question
26	<a href="#">weight</a>	Household weight	continuous	numeric-7.2	1672	0	Household weight
27	<a href="#">rate</a>	Rate	continuous	numeric-9.7	1672	0	Rate

File HORSE							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	<a href="#">V01</a>	Region	discrete	numeric-2.0	4670	0	Region
2	<a href="#">V02</a>	Zone	continuous	numeric-2.0	4670	0	Zone
3	<a href="#">V03</a>	Wereda	continuous	numeric-2.0	4670	0	Wereda
4	<a href="#">V04</a>	Farmers' association	continuous	numeric-3.0	4670	0	Farmers' association
5	<a href="#">V05</a>	Enumeration area	continuous	numeric-2.0	4670	0	Enumeration area
6	<a href="#">V06</a>	Household number	continuous	numeric-3.0	4670	0	Household number
7	<a href="#">V07</a>	Holder number	continuous	numeric-1.0	4670	0	Holder number
8	<a href="#">P124</a>	Total horses of all ages	continuous	numeric-4.0	4670	0	Total horses of all ages
9	<a href="#">P125</a>	Male horses of all ages	continuous	numeric-4.0	4670	0	Male horses of all ages
10	<a href="#">P126</a>	Female horses of all ages	continuous	numeric-4.0	4670	0	Female horses of all ages
11	<a href="#">P127</a>	Total horses age less than 3 years	continuous	numeric-4.0	4670	0	Total horses age less than 3 years
12	<a href="#">P128</a>	Male horses age less than 3 years	continuous	numeric-4.0	4670	0	Male horses age less than 3 years
13	<a href="#">P129</a>	Female horses age less than 3 years	continuous	numeric-4.0	4670	0	Female horses age less than 3 years
14	<a href="#">P130</a>	Total horses age 3 years and older	continuous	numeric-4.0	4670	0	Total horses age 3 years and older
15	<a href="#">P131</a>	Male horses age 3 years and older	continuous	numeric-4.0	4670	0	Male horses age 3 years and older
16	<a href="#">P132</a>	Female horses age 3 years and older	continuous	numeric-4.0	4670	0	Female horses age 3 years and older
17	<a href="#">P133</a>	Total horses used primarily for draft purpose age 3 years and older	continuous	numeric-4.0	4670	0	Total horses used primarily for draft purpose age 3 years and older
18	<a href="#">P134</a>	Male horses used primarily for draft purpose age 3 years and older	continuous	numeric-4.0	4670	0	Male horses used primarily for draft purpose age 3 years and older
19	<a href="#">P135</a>	Female horses used primarily for draft purpose age 3 years and older	continuous	numeric-4.0	4670	0	Female horses used primarily for draft purpose age 3 years and older
20	<a href="#">P136</a>	Total horses for transportaion age 3 years and older	continuous	numeric-4.0	4670	0	Total horses for transportaion age 3 years and older
21	<a href="#">P137</a>	Male horses for transportaion age 3 years and older	continuous	numeric-4.0	4670	0	Male horses for transportaion age 3 years and older
22	<a href="#">P138</a>	Female horses for transportaion age 3 years and older	continuous	numeric-4.0	4670	0	Female horses for transportaion age 3 years and older

File HORSE							
#	Name	Label	Type	Format	Valid	Invalid	Question
23	<a href="#">P139</a>	Total horses for other purposes age 3 years and older	continuous	numeric-4.0	4670	0	Total horses for other purposes age 3 years and older
24	<a href="#">P140</a>	Male horses for other purposes age 3 years and older	continuous	numeric-4.0	4670	0	Male horses for other purposes age 3 years and older
25	<a href="#">P141</a>	Female horses for other purposes age 3 years and older	continuous	numeric-4.0	4670	0	Female horses for other purposes age 3 years and older
26	<a href="#">weight</a>	Household weight	continuous	numeric-7.2	4670	0	Household weight
27	<a href="#">rate</a>	Rate	continuous	numeric-9.7	4670	0	Rate

File DONKEY							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	<a href="#">V01</a>	Region	discrete	numeric-2.0	17196	0	Region
2	<a href="#">V02</a>	Zone	continuous	numeric-2.0	17196	0	Zone
3	<a href="#">V03</a>	Wereda	continuous	numeric-2.0	17196	0	Wereda
4	<a href="#">V04</a>	Farmers' association	continuous	numeric-3.0	17196	0	Farmers' association
5	<a href="#">V05</a>	Enumeration area	continuous	numeric-2.0	17196	0	Enumeration area
6	<a href="#">V06</a>	Household number	continuous	numeric-3.0	17196	0	Household number
7	<a href="#">V07</a>	Holder number	continuous	numeric-1.0	17196	0	Holder number
8	<a href="#">P160</a>	Total asses of all ages	continuous	numeric-4.0	17196	0	Total asses of all ages
9	<a href="#">P161</a>	Male asses of all ages	continuous	numeric-4.0	17196	0	Male asses of all ages
10	<a href="#">P162</a>	Female asses of all ages	continuous	numeric-4.0	17196	0	Female asses of all ages
11	<a href="#">P163</a>	Total asses age less than 3 years	continuous	numeric-4.0	17196	0	Total asses age less than 3 years
12	<a href="#">P164</a>	Male asses age less than 3 years	continuous	numeric-4.0	17196	0	Male asses age less than 3 years
13	<a href="#">P165</a>	Female asses age less than 3 years	continuous	numeric-4.0	17196	0	Female asses age less than 3 years
14	<a href="#">P166</a>	Total asses age 3 years and older	continuous	numeric-4.0	17196	0	Total asses age 3 years and older
15	<a href="#">P167</a>	Male asses age 3 years and older	continuous	numeric-4.0	17196	0	Male asses age 3 years and older
16	<a href="#">P168</a>	Female asses age 3 years and older	continuous	numeric-4.0	17196	0	Female asses age 3 years and older
17	<a href="#">P169</a>	Total asses for draft purpose age 3 years and older	continuous	numeric-4.0	17196	0	Total asses for draft purpose age 3 years and older
18	<a href="#">P170</a>	Male asses for draft purpose age 3 years and older	continuous	numeric-4.0	17196	0	Male asses for draft purpose age 3 years and older
19	<a href="#">P171</a>	Female asses for draft purpose age 3 years and older	continuous	numeric-4.0	17196	0	Female asses for draft purpose age 3 years and older

<b>File DONKEY</b>							
#	Name	Label	Type	Format	Valid	Invalid	Question
20	<a href="#">P172</a>	Total asses for transportation age 3 years and older	continuous	numeric-4.0	17196	0	Total asses for transportation age 3 years and older
21	<a href="#">P173</a>	Male asses for transportation age 3 years and older	continuous	numeric-4.0	17196	0	Male asses for transportation age 3 years and older
22	<a href="#">P174</a>	Female asses for transportation age 3 years and older	continuous	numeric-4.0	17196	0	Female asses for transportation age 3 years and older
23	<a href="#">P175</a>	Total asses for other purposes age 3 years and older	continuous	numeric-4.0	17196	0	Total asses for other purposes age 3 years and older
24	<a href="#">P176</a>	Male asses for other purposes age 3 years and older	continuous	numeric-4.0	17196	0	Male asses for other purposes age 3 years and older
25	<a href="#">P177</a>	Female asses for other purposes age 3 years and older	continuous	numeric-4.0	17196	0	Female asses for other purposes age 3 years and older
26	<a href="#">weight</a>	Household weight	continuous	numeric-7.2	17196	0	Household weight
27	<a href="#">rate</a>	Rate	continuous	numeric-9.7	17196	0	Rate

<b>File CAMEL</b>							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	<a href="#">V01</a>	Region	discrete	numeric-2.0	1791	0	Region
2	<a href="#">V02</a>	Zone	continuous	numeric-2.0	1791	0	Zone
3	<a href="#">V03</a>	Wereda	continuous	numeric-2.0	1791	0	Wereda
4	<a href="#">V04</a>	Farmers' association	continuous	numeric-3.0	1791	0	Farmers' association
5	<a href="#">V05</a>	Enumeration area	continuous	numeric-2.0	1791	0	Enumeration area
6	<a href="#">V06</a>	Household number	continuous	numeric-3.0	1791	0	Household number
7	<a href="#">V07</a>	Holder number	continuous	numeric-1.0	1791	0	Holder number
8	<a href="#">P178</a>	Total camels of all ages	continuous	numeric-4.0	1791	0	Total camels of all ages
9	<a href="#">P179</a>	Male camels of all ages	continuous	numeric-4.0	1791	0	Male camels of all ages
10	<a href="#">P180</a>	Female camels of all ages	continuous	numeric-4.0	1791	0	Female camels of all ages
11	<a href="#">P181</a>	Total camels age less than 4 years	continuous	numeric-4.0	1791	0	Total camels age less than 4 years
12	<a href="#">P182</a>	Male camels age less than 4 years	continuous	numeric-4.0	1791	0	Male camels age less than 4 years
13	<a href="#">P183</a>	Female camels age less than 4 years	continuous	numeric-4.0	1791	0	Female camels age less than 4 years
14	<a href="#">P184</a>	Total camels age 4 years and older	continuous	numeric-4.0	1791	0	Total camels age 4 years and older
15	<a href="#">P185</a>	Male camels age 4 years and older	continuous	numeric-4.0	1791	0	Male camels age 4 years and older
16	<a href="#">P186</a>	Female camels age 4 years and older	continuous	numeric-4.0	1791	0	Female camels age 4 years and older
17	<a href="#">P187</a>	Total camels for slaughter age 4 years and older	continuous	numeric-4.0	1791	0	Total camels for slaughter age 4 years and older

<b>File CAMEL</b>							
#	Name	Label	Type	Format	Valid	Invalid	Question
18	<a href="#">P188</a>	Male camels for slaughter age 4 years and older	continuous	numeric-4.0	1791	0	-
19	<a href="#">P189</a>	Female camels for slaughter age 4 years and older	continuous	numeric-4.0	1791	0	Female camels for slaughter age 4 years and older
20	<a href="#">P190</a>	Total camles used for draft purpose age 4 years and older	continuous	numeric-4.0	1791	0	Total camles used for draft purpose age 4 years and older
21	<a href="#">P191</a>	Male camles used for draft purpose age 4 years and older	continuous	numeric-4.0	1791	0	Male camles used for draft purpose age 4 years and older
22	<a href="#">P192</a>	Female camles used for draft purpose age 4 years and older	continuous	numeric-4.0	1791	0	Female camles used for draft purpose age 4 years and older
23	<a href="#">P193</a>	Total camels for milk purpose age 4 years and older	continuous	numeric-4.0	1791	0	Total camels for milk purpose age 4 years and older
24	<a href="#">P194</a>	Female camels for milk purpose age 4 years and older	continuous	numeric-4.0	1791	0	Female camels for milk purpose age 4 years and older
25	<a href="#">P195</a>	Total camels for transportation purpose age 4 years and older	continuous	numeric-4.0	1791	0	Total camels for transportation purpose age 4 years and older
26	<a href="#">P196</a>	Male camels for transportation purpose age 4 years and older	continuous	numeric-4.0	1791	0	Male camels for transportation purpose age 4 years and older
27	<a href="#">P197</a>	Female camels for transportation purpose age 4 years and older	continuous	numeric-4.0	1791	0	Female camels for transportation purpose age 4 years and older
28	<a href="#">P198</a>	Total camels for other purposes age 4 years and older	continuous	numeric-4.0	1791	0	Total camels for other purposes age 4 years and older
29	<a href="#">P199</a>	Male camels for other purposes age 4 years and older	continuous	numeric-4.0	1791	0	Total camels for other purposes age 4 years and older
30	<a href="#">P200</a>	Female camels for other purposes age 4 years and older	continuous	numeric-4.0	1791	0	Female camels for other purposes age 4 years and older
31	<a href="#">weight</a>	Household weight	continuous	numeric-7.2	1791	0	Household weight
32	<a href="#">rate</a>	Rate	continuous	numeric-9.7	1791	0	Rate

<b>File POULTRY</b>							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	<a href="#">V01</a>	Region	discrete	numeric-2.0	37184	0	Region
2	<a href="#">V02</a>	Zone	continuous	numeric-2.0	37184	0	Zone
3	<a href="#">V03</a>	Wereda	continuous	numeric-2.0	37184	0	Wereda
4	<a href="#">V04</a>	Farmers' association	continuous	numeric-3.0	37184	0	Farmers' association
5	<a href="#">V05</a>	Enumeration area	continuous	numeric-2.0	37184	0	Enumeration area
6	<a href="#">V06</a>	Household number	continuous	numeric-3.0	37184	0	Household number

<b>File POULTRY</b>							
#	Name	Label	Type	Format	Valid	Invalid	Question
7	<a href="#">V07</a>	Holder number	continuous	numeric-1.0	37184	0	Holder number
8	<a href="#">P201</a>	Poultry total	continuous	numeric-4.0	37184	0	Poultry total
9	<a href="#">P202</a>	Poultry total indigenous	continuous	numeric-4.0	37184	0	Poultry total indigenous
10	<a href="#">P203</a>	Poultry total hybrid	continuous	numeric-4.0	37184	0	Poultry total hybrid
11	<a href="#">P204</a>	Poultry total exotic	continuous	numeric-4.0	37184	0	Poultry total exotic
12	<a href="#">P205</a>	Total laying hens	continuous	numeric-4.0	37184	0	Total laying hens
13	<a href="#">P206</a>	Laying hens indigenous	continuous	numeric-4.0	37184	0	Laying hens indigenous
14	<a href="#">P207</a>	Laying hens hybrid	continuous	numeric-4.0	37184	0	Laying hens hybrid
15	<a href="#">P208</a>	Laying hens exotic	continuous	numeric-4.0	37184	0	Laying hens exotic
16	<a href="#">P209</a>	Total non-laying hens	continuous	numeric-4.0	37184	0	Total non-laying hens
17	<a href="#">P210</a>	Non-laying hens indigenous	continuous	numeric-4.0	37184	0	Non-laying hens indigenous
18	<a href="#">P211</a>	Non-laying hens hybrid	continuous	numeric-4.0	37184	0	Non-laying hens hybrid
19	<a href="#">P212</a>	Non-laying hens exotic	continuous	numeric-4.0	37184	0	Non-laying hens exotic
20	<a href="#">P213</a>	Total cocks	continuous	numeric-4.0	37184	0	Total cocks
21	<a href="#">P214</a>	Cocks indigenous	continuous	numeric-4.0	37184	0	Cocks indigenous
22	<a href="#">P215</a>	Cocks hybrid	continuous	numeric-4.0	37184	0	Cocks hybrid
23	<a href="#">P216</a>	Cocks exotic	continuous	numeric-4.0	37184	0	Cocks exotic
24	<a href="#">P217</a>	Total cockerels	continuous	numeric-4.0	37184	0	Total cockerels
25	<a href="#">P218</a>	Cockerels indigenous	continuous	numeric-4.0	37184	0	Cocks indigenous
26	<a href="#">P219</a>	Cockerels hybrid	continuous	numeric-4.0	37184	0	Cockerels hybrid
27	<a href="#">P220</a>	Cockerels exotic	continuous	numeric-4.0	37184	0	Cockerels exotic
28	<a href="#">P221</a>	Total pullets	continuous	numeric-4.0	37184	0	Total pullets
29	<a href="#">P222</a>	Pullets indigenous	continuous	numeric-4.0	37184	0	Pullets indigenous
30	<a href="#">P223</a>	Pullets hybrid	continuous	numeric-4.0	37184	0	Pullets hybrid
31	<a href="#">P224</a>	Pullets exotic	continuous	numeric-4.0	37184	0	Pullets exotic
32	<a href="#">P225</a>	Total Chicks	continuous	numeric-4.0	37184	0	Total Chicks
33	<a href="#">P226</a>	Chicks indigenous	continuous	numeric-4.0	37184	0	Chicks indigenous
34	<a href="#">P227</a>	Chicks hybrid	continuous	numeric-4.0	37184	0	Chicks hybrid
35	<a href="#">P228</a>	Chicks exotic	continuous	numeric-4.0	37184	0	Chicks exotic
36	<a href="#">weight</a>	Household weight	continuous	numeric-7.2	37184	0	Household weight
37	<a href="#">rate</a>	Rate	continuous	numeric-9.7	37184	0	Rate

<b>File BEEHIVE</b>							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	<a href="#">V01</a>	Region	discrete	numeric-2.0	70789	0	Region
2	<a href="#">V02</a>	Zone	continuous	numeric-2.0	70789	0	Zone
3	<a href="#">V03</a>	Wereda	continuous	numeric-2.0	70789	0	Wereda
4	<a href="#">V04</a>	Farmers' association	continuous	numeric-3.0	70789	0	Farmers' association

<b>File BEEHIVE</b>							
#	Name	Label	Type	Format	Valid	Invalid	Question
5	<a href="#">V05</a>	Enumeration area	continuous	numeric-2.0	70789	0	Enumeration area
6	<a href="#">V06</a>	Household number	continuous	numeric-3.0	70789	0	Household number
7	<a href="#">V07</a>	Holder number	continuous	numeric-1.0	70789	0	Holder number
8	<a href="#">PQ2</a>	Have beehives	discrete	numeric-1.0	70789	0	Did you have beehives?
9	<a href="#">P229</a>	Total beehives	continuous	numeric-4.0	70789	0	Total beehives
10	<a href="#">P230</a>	Traditional beehives	continuous	numeric-4.0	70789	0	Traditional beehives
11	<a href="#">P231</a>	Intermediate beehives	continuous	numeric-4.0	70789	0	Intermediate beehives
12	<a href="#">P232</a>	Modern beehives	continuous	numeric-4.0	70789	0	Modern beehives
13	<a href="#">PQ3</a>	Had livestock the last 12 months	discrete	numeric-1.0	70789	0	Had livestock the last 12 months?
14	<a href="#">weight</a>	Household weight	continuous	numeric-7.2	70789	0	Household weight
15	<a href="#">rate</a>	Rate	continuous	numeric-9.7	70789	0	Rate

<b>File HONEY</b>							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	<a href="#">V01</a>	Region	discrete	numeric-2.0	6564	0	Region
2	<a href="#">V02</a>	Zone	continuous	numeric-2.0	6564	0	Zone
3	<a href="#">V03</a>	Wereda	continuous	numeric-2.0	6564	0	Wereda
4	<a href="#">V04</a>	Farmers' association	continuous	numeric-3.0	6564	0	Farmers' association
5	<a href="#">V05</a>	Enumeration area	continuous	numeric-2.0	6564	0	Enumeration area
6	<a href="#">V06</a>	Household number	continuous	numeric-3.0	6564	0	Household number
7	<a href="#">V07</a>	Holder number	continuous	numeric-1.0	6564	0	Holder number
8	<a href="#">p233</a>	Average honey production/ traditional hive/harvest	continuous	numeric-8.3	6564	0	Average honey production/ traditional hive/harvest
9	<a href="#">P234</a>	Number of harvests/ traditional hive/yaer	continuous	numeric-2.0	6564	0	Number of harvests/traditional hive/ yaer
10	<a href="#">p235</a>	Average honey production/ intermediate hive/harvest	continuous	numeric-8.3	6564	0	Average honey production/ intermediate hive/harvest
11	<a href="#">P236</a>	Number of harvests/ intermediate hive/year	continuous	numeric-2.0	6564	0	Number of harvests/intermediate hive/year
12	<a href="#">p237</a>	Average honey production/ modern hive/harvest	continuous	numeric-8.3	6564	0	Average honey production/ modern hive/harvest
13	<a href="#">P238</a>	Number of harvest/modern hive/year	continuous	numeric-2.0	6564	0	Number of harvest/modern hive/year
14	<a href="#">weight</a>	Household weight	continuous	numeric-7.2	6564	0	Household weight
15	<a href="#">rate</a>	Rate	continuous	numeric-9.7	6564	0	Rate

<b>File COWCAMEL</b>							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	<a href="#">V01</a>	Region	discrete	numeric-2.0	67776	0	Region
2	<a href="#">V02</a>	Zone	continuous	numeric-2.0	67776	0	Zone
3	<a href="#">V03</a>	Wereda	continuous	numeric-2.0	67776	0	Wereda

<b>File COWCAMEL</b>							
#	Name	Label	Type	Format	Valid	Invalid	Question
4	<a href="#">V04</a>	Farmers' association	continuous	numeric-3.0	67776	0	Farmers' association
5	<a href="#">V05</a>	Enumeration area	continuous	numeric-2.0	67776	0	Enumeration area
6	<a href="#">V06</a>	Household number	continuous	numeric-3.0	67776	0	Household number
7	<a href="#">V07</a>	Holder number	continuous	numeric-1.0	67776	0	Holder number
8	<a href="#">P239</a>	Number of cows that gave milk during the reference period	continuous	numeric-4.0	67776	0	Number of cows that gave milk during the reference period
9	<a href="#">P240</a>	Average number of months cows actually milked	continuous	numeric-4.0	67776	0	Average number of months cows actually milked
10	<a href="#">P241</a>	Average lactation period of cows in months	continuous	numeric-4.0	67776	0	Average lactation period of cows in months
11	<a href="#">p242</a>	Milk production per day per cow in liters	continuous	numeric-8.3	67776	0	Milk production per day per cow in liters
12	<a href="#">P243</a>	Number of camels that gave milk during the reference period	continuous	numeric-4.0	67776	0	Number of camels that gave milk during the reference period
13	<a href="#">P244</a>	Average number of months camels actually milked	continuous	numeric-4.0	67776	0	Average number of months camels actually milked
14	<a href="#">P245</a>	Average lactation period of camels in months	continuous	numeric-4.0	67776	0	Average lactation period of camels in months
15	<a href="#">p246</a>	Milk production per day per camel	continuous	numeric-8.3	67776	0	Milk production per day per camel
16	<a href="#">weight</a>	Household weight	continuous	numeric-7.2	67776	0	Household weight
17	<a href="#">rate</a>	Rate	continuous	numeric-9.7	67776	0	Rate

<b>File EGG</b>							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	<a href="#">V01</a>	Region	discrete	numeric-2.0	54749	0	Region
2	<a href="#">V02</a>	Zone	continuous	numeric-2.0	54749	0	Zone
3	<a href="#">V03</a>	Wereda	continuous	numeric-2.0	54749	0	Wereda
4	<a href="#">V04</a>	Farmers' association	continuous	numeric-3.0	54749	0	Farmers' association
5	<a href="#">V05</a>	Enumeration area	continuous	numeric-2.0	54749	0	Enumeration area
6	<a href="#">V06</a>	Household number	continuous	numeric-3.0	54749	0	Household number
7	<a href="#">V07</a>	Holder number	continuous	numeric-1.0	54749	0	Holder number
8	<a href="#">P247</a>	Egg production per hen per clutch-indigenous	continuous	numeric-4.0	54749	0	Egg production per hen per clutch-indigenous
9	<a href="#">P248</a>	Egg production per hen per clutch-hybrid	continuous	numeric-4.0	54749	0	Egg production per hen per clutch-hybrid
10	<a href="#">P249</a>	Egg production per hen per clutch-exotic	continuous	numeric-4.0	54749	0	Egg production per hen per clutch-exotic
11	<a href="#">P250</a>	Average number of days per clutch-indigenous	continuous	numeric-4.0	54749	0	Average number of days per clutch-indigenous
12	<a href="#">P251</a>	Average number of days per clutch-hybrid	continuous	numeric-4.0	54749	0	Average number of days per clutch-hybrid

<b>File EGG</b>							
#	Name	Label	Type	Format	Valid	Invalid	Question
13	<a href="#">P252</a>	Average number of days per clutch-exotic	continuous	numeric-4.0	54749	0	Average number of days per clutch-exotic
14	<a href="#">P253</a>	Total number of clutch during the reference period-indigenous	continuous	numeric-4.0	54749	0	Total number of clutch during the reference period-indigenous
15	<a href="#">P254</a>	Total number of clutch during the reference period-hybrid	continuous	numeric-4.0	54749	0	Total number of clutch during the reference period-hybrid
16	<a href="#">P255</a>	Total number of clutch during the reference period-exotic	continuous	numeric-4.0	54749	0	Total number of clutch during the reference period-exotic
17	<a href="#">weight</a>	Household weight	continuous	numeric-7.2	54749	0	Household weight
18	<a href="#">rate</a>	Rate	continuous	numeric-9.7	54749	0	Rate

<b>File DISEASE</b>							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	<a href="#">V01</a>	Region	discrete	numeric-2.0	53181	0	Region
2	<a href="#">V02</a>	Zone	continuous	numeric-2.0	53181	0	Zone
3	<a href="#">V03</a>	Wereda	continuous	numeric-2.0	53181	0	Wereda
4	<a href="#">V04</a>	Farmers' association	continuous	numeric-3.0	53181	0	Farmers' association
5	<a href="#">V05</a>	Enumeration area	continuous	numeric-2.0	53181	0	Enumeration area
6	<a href="#">V06</a>	Household number	continuous	numeric-3.0	53181	0	Household number
7	<a href="#">V07</a>	Holder number	continuous	numeric-1.0	53181	0	Holder number
8	<a href="#">pq151</a>	Livestock type	discrete	numeric-1.0	53181	0	Livestock type
9	<a href="#">pq1531</a>	Total afflicted/diseased	continuous	numeric-3.0	53181	0	Total afflicted/diseased
10	<a href="#">pq1532</a>	Male afflicted/diseased	continuous	numeric-3.0	53181	0	Male afflicted/diseased
11	<a href="#">pq1533</a>	Female afflicted/diseased	continuous	numeric-3.0	53181	0	Female afflicted/diseased
12	<a href="#">pq1551</a>	Total treated	continuous	numeric-3.0	53181	0	Total treated
13	<a href="#">pq1552</a>	Male treated	continuous	numeric-3.0	53181	0	Male treated
14	<a href="#">pq1553</a>	Female treated	continuous	numeric-3.0	53181	0	Female treated
15	<a href="#">WEIGHT</a>	Household weight	continuous	numeric-7.2	53181	0	Household weight
16	<a href="#">RATE</a>	Rate	continuous	numeric-9.7	53181	0	Rate

<b>File NEWBIRTH</b>							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	<a href="#">V01</a>	Region	discrete	numeric-2.0	138267	0	Region
2	<a href="#">V02</a>	Zone	continuous	numeric-2.0	138267	0	Zone
3	<a href="#">V03</a>	Wereda	continuous	numeric-2.0	138267	0	Wereda
4	<a href="#">V04</a>	Farmers' association	continuous	numeric-3.0	138267	0	Farmers' association
5	<a href="#">V05</a>	Enumeration area	continuous	numeric-2.0	138267	0	Enumeration area
6	<a href="#">V06</a>	Household number	continuous	numeric-3.0	138267	0	Household number
7	<a href="#">V07</a>	Holder number	continuous	numeric-1.0	138267	0	Holder number

<b>File NEWBIRTH</b>							
#	Name	Label	Type	Format	Valid	Invalid	Question
8	<a href="#">pq161</a>	Livestock type	discrete	numeric-1.0	138267	0	Livestock type
9	<a href="#">pq1631</a>	Births-Total	continuous	numeric-3.0	138267	0	Births-Total
10	<a href="#">pq1632</a>	Births-Male	continuous	numeric-3.0	138267	0	Births-Male
11	<a href="#">pq1633</a>	Births-Female	continuous	numeric-3.0	138267	0	Births-Female
12	<a href="#">pq1641</a>	Purchases-Total	continuous	numeric-3.0	138267	0	Purchases-Total
13	<a href="#">pq1642</a>	Purchase-Male	continuous	numeric-3.0	138267	0	Purchase-Male
14	<a href="#">pq1643</a>	Purchase-Female	continuous	numeric-3.0	138267	0	Purchase-Female
15	<a href="#">pq1651</a>	Acquired-Total	continuous	numeric-3.0	138267	0	Acquired-Total
16	<a href="#">pq1652</a>	Acquired-Male	continuous	numeric-3.0	138267	0	Acquired-Male
17	<a href="#">pq1653</a>	Acquired-Female	continuous	numeric-3.0	138267	0	Acquired-Female
18	<a href="#">pq1661</a>	Sales-Total	continuous	numeric-3.0	138267	0	Sales-Total
19	<a href="#">pq1662</a>	Sales-Male	continuous	numeric-3.0	138267	0	Sales-Male
20	<a href="#">pq1663</a>	Sales-Female	continuous	numeric-3.0	138267	0	Sales-Female
21	<a href="#">pq1671</a>	Slaughters-Total	continuous	numeric-3.0	138267	0	Slaughters-Total
22	<a href="#">pq1672</a>	Slaughters-Male	continuous	numeric-3.0	138267	0	Slaughters-Male
23	<a href="#">pq1673</a>	Slaughters-Female	continuous	numeric-3.0	138267	0	Slaughters-Female
24	<a href="#">pq1681</a>	Offered-Total	continuous	numeric-3.0	138267	0	Offered-Total
25	<a href="#">pq1682</a>	Offered-Male	continuous	numeric-3.0	138267	0	Offered-Male
26	<a href="#">pq1683</a>	Offered-Female	continuous	numeric-3.0	138267	0	Offered-Female
27	<a href="#">pq1691</a>	Died due to diseases-Total	continuous	numeric-3.0	138267	0	Died due to diseases-Total
28	<a href="#">pq1692</a>	Died due to diseases-Male	continuous	numeric-3.0	138267	0	Died due to diseases-Male
29	<a href="#">pq1693</a>	Died due to diseases-Female	continuous	numeric-3.0	138267	0	Died due to diseases-Female
30	<a href="#">pq16101</a>	Died due to other reasons-Total	continuous	numeric-3.0	138267	0	Died due to other reasons-Total
31	<a href="#">pq16102</a>	Died due to other reasons-Male	continuous	numeric-3.0	138267	0	Died due to other reasons-Male
32	<a href="#">pq16103</a>	Died due to other reasons-Female	continuous	numeric-3.0	138267	0	Died due to other reasons-Female
33	<a href="#">WEIGHT</a>	Household weight	continuous	numeric-7.2	138267	0	Household weight
34	<a href="#">RATE</a>	Rate	continuous	numeric-9.7	138267	0	Rate

<b>File VACCIN</b>							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	<a href="#">V01</a>	Region	discrete	numeric-2.0	22793	0	Region
2	<a href="#">V02</a>	Zone	continuous	numeric-2.0	22793	0	Zone
3	<a href="#">V03</a>	Wereda	continuous	numeric-2.0	22793	0	Wereda
4	<a href="#">V04</a>	Farmers' association	continuous	numeric-3.0	22793	0	Farmers' association
5	<a href="#">V05</a>	Enumeration area	continuous	numeric-2.0	22793	0	Enumeration area
6	<a href="#">V06</a>	Household number	continuous	numeric-3.0	22793	0	Household number
7	<a href="#">V07</a>	Holder number	continuous	numeric-1.0	22793	0	Holder number

<b>File VACCIN</b>							
#	Name	Label	Type	Format	Valid	Invalid	Question
8	<a href="#">PQ171</a>	Livestock type	discrete	numeric-1.0	22793	0	Livestock type
9	<a href="#">PQ1731</a>	Total vaccinated	continuous	numeric-3.0	22793	0	Total vaccinated
10	<a href="#">PQ1732</a>	Male vaccinated	continuous	numeric-3.0	22793	0	Male vaccinated
11	<a href="#">PQ1733</a>	Female vaccinated	continuous	numeric-3.0	22793	0	Female vaccinated
12	<a href="#">PQ1741</a>	Total vaccinated against Anthrax ("Abasenga")	continuous	numeric-3.0	22793	0	Total vaccinated against Anthrax ("Abasenga")
13	<a href="#">PQ1742</a>	Male vaccinated against Anthrax ("Abasenga")	continuous	numeric-3.0	22793	0	Male vaccinated against Anthrax ("Abasenga")
14	<a href="#">PQ1743</a>	Female vaccinated against Anthrax ("Abasenga")	continuous	numeric-3.0	22793	0	Female vaccinated against Anthrax ("Abasenga")
15	<a href="#">PQ1751</a>	Total vaccinated against Blackleg ("Abagorba")	continuous	numeric-3.0	22793	0	Total vaccinated against Blackleg ("Abagorba")
16	<a href="#">PQ1752</a>	Male vaccinated against Blackleg ("Abagorba")	continuous	numeric-3.0	22793	0	Male vaccinated against Blackleg ("Abagorba")
17	<a href="#">PQ1753</a>	Female vaccinated against Blackleg ("Abagorba")	continuous	numeric-3.0	22793	0	Female vaccinated against Blackleg ("Abagorba")
18	<a href="#">PQ1761</a>	Total vaccinated against tuberculosis (Pleuro-Pneumonia)	continuous	numeric-3.0	22793	0	Total vaccinated against tuberculosis (Pleuro-Pneumonia)
19	<a href="#">PQ1762</a>	Male vaccinated against tuberculosis (Pleuro-Pneumonia)	continuous	numeric-3.0	22793	0	Male vaccinated against tuberculosis (Pleuro-Pneumonia)
20	<a href="#">PQ1763</a>	Female vaccinated against tuberculosis (Pleuro-Pneumonia)	continuous	numeric-3.0	22793	0	Female vaccinated against tuberculosis (Pleuro-Pneumonia)
21	<a href="#">PQ1771</a>	Total vaccinated against Hemorrhagic Septicemia ("Gororsa")	continuous	numeric-3.0	22793	0	Total vaccinated against Hemorrhagic Septicemia ("Gororsa")
22	<a href="#">PQ1772</a>	Male vaccinated against Hemorrhagic Septicemia ("Gororsa")	continuous	numeric-3.0	22793	0	Male vaccinated against Hemorrhagic Septicemia ("Gororsa")
23	<a href="#">PQ1773</a>	Female vaccinated against Hemorrhagic Septicemia ("Gororsa")	continuous	numeric-3.0	22793	0	Female vaccinated against Hemorrhagic Septicemia ("Gororsa")
24	<a href="#">PQ1781</a>	Total vaccinated against other not mentioned above	continuous	numeric-3.0	22793	0	Total vaccinated against other not mentioned above
25	<a href="#">PQ1782</a>	Male vaccinated against other not mentioned above	continuous	numeric-3.0	22793	0	Male vaccinated against other not mentioned above
26	<a href="#">PQ1783</a>	Female vaccinated against other not mentioned above	continuous	numeric-3.0	22793	0	Female vaccinated against other not mentioned above
27	<a href="#">weight</a>	Household weight	continuous	numeric-7.2	22793	0	Household weight
28	<a href="#">rate</a>	Rate	continuous	numeric-9.7	22793	0	Rate

<b>File CATTLEFEED</b>							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	<a href="#">V01</a>	Region	discrete	numeric-2.0	397423	0	Region
2	<a href="#">V02</a>	Zone	continuous	numeric-2.0	397423	0	Zone
3	<a href="#">V03</a>	Wereda	continuous	numeric-2.0	397423	0	Wereda

<b>File CATTLEFEED</b>							
#	Name	Label	Type	Format	Valid	Invalid	Question
4	<a href="#">V04</a>	Farmers' association	continuous	numeric-3.0	397423	0	Farmers' association
5	<a href="#">V05</a>	Enumeration area	continuous	numeric-2.0	397423	0	Enumeration area
6	<a href="#">V06</a>	Household number	continuous	numeric-3.0	397423	0	Household number
7	<a href="#">V07</a>	Holder number	continuous	numeric-1.0	397423	0	Holder number
8	<a href="#">PQ181</a>	Serial number	discrete	numeric-1.0	397423	0	Serial number
9	<a href="#">PQ182</a>	Type of livestock feed	discrete	numeric-2.0	397423	0	Type of livestock feed
10	<a href="#">PQ183</a>	Used the mentioned livestock feed	discrete	numeric-1.0	397423	0	Have you used the livestock feed?
11	<a href="#">PQ184</a>	Percentage used	continuous	numeric-3.0	148185	249238	Percent form the total feed utilized
12	<a href="#">PQ185</a>	Source of feed	discrete	numeric-1.0	397423	0	Source of feed
13	<a href="#">weight</a>	Household weight	continuous	numeric-7.2	397423	0	Household weight
14	<a href="#">rate</a>	Rate	continuous	numeric-9.7	397423	0	Rate

<b>File EXTENSION</b>							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	<a href="#">V01</a>	Region	discrete	numeric-2.0	68486	0	Region
2	<a href="#">V02</a>	Zone	continuous	numeric-2.0	68486	0	Zone
3	<a href="#">V03</a>	Wereda	continuous	numeric-2.0	68486	0	Wereda
4	<a href="#">V04</a>	Farmers' association	continuous	numeric-3.0	68486	0	Farmers' association
5	<a href="#">V05</a>	Enumeration area	continuous	numeric-2.0	68486	0	Enumeration area
6	<a href="#">V06</a>	Household number	continuous	numeric-3.0	68486	0	Household number
7	<a href="#">V07</a>	Holder number	continuous	numeric-1.0	68486	0	Holder number
8	<a href="#">PQ19</a>	Participate in any livestock extension program	discrete	numeric-1.0	68486	0	Did you participate in any livestock extension program during the reference period?
9	<a href="#">PQ20</a>	Type of extenstion program	discrete	numeric-1.0	68486	0	What was the type of package (livestock extension program)?
10	<a href="#">weight</a>	Household weight	continuous	numeric-7.2	68486	0	Household weight
11	<a href="#">rate</a>	Rate	continuous	numeric-9.7	68486	0	Rate

# Variables Description

Dataset contains 483 variable(s)

File HHINFO				
<b>#1 V01: Region</b>				
Information	[Type= discrete] [Format=numeric] [Range= 1-15] [Missing=*]			
Statistics [NW/ W]	[Valid=70839 / 11334051.26 ] [Invalid=0 / 0 ]			
Literal question	Region			
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Weighted</b>	<b>Percentage (Weighted)</b>
1	Tigray	6184	700094.7	6.2%
2	Afar	1336	28925.3	0.3%
3	Amhara	13544	3162603.8	27.9%
4	Oromiya	22302	4557978.5	40.2%
5	Somalie	2091	107163.3	0.9%
6	Benshangul	2487	138470.0	1.2%
7	SNNP	20748	2597851.6	22.9%
12	Gambela	0	0.0	0.0%
13	Harari	724	15710.9	0.1%
14	Addis ababa	698	6939.5	0.1%
15	Dire dawa	725	18313.6	0.2%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
<b>#2 V02: Zone</b>				
Information	[Type= continuous] [Format=numeric] [Range= 1-21] [Missing=*]			
Statistics [NW/ W]	[Valid=70839 /-] [Invalid=0 /-]			
Literal question	Zone			
<b>#3 V03: Wereda</b>				
Information	[Type= continuous] [Format=numeric] [Range= 1-35] [Missing=*]			
Statistics [NW/ W]	[Valid=70839 /-] [Invalid=0 /-]			
Literal question	Wereda			
<b>#4 V04: Farmers' association</b>				
Information	[Type= continuous] [Format=numeric] [Range= 1-126] [Missing=*]			
Statistics [NW/ W]	[Valid=70839 /-] [Invalid=0 /-]			
Literal question	Farmers' association			
Notes	Farm association code for households who live in resettlement areas are started from 151.			
<b>#5 V05: Enumeration area</b>				
Information	[Type= continuous] [Format=numeric] [Range= 1-12] [Missing=*]			
Statistics [NW/ W]	[Valid=70839 /-] [Invalid=0 /-]			
Literal question	Enumeration area			
<b>#6 V06: Household number</b>				
Information	[Type= continuous] [Format=numeric] [Range= 0-989] [Missing=*]			
Statistics [NW/ W]	[Valid=70839 /-] [Invalid=0 /-]			
Literal question	Household number			

File HHINFO				
#7 V07: Holder number				
Information	[Type= continuous] [Format=numeric] [Range= 0-9] [Missing=*]			
Statistics [NW/ W]	[Valid=70839 /-] [Invalid=0 /-]			
Literal question	Holder number			
#8 V09: Holder age				
Information	[Type= discrete] [Format=numeric] [Range= 0-97] [Missing=*/99]			
Statistics [NW/ W]	[Valid=70839 / 11334051.26 ] [Invalid=0 / 0 ] [Mean=41.49 /-]			
Literal question	Holder age			
Value	Label	Cases	Weighted	Percentage (Weighted)
0	0	10	1593.1	0.0%
1	1	6	978.1	0.0%
2	2	7	454.8	0.0%
3	3	7	855.6	0.0%
4	4	14	2075.1	0.0%
5	5	8	1783.6	0.0%
6	6	7	1182.7	0.0%
7	7	4	761.8	0.0%
8	8	8	1551.4	0.0%
9	9	14	2040.0	0.0%
10	10	37	5596.3	0.0%
11	11	27	4413.6	0.0%
12	12	74	11920.8	0.1%
13	13	60	9813.2	0.1%
14	14	124	23260.4	0.2%
15	15	182	27642.7	0.2%
16	16	210	35845.6	0.3%
17	17	262	42336.0	0.4%
18	18	726	117323.1	1.0%
19	19	473	69635.7	0.6%
20	20	1276	181190.6	1.6%
21	21	800	115340.7	1.0%
22	22	1317	193177.4	1.7%
23	23	987	150857.2	1.3%
24	24	1154	172335.2	1.5%
25	25	2368	333340.2	2.9%
26	26	1586	234767.2	2.1%
27	27	1808	269820.0	2.4%
28	28	2454	384446.6	3.4%
29	29	1406	212969.1	1.9%
30	30	3188	465828.7	4.1%
31	31	1489	239682.9	2.1%
32	32	2300	357385.0	3.2%
33	33	1361	221138.8	2.0%
34	34	1349	210756.3	1.9%

## File HHINFO

### #8 V09: Holder age

Value	Label	Cases	Weighted	Percentage (Weighted)
35	35	2822	415328.7	3.7%
36	36	1708	267892.7	2.4%
37	37	1530	251009.2	2.2%
38	38	2103	332932.0	2.9%
39	39	1161	178982.3	1.6%
40	40	2633	385760.2	3.4%
41	41	1084	175516.9	1.5%
42	42	1718	285699.3	2.5%
43	43	1063	165941.6	1.5%
44	44	846	138006.7	1.2%
45	45	2362	362833.4	3.2%
46	46	1205	196825.7	1.7%
47	47	1095	177401.9	1.6%
48	48	1302	222343.4	2.0%
49	49	745	122320.3	1.1%
50	50	1948	314507.8	2.8%
51	51	828	137524.0	1.2%
52	52	1119	187120.8	1.7%
53	53	781	136535.5	1.2%
54	54	739	127347.5	1.1%
55	55	1348	225362.0	2.0%
56	56	931	159696.2	1.4%
57	57	665	112564.0	1.0%
58	58	767	134119.8	1.2%
59	59	451	80628.4	0.7%
60	60	1441	242785.7	2.1%
61	61	462	81942.6	0.7%
62	62	657	118961.0	1.0%
63	63	526	94477.9	0.8%
64	64	545	102147.8	0.9%
65	65	1076	190962.5	1.7%
66	66	438	85901.4	0.8%
67	67	486	88063.4	0.8%
68	68	465	82729.3	0.7%
69	69	285	51089.3	0.5%
70	70	901	164452.3	1.5%
71	71	290	52187.5	0.5%
72	72	364	64622.0	0.6%
73	73	272	47843.9	0.4%
74	74	236	42948.5	0.4%
75	75	430	81360.8	0.7%
76	76	268	46236.3	0.4%
77	77	131	25848.4	0.2%

## File HHINFO

### #8 V09: Holder age

Value	Label	Cases	Weighted	Percentage (Weighted)
78	78	197	35724.5	0.3%
79	79	101	18502.5	0.2%
80	80	356	62673.5	0.6%
81	81	89	16386.0	0.1%
82	82	110	19615.8	0.2%
83	83	69	12769.4	0.1%
84	84	62	11739.9	0.1%
85	85	128	24039.7	0.2%
86	86	66	10747.1	0.1%
87	87	55	11930.6	0.1%
88	88	29	5538.8	0.0%
89	89	25	4600.3	0.0%
90	90	63	10531.7	0.1%
91	91	14	3060.5	0.0%
92	92	13	2039.1	0.0%
93	93	13	1844.8	0.0%
94	94	7	1546.2	0.0%
95	95	15	2658.3	0.0%
96	96	13	2234.8	0.0%
97	97	84	13007.1	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### #9 V10: Holder sex

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=70839 / 11334051.26 ] [Invalid=0 / 0 ]
<b>Literal question</b>	Holder sex

Value	Label	Cases	Weighted	Percentage (Weighted)
1	Male	58872	9314541.1	82.2%
2	Female	11966	2019181.7	17.8%
9	Not stated	1	328.5	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### #10 V11: Holder educational status

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=70839 / 11334051.26 ] [Invalid=0 / 0 ] [Mean=2.706 / 2.658 ] [StdDev=4.943 / 4.774 ]
<b>Literal question</b>	Holder educational status

Value	Label	Cases	Weighted	Percentage (Weighted)
1	Can not read and write	47299	7596829.0	67.0%
2	Informal education	5260	917319.3	8.1%
3	Grade 1	1591	237765.6	2.1%
4	Grade 2	2652	404197.4	3.6%
5	Grade 3	3023	467613.5	4.1%
6	Grade 4	2695	403562.3	3.6%
7	Grade 5	2224	345631.5	3.0%

## File HHINFO

### #10 V11: Holder educational status

Value	Label	Cases	Weighted	Percentage (Weighted)
8	Grade 6	2141	327312.7	2.9%
9	Grade 7	1379	222653.4	2.0%
10	Grade 8	998	157133.6	1.4%
11	Grade 9 /old curriculum	394	65480.6	0.6%
12	Grade 10 /old curriculum	210	35159.8	0.3%
13	Grade 11 /old curriculum	45	7511.2	0.1%
14	Grade 12 /old curriculum	355	54749.6	0.5%
15	Above grade 12 in old curriculum	112	19972.2	0.2%
16	Grade 9/in new curriculum	108	17406.4	0.2%
17	Grade 10/in new curriculum	178	26979.2	0.2%
18	10+1/in the new vocational	10	1797.0	0.0%
19	Certificate/ diploma in vocational training	19	3095.4	0.0%
20	Grade 11/preparatory	6	685.5	0.0%
21	Grade 12/preparatory	12	2642.9	0.0%
22	Above grade 12 preparatory class	4	651.9	0.0%
99	Not stated	124	17901.3	0.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### #11 V12: Holder family size

Value	Label	Cases	Weighted	Percentage (Weighted)
0	0	14	3059.2	0.0%
1	1	2969	301485.6	2.7%
2	2	5951	886689.1	7.8%
3	3	9338	1483585.3	13.1%
4	4	11323	1831748.6	16.2%
5	5	11478	1894527.6	16.7%
6	6	10234	1680144.3	14.8%
7	7	7771	1303866.7	11.5%
8	8	5478	913020.3	8.1%
9	9	3021	502391.1	4.4%
10	10	1767	287205.2	2.5%
11	11	685	111416.7	1.0%
12	12	454	75169.4	0.7%
13	13	162	27218.9	0.2%
14	14	68	10384.8	0.1%
15	15	42	7292.4	0.1%
16	16	18	4007.3	0.0%
17	17	14	2443.7	0.0%
18	18	4	677.6	0.0%
19	19	3	65.2	0.0%
20	20	4	434.2	0.0%

## File HHINFO

### #11 V12: Holder family size

Value	Label	Cases	Weighted	Percentage (Weighted)
21	21	1	29.5	0.0%
22	22	1	13.6	0.0%
27	27	2	301.3	0.0%
28	28	2	215.4	0.0%
30	30	1	8.9	0.0%
31	31	8	1824.5	0.0%
33	33	1	333.1	0.0%
35	35	2	443.2	0.0%
37	37	1	230.1	0.0%
38	38	1	230.1	0.0%
40	40	3	40.6	0.0%
42	42	1	329.5	0.0%
45	45	1	230.1	0.0%
50	50	1	218.3	0.0%
57	57	1	146.3	0.0%
99	99	14	2623.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### #12 V13: Type of holding

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=70839 / 11334051.26 ] [Invalid=0 / 0 ]
<b>Literal question</b>	Type of holding

Value	Label	Cases	Weighted	Percentage (Weighted)
1	Crop	8324	1070389.2	9.4%
2	Livestock	3375	409093.3	3.6%
3	Both	59140	9854568.8	86.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### #13 PQ1: Have livestock and/or beehives

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=70839 / 11334051.26 ] [Invalid=0 / 0 ]
<b>Literal question</b>	Did you have livestock and/or beehives?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	Yes	64026	10442679.2	92.1%
2	No	6758	884667.3	7.8%
9	Not stated	55	6704.8	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### #14 WEIGHT: Household weight

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 2.51-652.19] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=70839 /-] [Invalid=0 /-] [Mean=159.997 /-] [StdDev=115.242 /-]
<b>Literal question</b>	Household weight

### #15 RATE: Rate

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0.0066831-1.5729272] [Missing=*]
--------------------	--

File HHINFO				
<b>#15 RATE: Rate</b>				
Statistics [NW/ W]	[Valid=70839 /-] [Invalid=0 /-] [Mean=0.189 /-] [StdDev=0.293 /-]			
Literal question	Rate			
File COW				
<b>#1 V01: Region</b>				
Information	[Type= discrete] [Format=numeric] [Range= 1-15] [Missing=*]			
Statistics [NW/ W]	[Valid=70796 / 11329967.19 ] [Invalid=0 / 0 ]			
Literal question	Region			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	Tigray	6182	699850.9	6.2%
2	Afar	1336	28925.3	0.3%
3	Amhara	13540	3161810.0	27.9%
4	Oromiya	22294	4556389.8	40.2%
5	Somalie	2068	106538.0	0.9%
6	Benshangul	2487	138470.0	1.2%
7	SNNP	20743	2597047.2	22.9%
12	Gambela	0	0.0	0.0%
13	Harari	724	15710.9	0.1%
14	Addis ababa	698	6939.5	0.1%
15	Dire dawa	724	18285.6	0.2%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
<b>#2 V02: Zone</b>				
Information	[Type= continuous] [Format=numeric] [Range= 1-21] [Missing=*]			
Statistics [NW/ W]	[Valid=70796 /-] [Invalid=0 /-]			
Literal question	Zone			
<b>#3 V03: Wereda</b>				
Information	[Type= continuous] [Format=numeric] [Range= 1-35] [Missing=*]			
Statistics [NW/ W]	[Valid=70796 /-] [Invalid=0 /-]			
Literal question	Wereda			
<b>#4 V04: Farmers' association</b>				
Information	[Type= continuous] [Format=numeric] [Range= 1-126] [Missing=*]			
Statistics [NW/ W]	[Valid=70796 /-] [Invalid=0 /-]			
Literal question	Farmers' association			
Notes	Farm association code for households who live in resettlement areas are started from 151.			
<b>#5 V05: Enumeration area</b>				
Information	[Type= continuous] [Format=numeric] [Range= 1-12] [Missing=*]			
Statistics [NW/ W]	[Valid=70796 /-] [Invalid=0 /-]			
Literal question	Enumeration area			
<b>#6 V06: Household number</b>				
Information	[Type= continuous] [Format=numeric] [Range= 0-989] [Missing=*]			

<b>File COW</b>	
<b>#6 V06: Household number</b>	
Statistics [NW/ W]	[Valid=70796 /-] [Invalid=0 /-]
Literal question	Household number
<b>#7 V07: Holder number</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=70796 /-] [Invalid=0 /-]
Literal question	Holder number
<b>#8 P01: Total cattle of all age</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-145] [Missing=*]
Statistics [NW/ W]	[Valid=70796 / 11329967.19 ] [Invalid=0 / 0 ] [Mean=3.43 / 3.564 ] [StdDev=4.604 / 4.018 ]
Literal question	Total cattle of all age
<b>#9 P02: Male cattle of all age</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-54] [Missing=*]
Statistics [NW/ W]	[Valid=70796 / 11329967.19 ] [Invalid=0 / 0 ] [Mean=1.511 / 1.599 ] [StdDev=1.874 / 1.796 ]
Literal question	Male cattle of all age
<b>#10 P03: Female cattle of all age</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-113] [Missing=*]
Statistics [NW/ W]	[Valid=70796 / 11329967.19 ] [Invalid=0 / 0 ] [Mean=1.919 / 1.965 ] [StdDev=3.166 / 2.618 ]
Literal question	Female cattle of all age
<b>#11 P04: Total cattle age less than 6 months</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-30] [Missing=*]
Statistics [NW/ W]	[Valid=70796 / 11329967.19 ] [Invalid=0 / 0 ] [Mean=0.334 / 0.336 ] [StdDev=0.783 / 0.692 ]
Literal question	Total cattle age less than 6 months
<b>#12 P05: Male cattle age less than 6 months</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-10] [Missing=*]
Statistics [NW/ W]	[Valid=70796 / 11329967.19 ] [Invalid=0 / 0 ] [Mean=0.159 / 0.163 ] [StdDev=0.453 / 0.435 ]
Literal question	Male cattle age less than 6 months
<b>#13 P06: Female cattle age less than 6 months</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-20] [Missing=*]
Statistics [NW/ W]	[Valid=70796 / 11329967.19 ] [Invalid=0 / 0 ] [Mean=0.175 / 0.172 ] [StdDev=0.524 / 0.463 ]
Literal question	Female cattle age less than 6 months
<b>#14 P07: Total cattle age 6 months to 1 year</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-35] [Missing=*]
Statistics [NW/ W]	[Valid=70796 / 11329967.19 ] [Invalid=0 / 0 ] [Mean=0.281 / 0.28 ] [StdDev=0.742 / 0.656 ]
Literal question	Total cattle age 6 months to 1 year
<b>#15 P08: Male cattle age 6 months to 1 year</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-11] [Missing=*]
Statistics [NW/ W]	[Valid=70796 / 11329967.19 ] [Invalid=0 / 0 ] [Mean=0.133 / 0.135 ] [StdDev=0.42 / 0.405 ]
Literal question	Male cattle age 6 months to 1 year

<b>File COW</b>	
<b>#16 P09: Female cattle age 6 months to 1 year</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-35] [Missing=*]
Statistics [NW/ W]	[Valid=70796 / 11329967.19 ] [Invalid=0 / 0 ] [Mean=0.148 / 0.145 ] [StdDev=0.511 / 0.444 ]
Literal question	Female cattle age 6 months to 1 year
<b>#17 P10: Total cattle age 1 year to 3 years</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-70] [Missing=*]
Statistics [NW/ W]	[Valid=70796 / 11329967.19 ] [Invalid=0 / 0 ] [Mean=0.533 / 0.556 ] [StdDev=1.12 / 1.029 ]
Literal question	Total cattle age 1 year to 3 years
<b>#18 P11: Male cattle age 1 year to 3 years</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-50] [Missing=*]
Statistics [NW/ W]	[Valid=70796 / 11329967.19 ] [Invalid=0 / 0 ] [Mean=0.236 / 0.247 ] [StdDev=0.619 / 0.594 ]
Literal question	Male cattle age 1 year to 3 years
<b>#19 P12: Female cattle age 1 year to 3 years</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-21] [Missing=*]
Statistics [NW/ W]	[Valid=70796 / 11329967.19 ] [Invalid=0 / 0 ] [Mean=0.297 / 0.309 ] [StdDev=0.76 / 0.703 ]
Literal question	Female cattle age 1 year to 3 years
<b>#20 P13: Total cattle age 3 years to 10 years</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-105] [Missing=*]
Statistics [NW/ W]	[Valid=70796 / 11329967.19 ] [Invalid=0 / 0 ] [Mean=2.183 / 2.275 ] [StdDev=2.855 / 2.55 ]
Literal question	Total cattle age 3 years to 10 years
<b>#21 P14: Male cattle age 3 years to 10 years</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-28] [Missing=*]
Statistics [NW/ W]	[Valid=70796 / 11329967.19 ] [Invalid=0 / 0 ] [Mean=0.933 / 0.993 ] [StdDev=1.22 / 1.208 ]
Literal question	Male cattle age 3 years to 10 years
<b>#22 P15: Female cattle age 3 years to 10 years</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-85] [Missing=*]
Statistics [NW/ W]	[Valid=70796 / 11329967.19 ] [Invalid=0 / 0 ] [Mean=1.25 / 1.281 ] [StdDev=2.094 / 1.744 ]
Literal question	Female cattle age 3 years to 10 years
<b>#23 P16: Total beef cattle age 3 years to 10 years</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-13] [Missing=*]
Statistics [NW/ W]	[Valid=70796 / 11329967.19 ] [Invalid=0 / 0 ] [Mean=0.026 / 0.0256 ] [StdDev=0.228 / 0.222 ]
Literal question	Total beef cattle age 3 years to 10 years
<b>#24 P17: Male beef cattle age 3 years to 10 years</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-13] [Missing=*]
Statistics [NW/ W]	[Valid=70796 / 11329967.19 ] [Invalid=0 / 0 ] [Mean=0.0204 / 0.0191 ] [StdDev=0.195 / 0.183 ]
Literal question	Male beef cattle age 3 years to 10 years
<b>#25 P18: Female beef cattle age 3 years to 10 years</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=70796 / 11329967.19 ] [Invalid=0 / 0 ] [Mean=0.00562 / 0.0065 ] [StdDev=0.102 / 0.111 ]

<b>File COW</b>	
<b>#25 P18: Female beef cattle age 3 years to 10 years</b>	
Literal question	Female beef cattle age 3 years to 10 years
<b>#26 P19: Total breeding cattle age 3 years to 10 years</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-52] [Missing=*]
Statistics [NW/ W]	[Valid=70796 / 11329967.19 ] [Invalid=0 / 0 ] [Mean=0.644 / 0.657 ] [StdDev=1.525 / 1.32 ]
Literal question	Total breeding cattle age 3 years to 10 years
<b>#27 P20: Male breeding cattle age 3 years to 10 years</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-17] [Missing=*]
Statistics [NW/ W]	[Valid=70796 / 11329967.19 ] [Invalid=0 / 0 ] [Mean=0.0428 / 0.0332 ] [StdDev=0.352 / 0.28 ]
Literal question	Male breeding cattle age 3 years to 10 years
<b>#28 P21: Female breeding cattle age 3 years to 10 years</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-44] [Missing=*]
Statistics [NW/ W]	[Valid=70796 / 11329967.19 ] [Invalid=0 / 0 ] [Mean=0.602 / 0.624 ] [StdDev=1.379 / 1.225 ]
Literal question	Female breeding cattle age 3 years to 10 years
<b>#29 P22: Total diary cows age 3 years to 10 years</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-60] [Missing=*]
Statistics [NW/ W]	[Valid=70796 / 11329967.19 ] [Invalid=0 / 0 ] [Mean=0.552 / 0.549 ] [StdDev=1.308 / 1.104 ]
Literal question	Total diary cows age 3 years to 10 years
<b>#30 P23: Female diary cows age 3 years to 10 years</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-60] [Missing=*]
Statistics [NW/ W]	[Valid=70796 / 11329967.19 ] [Invalid=0 / 0 ] [Mean=0.552 / 0.549 ] [StdDev=1.308 / 1.104 ]
Literal question	Female diary cows age 3 years to 10 years
<b>#31 P24: Total cows gave milk for the last 12 months age 3 years to 10 years</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-30] [Missing=*]
Statistics [NW/ W]	[Valid=70796 / 11329967.19 ] [Invalid=0 / 0 ] [Mean=0.384 / 0.386 ] [StdDev=0.93 / 0.816 ]
Literal question	Total cows gave milk for the last 12 months age 3 years to 10 years
<b>#32 P25: Female cows gave milk for the last 12 months age 3 years to 10 years</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-30] [Missing=*]
Statistics [NW/ W]	[Valid=70796 / 11329967.19 ] [Invalid=0 / 0 ] [Mean=0.384 / 0.386 ] [StdDev=0.93 / 0.816 ]
Literal question	Female cows gave milk for the last 12 months age 3 years to 10 years
<b>#33 P26: Total draft cattle age 3 years to 10 years</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-22] [Missing=*]
Statistics [NW/ W]	[Valid=70796 / 11329967.19 ] [Invalid=0 / 0 ] [Mean=0.849 / 0.92 ] [StdDev=1.095 / 1.103 ]
Literal question	Total draft cattle age 3 years to 10 years
<b>#34 P27: Male draft cattle age 3 years to 10 years</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-22] [Missing=*]
Statistics [NW/ W]	[Valid=70796 / 11329967.19 ] [Invalid=0 / 0 ] [Mean=0.84 / 0.908 ] [StdDev=1.087 / 1.093 ]
Literal question	Male draft cattle age 3 years to 10 years

<b>File COW</b>	
<b>#35 P28: Female draft cattle age 3 years to 10 years</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=70796 / 11329967.19 ] [Invalid=0 / 0 ] [Mean=0.00915 / 0.0118 ] [StdDev=0.127 / 0.142 ]
Literal question	Female draft cattle age 3 years to 10 years
<b>#36 P29: Total cattle for other purposes age 3 years to 10 years</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-30] [Missing=*]
Statistics [NW/ W]	[Valid=70796 / 11329967.19 ] [Invalid=0 / 0 ] [Mean=0.112 / 0.123 ] [StdDev=0.556 / 0.607 ]
Literal question	Total cattle for other purposes age 3 years to 10 years
<b>#37 P30: Male cattle for other purposes age 3 years to 10 years</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-12] [Missing=*]
Statistics [NW/ W]	[Valid=70796 / 11329967.19 ] [Invalid=0 / 0 ] [Mean=0.0303 / 0.0331 ] [StdDev=0.239 / 0.256 ]
Literal question	Male cattle for other purposes age 3 years to 10 years
<b>#38 P31: Female cattle for other purposes age 3 years to 10 years</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-26] [Missing=*]
Statistics [NW/ W]	[Valid=70796 / 11329967.19 ] [Invalid=0 / 0 ] [Mean=0.0815 / 0.0898 ] [StdDev=0.441 / 0.474 ]
Literal question	Female cattle for other purposes age 3 years to 10 years
<b>#39 P32: Total cattle 10 years and older</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-16] [Missing=*]
Statistics [NW/ W]	[Valid=70796 / 11329967.19 ] [Invalid=0 / 0 ] [Mean=0.099 / 0.117 ] [StdDev=0.475 / 0.5 ]
Literal question	Total cattle 10 years and older
<b>#40 P33: Male cattle 10 years and older</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-12] [Missing=*]
Statistics [NW/ W]	[Valid=70796 / 11329967.19 ] [Invalid=0 / 0 ] [Mean=0.0502 / 0.0598 ] [StdDev=0.291 / 0.316 ]
Literal question	Male cattle 10 years and older
<b>#41 P34: Female cattle 10 years and older</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-11] [Missing=*]
Statistics [NW/ W]	[Valid=70796 / 11329967.19 ] [Invalid=0 / 0 ] [Mean=0.0488 / 0.057 ] [StdDev=0.298 / 0.309 ]
Literal question	Female cattle 10 years and older
<b>#42 P35: Total grand</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-145] [Missing=*]
Statistics [NW/ W]	[Valid=70796 / 11329967.19 ] [Invalid=0 / 0 ] [Mean=3.43 / 3.564 ] [StdDev=4.604 / 4.018 ]
Literal question	Total grand
<b>#43 P36: Male total grand</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-54] [Missing=*]
Statistics [NW/ W]	[Valid=70796 / 11329967.19 ] [Invalid=0 / 0 ] [Mean=1.511 / 1.599 ] [StdDev=1.874 / 1.796 ]
Literal question	Male total grand
<b>#44 P37: Female total grand</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-113] [Missing=*]
Statistics [NW/ W]	[Valid=70796 / 11329967.19 ] [Invalid=0 / 0 ] [Mean=1.919 / 1.965 ] [StdDev=3.166 / 2.618 ]

<b>File COW</b>	
<b>#44 P37: Female total grand</b>	
Literal question	Female total grand
<b>#45 P38: Total local breed</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-145] [Missing=*]
Statistics [NW/ W]	[Valid=70796 / 11329967.19 ] [Invalid=0 / 0 ] [Mean=3.411 / 3.538 ] [StdDev=4.589 / 3.992 ]
Literal question	Total local breed
<b>#46 P39: Male total local breed</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-54] [Missing=*]
Statistics [NW/ W]	[Valid=70796 / 11329967.19 ] [Invalid=0 / 0 ] [Mean=1.504 / 1.589 ] [StdDev=1.867 / 1.785 ]
Literal question	Male total local breed
<b>#47 P40: Female total local breed</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-113] [Missing=*]
Statistics [NW/ W]	[Valid=70796 / 11329967.19 ] [Invalid=0 / 0 ] [Mean=1.907 / 1.95 ] [StdDev=3.159 / 2.604 ]
Literal question	Female total local breed
<b>#48 P41: Total exotic</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-5] [Missing=*]
Statistics [NW/ W]	[Valid=70796 / 11329967.19 ] [Invalid=0 / 0 ] [Mean=0.00201 / 0.00228 ] [StdDev=0.0676 / 0.0727 ]
Literal question	Total exotic
<b>#49 P42: Male total exotic</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=70796 / 11329967.19 ] [Invalid=0 / 0 ] [Mean=0.000706 / 0.00077 ] [StdDev=0.0291 / 0.031 ]
Literal question	Male total exotic
<b>#50 P43: Female total exotic</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-4] [Missing=*]
Statistics [NW/ W]	[Valid=70796 / 11329967.19 ] [Invalid=0 / 0 ] [Mean=0.0013 / 0.00151 ] [StdDev=0.0501 / 0.0556 ]
Literal question	Female total exotic
<b>#51 P44: Total hybrid</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-30] [Missing=*]
Statistics [NW/ W]	[Valid=70796 / 11329967.19 ] [Invalid=0 / 0 ] [Mean=0.0171 / 0.0232 ] [StdDev=0.271 / 0.32 ]
Literal question	Total hybrid
<b>#52 P45: Male total hybrid</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=70796 / 11329967.19 ] [Invalid=0 / 0 ] [Mean=0.00634 / 0.00909 ] [StdDev=0.114 / 0.138 ]
Literal question	Male total hybrid
<b>#53 P46: Female total hybrid</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-22] [Missing=*]
Statistics [NW/ W]	[Valid=70796 / 11329967.19 ] [Invalid=0 / 0 ] [Mean=0.0108 / 0.0141 ] [StdDev=0.187 / 0.216 ]
Literal question	Female total hybrid

<b>File COW</b>				
<b>#54 weight: Household weight</b>				
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 2.51-652.19] [Missing=*]			
<b>Statistics [NW/ W]</b>	[Valid=70796 /-] [Invalid=0 /-]			
<b>Literal question</b>	Household weight			
<b>#55 rate: Rate</b>				
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0.0066831-1.5729272] [Missing=*]			
<b>Statistics [NW/ W]</b>	[Valid=70796 /-] [Invalid=0 /-]			
<b>Literal question</b>	Rate			
<b>File SHEEP</b>				
<b>#1 V01: Region</b>				
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-15] [Missing=*]			
<b>Statistics [NW/ W]</b>	[Valid=23979 / 4297353.66 ] [Invalid=0 / 0 ]			
<b>Literal question</b>	Region			
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Weighted</b>	<b>Percentage (Weighted)</b>
1	Tigray	1150	154870.7	3.6%
2	Afar	594	12684.9	0.3%
3	Amhara	4685	1239397.2	28.8%
4	Oromiya	7170	1752450.7	40.8%
5	Somalie	1053	51613.7	1.2%
6	Benshangul	369	19614.1	0.5%
7	SNNP	8259	1052142.2	24.5%
12	Gambela	0	0.0	0.0%
13	Harari	109	2307.5	0.1%
14	Addis ababa	185	1840.9	0.0%
15	Dire dawa	405	10431.8	0.2%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
<b>#2 V02: Zone</b>				
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 1-21] [Missing=*]			
<b>Statistics [NW/ W]</b>	[Valid=23979 /-] [Invalid=0 /-]			
<b>Literal question</b>	Zone			
<b>#3 V03: Wereda</b>				
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 1-35] [Missing=*]			
<b>Statistics [NW/ W]</b>	[Valid=23979 /-] [Invalid=0 /-]			
<b>Literal question</b>	Wereda			
<b>#4 V04: Farmers' association</b>				
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 1-126] [Missing=*]			
<b>Statistics [NW/ W]</b>	[Valid=23979 /-] [Invalid=0 /-]			
<b>Literal question</b>	Farmers' association			
<b>Notes</b>	Farm association code for households who live in resettlement areas are started from 151.			

<b>File SHEEP</b>	
<b>#5 V05: Enumeration area</b>	
Information	[Type= continuous] [Format=numeric] [Range= 1-11] [Missing=*]
Statistics [NW/ W]	[Valid=23979 /-] [Invalid=0 /-]
Literal question	Enumeration area
<b>#6 V06: Household number</b>	
Information	[Type= continuous] [Format=numeric] [Range= 1-989] [Missing=*]
Statistics [NW/ W]	[Valid=23979 /-] [Invalid=0 /-]
Literal question	Household number
<b>#7 V07: Holder number</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=23979 /-] [Invalid=0 /-]
Literal question	Holder number
<b>#8 P47: Total sheep of all age</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-170] [Missing=*]
Statistics [NW/ W]	[Valid=23979 / 4297353.66 ] [Invalid=0 / 0 ] [Mean=4.918 / 4.825 ] [StdDev=5.917 / 4.957 ]
Literal question	Total sheep of all age
<b>#9 P48: Male sheep of all age</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-55] [Missing=*]
Statistics [NW/ W]	[Valid=23979 / 4297353.66 ] [Invalid=0 / 0 ] [Mean=1.295 / 1.243 ] [StdDev=2.026 / 1.768 ]
Literal question	Male sheep of all age
<b>#10 P49: Female sheep of all age</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-115] [Missing=*]
Statistics [NW/ W]	[Valid=23979 / 4297353.66 ] [Invalid=0 / 0 ] [Mean=3.623 / 3.582 ] [StdDev=4.404 / 3.72 ]
Literal question	Female sheep of all age
<b>#11 P50: Total sheep age less than 6 months</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-75] [Missing=*]
Statistics [NW/ W]	[Valid=23979 / 4297353.66 ] [Invalid=0 / 0 ] [Mean=1.318 / 1.387 ] [StdDev=1.795 / 1.752 ]
Literal question	Total sheep age less than 6 months
<b>#12 P51: Male sheep age less than 6 months</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-30] [Missing=*]
Statistics [NW/ W]	[Valid=23979 / 4297353.66 ] [Invalid=0 / 0 ] [Mean=0.637 / 0.675 ] [StdDev=1.026 / 1.036 ]
Literal question	Male sheep age less than 6 months
<b>#13 P52: Female sheep age less than 6 months</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-60] [Missing=*]
Statistics [NW/ W]	[Valid=23979 / 4297353.66 ] [Invalid=0 / 0 ] [Mean=0.681 / 0.713 ] [StdDev=1.173 / 1.123 ]
Literal question	Female sheep age less than 6 months
<b>#14 P53: Total sheep age 6 months to 1 year</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-38] [Missing=*]
Statistics [NW/ W]	[Valid=23979 / 4297353.66 ] [Invalid=0 / 0 ] [Mean=0.509 / 0.459 ] [StdDev=1.19 / 1.012 ]

<b>File SHEEP</b>	
<b>#14 P53: Total sheep age 6 months to 1 year</b>	
Literal question	Total sheep age 6 months to 1 year
<b>#15 P54: Male sheep age 6 months to 1 year</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-12] [Missing=*]
Statistics [NW/ W]	[Valid=23979 / 4297353.66 ] [Invalid=0 / 0 ] [Mean=0.207 / 0.188 ] [StdDev=0.613 / 0.569 ]
Literal question	Male sheep age 6 months to 1 year
<b>#16 P55: Female sheep age 6 months to 1 year</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-28] [Missing=*]
Statistics [NW/ W]	[Valid=23979 / 4297353.66 ] [Invalid=0 / 0 ] [Mean=0.302 / 0.27 ] [StdDev=0.862 / 0.72 ]
Literal question	Female sheep age 6 months to 1 year
<b>#17 P56: Total sheep age 1 years to 2 years</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-41] [Missing=*]
Statistics [NW/ W]	[Valid=23979 / 4297353.66 ] [Invalid=0 / 0 ] [Mean=0.579 / 0.511 ] [StdDev=1.463 / 1.17 ]
Literal question	Total sheep age 1 years to 2 years
<b>#18 P57: Male sheep age 1 years to 2 years</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-16] [Missing=*]
Statistics [NW/ W]	[Valid=23979 / 4297353.66 ] [Invalid=0 / 0 ] [Mean=0.174 / 0.153 ] [StdDev=0.65 / 0.597 ]
Literal question	Male sheep age 1 years to 2 years
<b>#19 P58: Female sheep age 1 years to 2 years</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-29] [Missing=*]
Statistics [NW/ W]	[Valid=23979 / 4297353.66 ] [Invalid=0 / 0 ] [Mean=0.405 / 0.358 ] [StdDev=1.115 / 0.91 ]
Literal question	Female sheep age 1 years to 2 years
<b>#20 P59: Total sheep age 2 years and older</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-105] [Missing=*]
Statistics [NW/ W]	[Valid=23979 / 4297353.66 ] [Invalid=0 / 0 ] [Mean=2.512 / 2.468 ] [StdDev=3.269 / 2.812 ]
Literal question	Total sheep age 2 years and older
<b>#21 P60: Male sheep age 2 years and older</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-34] [Missing=*]
Statistics [NW/ W]	[Valid=23979 / 4297353.66 ] [Invalid=0 / 0 ] [Mean=0.277 / 0.227 ] [StdDev=0.935 / 0.792 ]
Literal question	Male sheep age 2 years and older
<b>#22 P61: Female sheep age 2 years and older</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-90] [Missing=*]
Statistics [NW/ W]	[Valid=23979 / 4297353.66 ] [Invalid=0 / 0 ] [Mean=2.235 / 2.241 ] [StdDev=2.794 / 2.477 ]
Literal question	Female sheep age 2 years and older
<b>#23 P62: Total sheep for mutton age 2 years and older</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-21] [Missing=*]
Statistics [NW/ W]	[Valid=23979 / 4297353.66 ] [Invalid=0 / 0 ] [Mean=0.111 / 0.106 ] [StdDev=0.56 / 0.547 ]
Literal question	Total sheep for meet age 2 years and older

<b>File SHEEP</b>	
<b>#24 P63: Male sheep for mutton age 2 years and older</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-21] [Missing=*]
Statistics [NW/ W]	[Valid=23979 / 4297353.66 ] [Invalid=0 / 0 ] [Mean=0.0991 / 0.0941 ] [StdDev=0.516 / 0.516 ]
Literal question	Male sheep for meet age 2 years and older
<b>#25 P64: Female sheep for mutton age 2 years and older</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-10] [Missing=*]
Statistics [NW/ W]	[Valid=23979 / 4297353.66 ] [Invalid=0 / 0 ] [Mean=0.0116 / 0.0115 ] [StdDev=0.183 / 0.168 ]
Literal question	Female sheep for meet age 2 years and older
<b>#26 P65: Total sheep for wool only age 2 years and older</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-14] [Missing=*]
Statistics [NW/ W]	[Valid=23979 / 4297353.66 ] [Invalid=0 / 0 ] [Mean=0.0111 / 0.00903 ] [StdDev=0.237 / 0.202 ]
Literal question	Total sheep for Wool only age 2 years and older
<b>#27 P66: Male sheep for wool only age 2 years and older</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-3] [Missing=*]
Statistics [NW/ W]	[Valid=23979 / 4297353.66 ] [Invalid=0 / 0 ] [Mean=0.000959 / 0.000532 ] [StdDev=0.0382 / 0.028 ]
Literal question	Male sheep for Wool only age 2 years and older
<b>#28 P67: Female sheep for wool only age 2 years and older</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-14] [Missing=*]
Statistics [NW/ W]	[Valid=23979 / 4297353.66 ] [Invalid=0 / 0 ] [Mean=0.0101 / 0.0085 ] [StdDev=0.221 / 0.195 ]
Literal question	Female sheep for Wool only age 2 years and older
<b>#29 P68: Total sheep for breeding only age 2 years and older</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-91] [Missing=*]
Statistics [NW/ W]	[Valid=23979 / 4297353.66 ] [Invalid=0 / 0 ] [Mean=2.366 / 2.329 ] [StdDev=3.096 / 2.652 ]
Literal question	Total sheep for breeding only age 2 years and older
<b>#30 P69: Male sheep for breeding only age 2 years and older</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-34] [Missing=*]
Statistics [NW/ W]	[Valid=23979 / 4297353.66 ] [Invalid=0 / 0 ] [Mean=0.163 / 0.12 ] [StdDev=0.711 / 0.553 ]
Literal question	Male sheep for breeding only age 2 years and older
<b>#31 P70: Female sheep for breeding only age 2 years and older</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-82] [Missing=*]
Statistics [NW/ W]	[Valid=23979 / 4297353.66 ] [Invalid=0 / 0 ] [Mean=2.203 / 2.209 ] [StdDev=2.768 / 2.46 ]
Literal question	Female sheep for breeding only age 2 years and older
<b>#32 P71: Total sheep for other purposes age 2 years and older</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-18] [Missing=*]
Statistics [NW/ W]	[Valid=23979 / 4297353.66 ] [Invalid=0 / 0 ] [Mean=0.0243 / 0.0246 ] [StdDev=0.284 / 0.3 ]
Literal question	Total sheep for other purposes age 2 years and older
<b>#33 P72: Male sheep for other purposes age 2 years and older</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-7] [Missing=*]
Statistics [NW/ W]	[Valid=23979 / 4297353.66 ] [Invalid=0 / 0 ] [Mean=0.0136 / 0.0128 ] [StdDev=0.172 / 0.165 ]

<b>File SHEEP</b>	
<b>#33 P72: Male sheep for other purposes age 2 years and older</b>	
Literal question	Male sheep for other purposes age 2 years and older
<b>#34 P73: Female sheep for other purposes age 2 years and older</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-13] [Missing=*]
Statistics [NW/ W]	[Valid=23979 / 4297353.66 ] [Invalid=0 / 0 ] [Mean=0.0107 / 0.0119 ] [StdDev=0.196 / 0.217 ]
Literal question	Female sheep for other purposes age 2 years and older
<b>#35 P74: Total grand</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-170] [Missing=*]
Statistics [NW/ W]	[Valid=23979 / 4297353.66 ] [Invalid=0 / 0 ] [Mean=4.918 / 4.825 ] [StdDev=5.917 / 4.957 ]
Literal question	Total grand
<b>#36 P75: Male total grand</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-55] [Missing=*]
Statistics [NW/ W]	[Valid=23979 / 4297353.66 ] [Invalid=0 / 0 ] [Mean=1.295 / 1.243 ] [StdDev=2.026 / 1.768 ]
Literal question	Male total grand
<b>#37 P76: Female total grand</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-115] [Missing=*]
Statistics [NW/ W]	[Valid=23979 / 4297353.66 ] [Invalid=0 / 0 ] [Mean=3.623 / 3.582 ] [StdDev=4.404 / 3.72 ]
Literal question	Female total grand
<b>#38 P77: Total local breed</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-170] [Missing=*]
Statistics [NW/ W]	[Valid=23979 / 4297353.66 ] [Invalid=0 / 0 ] [Mean=4.915 / 4.819 ] [StdDev=5.913 / 4.946 ]
Literal question	Total local breed
<b>#39 P78: Male total local breed</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-55] [Missing=*]
Statistics [NW/ W]	[Valid=23979 / 4297353.66 ] [Invalid=0 / 0 ] [Mean=1.294 / 1.24 ] [StdDev=2.025 / 1.765 ]
Literal question	Male total local breed
<b>#40 P79: Female total local breed</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-115] [Missing=*]
Statistics [NW/ W]	[Valid=23979 / 4297353.66 ] [Invalid=0 / 0 ] [Mean=3.621 / 3.579 ] [StdDev=4.401 / 3.714 ]
Literal question	Female total local breed
<b>#41 P80: Total exotic</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-3] [Missing=*]
Statistics [NW/ W]	[Valid=23979 / 4297353.66 ] [Invalid=0 / 0 ] [Mean=0.000584 / 0.000686 ] [StdDev=0.0316 / 0.0341 ]
Literal question	Total exotic
<b>#42 P81: Male total exotic</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=23979 / 4297353.66 ] [Invalid=0 / 0 ] [Mean=0.000417 / 0.000514 ] [StdDev=0.0242 / 0.0256 ]
Literal question	Male total exotic

File SHEEP				
<b>#43 P82: Female total exotic</b>				
Information	[Type= continuous] [Format=numeric] [Range= 0-2] [Missing=*]			
Statistics [NW/ W]	[Valid=23979 / 4297353.66 ] [Invalid=0 / 0 ] [Mean=0.000167 / 0.000172 ] [StdDev=0.0158 / 0.0169 ]			
Literal question	Female total exotic			
<b>#44 P83: Total hybrid</b>				
Information	[Type= continuous] [Format=numeric] [Range= 0-19] [Missing=*]			
Statistics [NW/ W]	[Valid=23979 / 4297353.66 ] [Invalid=0 / 0 ] [Mean=0.00296 / 0.0051 ] [StdDev=0.154 / 0.212 ]			
Literal question	Total hybrid			
<b>#45 P84: Male total hybrid</b>				
Information	[Type= continuous] [Format=numeric] [Range= 0-9] [Missing=*]			
Statistics [NW/ W]	[Valid=23979 / 4297353.66 ] [Invalid=0 / 0 ] [Mean=0.000959 / 0.0016 ] [StdDev=0.0642 / 0.0901 ]			
Literal question	Male total hybrid			
<b>#46 P85: Female total hybrid</b>				
Information	[Type= continuous] [Format=numeric] [Range= 0-10] [Missing=*]			
Statistics [NW/ W]	[Valid=23979 / 4297353.66 ] [Invalid=0 / 0 ] [Mean=0.002 / 0.0035 ] [StdDev=0.0992 / 0.134 ]			
Literal question	Female total hybrid			
<b>#47 weight: Household weight</b>				
Information	[Type= continuous] [Format=numeric] [Range= 2.51-652.19] [Missing=*]			
Statistics [NW/ W]	[Valid=23979 /-] [Invalid=0 /-] [Mean=179.213 /-]			
Literal question	Household weight			
<b>#48 rate: Rate</b>				
Information	[Type= continuous] [Format=numeric] [Range= 0.0066831-1.5729272] [Missing=*]			
Statistics [NW/ W]	[Valid=23979 /-] [Invalid=0 /-] [Mean=0.11 /-]			
Literal question	Rate			
File GOAT				
<b>#1 V01: Region</b>				
Information	[Type= discrete] [Format=numeric] [Range= 1-15] [Missing=*]			
Statistics [NW/ W]	[Valid=20017 / 3143217.24 ] [Invalid=0 / 0 ]			
Literal question	Region			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	Tigray	2127	282699.9	9.0%
2	Afar	946	20923.0	0.7%
3	Amhara	3913	951687.3	30.3%
4	Oromiya	5021	1240525.8	39.5%
5	Somalie	1330	64006.6	2.0%
6	Benshangul	947	56569.8	1.8%
7	SNNP	4600	501101.5	15.9%
12	Gambela	0	0.0	0.0%
13	Harari	439	9522.6	0.3%
14	Addis ababa	82	788.5	0.0%

<b>File GOAT</b>				
<b>#1 V01: Region</b>				
Value	Label	Cases	Weighted	Percentage (Weighted)
15	Dire dawa	612	15392.3	0.5%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
<b>#2 V02: Zone</b>				
Information	[Type= continuous] [Format=numeric] [Range= 1-21] [Missing=*]			
Statistics [NW/ W]	[Valid=20017 /-] [Invalid=0 /-]			
Literal question	Zone			
<b>#3 V03: Wereda</b>				
Information	[Type= continuous] [Format=numeric] [Range= 1-35] [Missing=*]			
Statistics [NW/ W]	[Valid=20017 /-] [Invalid=0 /-]			
Literal question	Wereda			
<b>#4 V04: Farmers' association</b>				
Information	[Type= continuous] [Format=numeric] [Range= 1-126] [Missing=*]			
Statistics [NW/ W]	[Valid=20017 /-] [Invalid=0 /-]			
Literal question	Farmers' association			
Notes	Farm association code for households who live in resettlement areas are started from 151.			
<b>#5 V05: Enumeration area</b>				
Information	[Type= continuous] [Format=numeric] [Range= 1-12] [Missing=*]			
Statistics [NW/ W]	[Valid=20017 /-] [Invalid=0 /-]			
Literal question	Enumeration area			
<b>#6 V06: Household number</b>				
Information	[Type= continuous] [Format=numeric] [Range= 0-955] [Missing=*]			
Statistics [NW/ W]	[Valid=20017 /-] [Invalid=0 /-]			
Literal question	Household number			
<b>#7 V07: Holder number</b>				
Information	[Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*]			
Statistics [NW/ W]	[Valid=20017 /-] [Invalid=0 /-]			
Literal question	Holder number			
<b>#8 P86: Total goats of all ages</b>				
Information	[Type= continuous] [Format=numeric] [Range= 0-160] [Missing=*]			
Statistics [NW/ W]	[Valid=20017 / 3143217.24 ] [Invalid=0 / 0 ] [Mean=6.569 / 5.17 ] [StdDev=9.137 / 6.076 ]			
Literal question	Total goats of all ages			
<b>#9 P87: Male goats of all ages</b>				
Information	[Type= continuous] [Format=numeric] [Range= 0-55] [Missing=*]			
Statistics [NW/ W]	[Valid=20017 / 3143217.24 ] [Invalid=0 / 0 ] [Mean=1.886 / 1.56 ] [StdDev=2.964 / 2.191 ]			
Literal question	Male goats of all ages			
<b>#10 P88: Female goats of all ages</b>				
Information	[Type= continuous] [Format=numeric] [Range= 0-118] [Missing=*]			

<b>File GOAT</b>	
<b>#10 P88: Female goats of all ages</b>	
Statistics [NW/ W]	[Valid=20017 / 3143217.24 ] [Invalid=0 / 0 ] [Mean=4.682 / 3.61 ] [StdDev=6.683 / 4.315 ]
Literal question	Female goats of all ages
<b>#11 P89: Total goats age less than 6 months</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-43] [Missing=*]
Statistics [NW/ W]	[Valid=20017 / 3143217.24 ] [Invalid=0 / 0 ] [Mean=1.622 / 1.379 ] [StdDev=2.233 / 1.741 ]
Literal question	Total goats age less than 6 months
<b>#12 P90: Male goats age less than 6 months</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-25] [Missing=*]
Statistics [NW/ W]	[Valid=20017 / 3143217.24 ] [Invalid=0 / 0 ] [Mean=0.754 / 0.668 ] [StdDev=1.14 / 0.987 ]
Literal question	Male goats age less than 6 months
<b>#13 P91: Female goats age less than 6 months</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-26] [Missing=*]
Statistics [NW/ W]	[Valid=20017 / 3143217.24 ] [Invalid=0 / 0 ] [Mean=0.867 / 0.71 ] [StdDev=1.478 / 1.134 ]
Literal question	Female goats age less than 6 months
<b>#14 P92: Total goats age 6 months to 1 year</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-66] [Missing=*]
Statistics [NW/ W]	[Valid=20017 / 3143217.24 ] [Invalid=0 / 0 ] [Mean=0.844 / 0.635 ] [StdDev=1.912 / 1.359 ]
Literal question	Total goats age 6 months to 1 year
<b>#15 P93: Male goats age 6 months to 1 year</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-18] [Missing=*]
Statistics [NW/ W]	[Valid=20017 / 3143217.24 ] [Invalid=0 / 0 ] [Mean=0.332 / 0.274 ] [StdDev=0.836 / 0.695 ]
Literal question	Male goats age 6 months to 1 year
<b>#16 P94: Female goats age 6 months to 1 year</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-53] [Missing=*]
Statistics [NW/ W]	[Valid=20017 / 3143217.24 ] [Invalid=0 / 0 ] [Mean=0.512 / 0.361 ] [StdDev=1.372 / 0.931 ]
Literal question	Female goats age 6 months to 1 year
<b>#17 P95: Total goats age 1year to 2 years</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-60] [Missing=*]
Statistics [NW/ W]	[Valid=20017 / 3143217.24 ] [Invalid=0 / 0 ] [Mean=0.909 / 0.66 ] [StdDev=2.275 / 1.577 ]
Literal question	Total goats age 1year to 2 years
<b>#18 P96: Male goats age 1year to 2 years</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-19] [Missing=*]
Statistics [NW/ W]	[Valid=20017 / 3143217.24 ] [Invalid=0 / 0 ] [Mean=0.298 / 0.23 ] [StdDev=0.898 / 0.689 ]
Literal question	Male goats age 1year to 2 years
<b>#19 P97: Female goats age 1year to 2 years</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-50] [Missing=*]
Statistics [NW/ W]	[Valid=20017 / 3143217.24 ] [Invalid=0 / 0 ] [Mean=0.611 / 0.431 ] [StdDev=1.68 / 1.161 ]
Literal question	Female goats age 1year to 2 years

<b>File GOAT</b>	
<b>#20 P98: Total goats age 2 years and older</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-110] [Missing=*]
Statistics [NW/ W]	[Valid=20017 / 3143217.24 ] [Invalid=0 / 0 ] [Mean=3.194 / 2.496 ] [StdDev=4.647 / 3.112 ]
Literal question	Total goats age 2 years and older
<b>#21 P99: Male goats age 2 years and older</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-33] [Missing=*]
Statistics [NW/ W]	[Valid=20017 / 3143217.24 ] [Invalid=0 / 0 ] [Mean=0.502 / 0.388 ] [StdDev=1.323 / 1 ]
Literal question	Male goats age 2 years and older
<b>#22 P100: Female goats age 2 years and older</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-90] [Missing=*]
Statistics [NW/ W]	[Valid=20017 / 3143217.24 ] [Invalid=0 / 0 ] [Mean=2.691 / 2.108 ] [StdDev=3.795 / 2.508 ]
Literal question	Female goats age 2 years and older
<b>#23 P101: Total goats for meat age 2 years and older</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-22] [Missing=*]
Statistics [NW/ W]	[Valid=20017 / 3143217.24 ] [Invalid=0 / 0 ] [Mean=0.181 / 0.175 ] [StdDev=0.712 / 0.637 ]
Literal question	Total goats for meat age 2 years and older
<b>#24 P102: Male goats for meat age 2 years and older</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-22] [Missing=*]
Statistics [NW/ W]	[Valid=20017 / 3143217.24 ] [Invalid=0 / 0 ] [Mean=0.164 / 0.16 ] [StdDev=0.644 / 0.593 ]
Literal question	Male goats for meat age 2 years and older
<b>#25 P103: Female goats for meat age 2 years and older</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-17] [Missing=*]
Statistics [NW/ W]	[Valid=20017 / 3143217.24 ] [Invalid=0 / 0 ] [Mean=0.0172 / 0.0148 ] [StdDev=0.258 / 0.209 ]
Literal question	Female goats for meat age 2 years and older
<b>#26 P104: Total diary goats age 2 years and older</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-34] [Missing=*]
Statistics [NW/ W]	[Valid=20017 / 3143217.24 ] [Invalid=0 / 0 ] [Mean=0.328 / 0.156 ] [StdDev=1.644 / 0.948 ]
Literal question	Total diary goats age 2 years and older
<b>#27 P105: Female diary goats age 2 years and older</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-34] [Missing=*]
Statistics [NW/ W]	[Valid=20017 / 3143217.24 ] [Invalid=0 / 0 ] [Mean=0.328 / 0.156 ] [StdDev=1.644 / 0.948 ]
Literal question	Female diary goats age 2 years and older
<b>#28 P106: Total goats for breeding only age 2 years and older</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-110] [Missing=*]
Statistics [NW/ W]	[Valid=20017 / 3143217.24 ] [Invalid=0 / 0 ] [Mean=2.657 / 2.143 ] [StdDev=3.907 / 2.7 ]
Literal question	Total goats for breeding only age 2 years and older
<b>#29 P107: Male goats for breeding only age 2 years and older</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-31] [Missing=*]
Statistics [NW/ W]	[Valid=20017 / 3143217.24 ] [Invalid=0 / 0 ] [Mean=0.322 / 0.214 ] [StdDev=1.069 / 0.763 ]

<b>File GOAT</b>	
<b>#29 P107: Male goats for breeding only age 2 years and older</b>	
Literal question	Male goats for breeding only age 2 years and older
<b>#30 P108: Female goats for breeding only age 2 years and older</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-90] [Missing=*]
Statistics [NW/ W]	[Valid=20017 / 3143217.24 ] [Invalid=0 / 0 ] [Mean=2.335 / 1.928 ] [StdDev=3.293 / 2.289 ]
Literal question	Female goats for breeding only age 2 years and older
<b>#31 P109: Total goats for other purposes age 2 years and older</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-34] [Missing=*]
Statistics [NW/ W]	[Valid=20017 / 3143217.24 ] [Invalid=0 / 0 ] [Mean=0.0276 / 0.0218 ] [StdDev=0.358 / 0.243 ]
Literal question	Total goats for other purposes age 2 years and older
<b>#32 P110: Male goats for other purposes age 2 years and older</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-5] [Missing=*]
Statistics [NW/ W]	[Valid=20017 / 3143217.24 ] [Invalid=0 / 0 ] [Mean=0.017 / 0.0137 ] [StdDev=0.183 / 0.16 ]
Literal question	Male goats for other purposes age 2 years and older
<b>#33 P111: Female goats for other purposes age 2 years and older</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-31] [Missing=*]
Statistics [NW/ W]	[Valid=20017 / 3143217.24 ] [Invalid=0 / 0 ] [Mean=0.0106 / 0.00816 ] [StdDev=0.272 / 0.16 ]
Literal question	Female goats for other purposes age 2 years and older
<b>#34 P112: Total grand</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-160] [Missing=*]
Statistics [NW/ W]	[Valid=20017 / 3143217.24 ] [Invalid=0 / 0 ] [Mean=6.569 / 5.17 ] [StdDev=9.137 / 6.076 ]
Literal question	Total grand
<b>#35 P113: Male total grand</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-55] [Missing=*]
Statistics [NW/ W]	[Valid=20017 / 3143217.24 ] [Invalid=0 / 0 ] [Mean=1.886 / 1.56 ] [StdDev=2.964 / 2.191 ]
Literal question	Male total grand
<b>#36 P114: Female total grand</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-118] [Missing=*]
Statistics [NW/ W]	[Valid=20017 / 3143217.24 ] [Invalid=0 / 0 ] [Mean=4.682 / 3.61 ] [StdDev=6.683 / 4.315 ]
Literal question	Female total grand
<b>#37 P115: Total local breed</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-160] [Missing=*]
Statistics [NW/ W]	[Valid=20017 / 3143217.24 ] [Invalid=0 / 0 ] [Mean=6.568 / 5.168 ] [StdDev=9.137 / 6.076 ]
Literal question	Total local breed
<b>#38 P116: Male total local breed</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-55] [Missing=*]
Statistics [NW/ W]	[Valid=20017 / 3143217.24 ] [Invalid=0 / 0 ] [Mean=1.886 / 1.559 ] [StdDev=2.964 / 2.191 ]
Literal question	Male total local breed

<b>File GOAT</b>	
<b>#39 P117: Female total local breed</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-118] [Missing=*]
Statistics [NW/ W]	[Valid=20017 / 3143217.24 ] [Invalid=0 / 0 ] [Mean=4.681 / 3.609 ] [StdDev=6.683 / 4.315 ]
Literal question	Female total local breed
<b>#40 P118: Total exotic</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=20017 / 3143217.24 ] [Invalid=0 / 0 ] [Mean=0.00035 / 0.000315 ] [StdDev=0.043 / 0.0408 ]
Literal question	Total exotic
<b>#41 P119: Male total exotic</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=20017 / 3143217.24 ] [Invalid=0 / 0 ] [Mean=5e-05 / 4.49e-05 ] [StdDev=0.00707 / 0.0067 ]
Literal question	Male total exotic
<b>#42 P120: Female total exotic</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-5] [Missing=*]
Statistics [NW/ W]	[Valid=20017 / 3143217.24 ] [Invalid=0 / 0 ] [Mean=0.0003 / 0.00027 ] [StdDev=0.036 / 0.0342 ]
Literal question	Female total exotic
<b>#43 P121: Total hybrid</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-4] [Missing=*]
Statistics [NW/ W]	[Valid=20017 / 3143217.24 ] [Invalid=0 / 0 ] [Mean=0.000599 / 0.000798 ] [StdDev=0.04 / 0.0491 ]
Literal question	Total hybrid
<b>#44 P122: Male total hybrid</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-3] [Missing=*]
Statistics [NW/ W]	[Valid=20017 / 3143217.24 ] [Invalid=0 / 0 ] [Mean=0.00025 / 0.000401 ] [StdDev=0.0234 / 0.0322 ]
Literal question	Male total hybrid
<b>#45 P123: Female total hybrid</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=20017 / 3143217.24 ] [Invalid=0 / 0 ] [Mean=0.00035 / 0.000397 ] [StdDev=0.0212 / 0.0219 ]
Literal question	Female total hybrid
<b>#46 weight: Household weight</b>	
Information	[Type= continuous] [Format=numeric] [Range= 2.51-635.75] [Missing=*]
Statistics [NW/ W]	[Valid=20017 /-] [Invalid=0 /-]
Literal question	Household weight
<b>#47 rate: Rate</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0.0087721-1.5729272] [Missing=*]
Statistics [NW/ W]	[Valid=20017 /-] [Invalid=0 /-]
Literal question	Rate

<b>File MULE</b>				
<b>#1 V01: Region</b>				
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-15] [Missing=*]			
<b>Statistics [NW/ W]</b>	[Valid=1672 / 329346.05 ] [Invalid=0 / 0 ]			
<b>Literal question</b>	Region			
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Weighted</b>	<b>Percentage (Weighted)</b>
1	Tigray	140	20993.3	6.4%
2	Afar	7	150.4	0.0%
3	Amhara	361	96273.2	29.2%
4	Oromiya	623	151755.4	46.1%
5	Somalie	0	0.0	0.0%
6	Benshangul	25	1472.6	0.4%
7	SNNP	479	58351.8	17.7%
12	Gambela	0	0.0	0.0%
13	Harari	1	20.4	0.0%
14	Addis ababa	36	329.0	0.1%
15	Dire dawa	0	0.0	0.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
<b>#2 V02: Zone</b>				
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 1-21] [Missing=*]			
<b>Statistics [NW/ W]</b>	[Valid=1672 /-] [Invalid=0 /-]			
<b>Literal question</b>	Zone			
<b>#3 V03: Wereda</b>				
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 1-31] [Missing=*]			
<b>Statistics [NW/ W]</b>	[Valid=1672 /-] [Invalid=0 /-]			
<b>Literal question</b>	Wereda			
<b>#4 V04: Farmers' association</b>				
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 1-126] [Missing=*]			
<b>Statistics [NW/ W]</b>	[Valid=1672 /-] [Invalid=0 /-]			
<b>Literal question</b>	Farmers' association			
<b>Notes</b>	Farm association code for households who live in resettlement areas are started from 151.			
<b>#5 V05: Enumeration area</b>				
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 1-12] [Missing=*]			
<b>Statistics [NW/ W]</b>	[Valid=1672 /-] [Invalid=0 /-]			
<b>Literal question</b>	Enumeration area			
<b>#6 V06: Household number</b>				
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 1-526] [Missing=*]			
<b>Statistics [NW/ W]</b>	[Valid=1672 /-] [Invalid=0 /-]			
<b>Literal question</b>	Household number			
<b>#7 V07: Holder number</b>				
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]			
<b>Statistics [NW/ W]</b>	[Valid=1672 /-] [Invalid=0 /-]			

<b>File MULE</b>	
<b>#7 V07: Holder number</b>	
Literal question	Holder number
<b>#8 P142: Total mules of all ages</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-5] [Missing=*
Statistics [NW/ W]	[Valid=1672 / 329346.05 ] [Invalid=0 / 0 ] [Mean=1.02 / 1.034 ] [StdDev=0.39 / 0.392 ]
Literal question	Total mules of all ages
<b>#9 P143: Male mules of all ages</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-4] [Missing=*
Statistics [NW/ W]	[Valid=1672 / 329346.05 ] [Invalid=0 / 0 ] [Mean=0.528 / 0.499 ] [StdDev=0.546 / 0.546 ]
Literal question	Male mules of all ages
<b>#10 P144: Female mules of all ages</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-3] [Missing=*
Statistics [NW/ W]	[Valid=1672 / 329346.05 ] [Invalid=0 / 0 ] [Mean=0.492 / 0.535 ] [StdDev=0.553 / 0.559 ]
Literal question	Female mules of all ages
<b>#11 P145: Total mules age less than 3 years</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-3] [Missing=*
Statistics [NW/ W]	[Valid=1672 / 329346.05 ] [Invalid=0 / 0 ] [Mean=0.109 / 0.125 ] [StdDev=0.331 / 0.353 ]
Literal question	Total mules age less than 3 years
<b>#12 P146: Male mules age less than 3 years</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-2] [Missing=*
Statistics [NW/ W]	[Valid=1672 / 329346.05 ] [Invalid=0 / 0 ] [Mean=0.052 / 0.0589 ] [StdDev=0.23 / 0.244 ]
Literal question	Male mules age less than 3 years
<b>#13 P147: Female mules age less than 3 years</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-2] [Missing=*
Statistics [NW/ W]	[Valid=1672 / 329346.05 ] [Invalid=0 / 0 ] [Mean=0.0574 / 0.066 ] [StdDev=0.238 / 0.253 ]
Literal question	Female mules age less than 3 years
<b>#14 P148: Total mules age 3 years and older</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-5] [Missing=*
Statistics [NW/ W]	[Valid=1672 / 329346.05 ] [Invalid=0 / 0 ] [Mean=0.91 / 0.909 ] [StdDev=0.426 / 0.438 ]
Literal question	Total mules age 3 years and older
<b>#15 P149: Male mules age 3 years and older</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-3] [Missing=*
Statistics [NW/ W]	[Valid=1672 / 329346.05 ] [Invalid=0 / 0 ] [Mean=0.476 / 0.441 ] [StdDev=0.524 / 0.52 ]
Literal question	Male mules age 3 years and older
<b>#16 P150: Female mules age 3 years and older</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-3] [Missing=*
Statistics [NW/ W]	[Valid=1672 / 329346.05 ] [Invalid=0 / 0 ] [Mean=0.434 / 0.469 ] [StdDev=0.521 / 0.528 ]
Literal question	Female mules age 3 years and older

<b>File MULE</b>	
<b>#17 P151: Total mules used primarily for draft purpose age 3 years and older</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-3] [Missing=*
Statistics [NW/ W]	[Valid=1672 / 329346.05 ] [Invalid=0 / 0 ] [Mean=0.0556 / 0.0517 ] [StdDev=0.247 / 0.232 ]
Literal question	Total mules used primarily for draft purpose age 3 years and older
<b>#18 P152: Male mules used primarily for draft purpose age 3 years and older</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-2] [Missing=*
Statistics [NW/ W]	[Valid=1672 / 329346.05 ] [Invalid=0 / 0 ] [Mean=0.0299 / 0.0264 ] [StdDev=0.181 / 0.167 ]
Literal question	Male mules used primarily for draft purpose age 3 years and older
<b>#19 P153: Female mules used primarily for draft purpose age 3 years and older</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-2] [Missing=*
Statistics [NW/ W]	[Valid=1672 / 329346.05 ] [Invalid=0 / 0 ] [Mean=0.0257 / 0.0253 ] [StdDev=0.162 / 0.16 ]
Literal question	Female mules used primarily for draft purpose age 3 years and older
<b>#20 P154: Total mules for transportation purposes age 3 years and older</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-5] [Missing=*
Statistics [NW/ W]	[Valid=1672 / 329346.05 ] [Invalid=0 / 0 ] [Mean=0.834 / 0.835 ] [StdDev=0.462 / 0.476 ]
Literal question	Total mules for transportation purposes age 3 years and older
<b>#21 P155: Male mules for transportation purposes age 3 years and older</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-2] [Missing=*
Statistics [NW/ W]	[Valid=1672 / 329346.05 ] [Invalid=0 / 0 ] [Mean=0.434 / 0.401 ] [StdDev=0.512 / 0.509 ]
Literal question	Male mules for transportation purposes age 3 years and older
<b>#22 P156: Female mules for transportation purposes age 3 years and older</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-3] [Missing=*
Statistics [NW/ W]	[Valid=1672 / 329346.05 ] [Invalid=0 / 0 ] [Mean=0.401 / 0.434 ] [StdDev=0.509 / 0.518 ]
Literal question	Female mules for transportation purposes age 3 years and older
<b>#23 P157: Total mules for other purpose age 3 years and older</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-1] [Missing=*
Statistics [NW/ W]	[Valid=1672 / 329346.05 ] [Invalid=0 / 0 ] [Mean=0.0203 / 0.0229 ] [StdDev=0.141 / 0.15 ]
Literal question	Total mules for other purpose age 3 years and older
<b>#24 P158: Male mules for other purposes age 3 years and older</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-1] [Missing=*
Statistics [NW/ W]	[Valid=1672 / 329346.05 ] [Invalid=0 / 0 ] [Mean=0.0126 / 0.0136 ] [StdDev=0.111 / 0.116 ]
Literal question	Male mules for other purposes age 3 years and older
<b>#25 P159: Female mules for other purposes age 3 years and older</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-1] [Missing=*
Statistics [NW/ W]	[Valid=1672 / 329346.05 ] [Invalid=0 / 0 ] [Mean=0.00778 / 0.00934 ] [StdDev=0.0879 / 0.0962 ]
Literal question	Female mules for other purposes age 3 years and older
<b>#26 weight: Household weight</b>	
Information	[Type= continuous] [Format=numeric] [Range= 7.7-597.86] [Missing=*
Statistics [NW/ W]	[Valid=1672 /-] [Invalid=0 /-]

<b>File MULE</b>					
<b>#26 weight: Household weight</b>					
Literal question	Household weight				
<b>#27 rate: Rate</b>					
Information	[Type= continuous] [Format=numeric] [Range= 0.0087721-1] [Missing=*]				
Statistics [NW/ W]	[Valid=1672 /-] [Invalid=0 /-]				
Literal question	Rate				
<b>File HORSE</b>					
<b>#1 V01: Region</b>					
Information	[Type= discrete] [Format=numeric] [Range= 1-15] [Missing=*]				
Statistics [NW/ W]	[Valid=4670 / 1020102.32 ] [Invalid=0 / 0 ]				
Literal question	Region				
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Weighted</b>	<b>Percentage (Weighted)</b>	
1	Tigray	137	20750.6	2.0%	
2	Afar	0	0.0	0.0%	
3	Amhara	793	208086.6	20.4%	
4	Oromiya	2227	562487.6	55.1%	
5	Somalie	1	69.8	0.0%	
6	Benshangul	9	584.9	0.1%	
7	SNNP	1463	227724.6	22.3%	
12	Gambela	0	0.0	0.0%	
13	Harari	0	0.0	0.0%	
14	Addis ababa	40	398.2	0.0%	
15	Dire dawa	0	0.0	0.0%	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>					
<b>#2 V02: Zone</b>					
Information	[Type= continuous] [Format=numeric] [Range= 1-21] [Missing=*]				
Statistics [NW/ W]	[Valid=4670 /-] [Invalid=0 /-]				
Literal question	Zone				
<b>#3 V03: Wereda</b>					
Information	[Type= continuous] [Format=numeric] [Range= 1-35] [Missing=*]				
Statistics [NW/ W]	[Valid=4670 /-] [Invalid=0 /-]				
Literal question	Wereda				
<b>#4 V04: Farmers' association</b>					
Information	[Type= continuous] [Format=numeric] [Range= 1-126] [Missing=*]				
Statistics [NW/ W]	[Valid=4670 /-] [Invalid=0 /-]				
Literal question	Farmers' association				
Notes	Farm association code for households who live in resettlement areas are started from 151.				
<b>#5 V05: Enumeration area</b>					
Information	[Type= continuous] [Format=numeric] [Range= 1-8] [Missing=*]				
Statistics [NW/ W]	[Valid=4670 /-] [Invalid=0 /-]				

<b>File HORSE</b>	
<b>#5 V05: Enumeration area</b>	
Literal question	Enumeration area
<b>#6 V06: Household number</b>	
Information	[Type= continuous] [Format=numeric] [Range= 1-802] [Missing=*]
Statistics [NW/ W]	[Valid=4670 /-] [Invalid=0 /-]
Literal question	Household number
<b>#7 V07: Holder number</b>	
Information	[Type= continuous] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=4670 /-] [Invalid=0 /-]
Literal question	Holder number
<b>#8 P124: Total horses of all ages</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-15] [Missing=*]
Statistics [NW/ W]	[Valid=4670 / 1020102.32 ] [Invalid=0 / 0 ] [Mean=1.488 / 1.538 ] [StdDev=0.946 / 0.961 ]
Literal question	Total horses of all ages
<b>#9 P125: Male horses of all ages</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-5] [Missing=*]
Statistics [NW/ W]	[Valid=4670 / 1020102.32 ] [Invalid=0 / 0 ] [Mean=0.747 / 0.748 ] [StdDev=0.693 / 0.709 ]
Literal question	Male horses of all ages
<b>#10 P126: Female horses of all ages</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-13] [Missing=*]
Statistics [NW/ W]	[Valid=4670 / 1020102.32 ] [Invalid=0 / 0 ] [Mean=0.741 / 0.791 ] [StdDev=0.81 / 0.812 ]
Literal question	Female horses of all ages
<b>#11 P127: Total horses age less than 3 years</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=4670 / 1020102.32 ] [Invalid=0 / 0 ] [Mean=0.307 / 0.333 ] [StdDev=0.542 / 0.557 ]
Literal question	Total horses age less than 3 years
<b>#12 P128: Male horses age less than 3 years</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-3] [Missing=*]
Statistics [NW/ W]	[Valid=4670 / 1020102.32 ] [Invalid=0 / 0 ] [Mean=0.152 / 0.162 ] [StdDev=0.379 / 0.392 ]
Literal question	Male horses age less than 3 years
<b>#13 P129: Female horses age less than 3 years</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-7] [Missing=*]
Statistics [NW/ W]	[Valid=4670 / 1020102.32 ] [Invalid=0 / 0 ] [Mean=0.155 / 0.171 ] [StdDev=0.399 / 0.413 ]
Literal question	Female horses age less than 3 years
<b>#14 P130: Total horses age 3 years and older</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=4670 / 1020102.32 ] [Invalid=0 / 0 ] [Mean=1.181 / 1.206 ] [StdDev=0.717 / 0.727 ]
Literal question	Total horses age 3 years and older

<b>File HORSE</b>	
<b>#15 P131: Male horses age 3 years and older</b>	
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-5] [Missing=*
<b>Statistics [NW/ W]</b>	[Valid=4670 / 1020102.32 ] [Invalid=0 / 0 ] [Mean=0.595 / 0.586 ] [StdDev=0.629 / 0.639 ]
<b>Literal question</b>	Male horses age 3 years and older
<b>#16 P132: Female horses age 3 years and older</b>	
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-6] [Missing=*
<b>Statistics [NW/ W]</b>	[Valid=4670 / 1020102.32 ] [Invalid=0 / 0 ] [Mean=0.586 / 0.62 ] [StdDev=0.63 / 0.63 ]
<b>Literal question</b>	Female horses age 3 years and older
<b>#17 P133: Total horses used primarily for draft purpose age 3 years and older</b>	
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-5] [Missing=*
<b>Statistics [NW/ W]</b>	[Valid=4670 / 1020102.32 ] [Invalid=0 / 0 ] [Mean=0.16 / 0.157 ] [StdDev=0.467 / 0.459 ]
<b>Literal question</b>	Total horses used primarily for draft purpose age 3 years and older
<b>#18 P134: Male horses used primarily for draft purpose age 3 years and older</b>	
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-4] [Missing=*
<b>Statistics [NW/ W]</b>	[Valid=4670 / 1020102.32 ] [Invalid=0 / 0 ] [Mean=0.0887 / 0.0842 ] [StdDev=0.331 / 0.322 ]
<b>Literal question</b>	Male horses used primarily for draft purpose age 3 years and older
<b>#19 P135: Female horses used primarily for draft purpose age 3 years and older</b>	
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-3] [Missing=*
<b>Statistics [NW/ W]</b>	[Valid=4670 / 1020102.32 ] [Invalid=0 / 0 ] [Mean=0.0711 / 0.0727 ] [StdDev=0.288 / 0.29 ]
<b>Literal question</b>	Female horses used primarily for draft purpose age 3 years and older
<b>#20 P136: Total horses for transportaion age 3 years and older</b>	
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-8] [Missing=*
<b>Statistics [NW/ W]</b>	[Valid=4670 / 1020102.32 ] [Invalid=0 / 0 ] [Mean=0.833 / 0.848 ] [StdDev=0.724 / 0.751 ]
<b>Literal question</b>	Total horses for transportaion age 3 years and older
<b>#21 P137: Male horses for transportaion age 3 years and older</b>	
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-5] [Missing=*
<b>Statistics [NW/ W]</b>	[Valid=4670 / 1020102.32 ] [Invalid=0 / 0 ] [Mean=0.495 / 0.49 ] [StdDev=0.602 / 0.611 ]
<b>Literal question</b>	Male horses for transportaion age 3 years and older
<b>#22 P138: Female horses for transportaion age 3 years and older</b>	
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-4] [Missing=*
<b>Statistics [NW/ W]</b>	[Valid=4670 / 1020102.32 ] [Invalid=0 / 0 ] [Mean=0.339 / 0.358 ] [StdDev=0.539 / 0.548 ]
<b>Literal question</b>	Female horses for transportaion age 3 years and older
<b>#23 P139: Total horses for other purposes age 3 years and older</b>	
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-6] [Missing=*
<b>Statistics [NW/ W]</b>	[Valid=4670 / 1020102.32 ] [Invalid=0 / 0 ] [Mean=0.188 / 0.201 ] [StdDev=0.463 / 0.474 ]
<b>Literal question</b>	Total horses for other purposes age 3 years and older
<b>#24 P140: Male horses for other purposes age 3 years and older</b>	
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-2] [Missing=*
<b>Statistics [NW/ W]</b>	[Valid=4670 / 1020102.32 ] [Invalid=0 / 0 ] [Mean=0.0116 / 0.0119 ] [StdDev=0.109 / 0.113 ]

<b>File HORSE</b>				
<b>#24 P140: Male horses for other purposes age 3 years and older</b>				
Literal question	Male horses for other purposes age 3 years and older			
<b>#25 P141: Female horses for other purposes age 3 years and older</b>				
Information	[Type= continuous] [Format=numeric] [Range= 0-6] [Missing=*]			
Statistics [NW/ W]	[Valid=4670 / 1020102.32 ] [Invalid=0 / 0 ] [Mean=0.176 / 0.189 ] [StdDev=0.45 / 0.461 ]			
Literal question	Female horses for other purposes age 3 years and older			
<b>#26 weight: Household weight</b>				
Information	[Type= continuous] [Format=numeric] [Range= 7.7-652.19] [Missing=*]			
Statistics [NW/ W]	[Valid=4670 /-] [Invalid=0 /-]			
Literal question	Household weight			
<b>#27 rate: Rate</b>				
Information	[Type= continuous] [Format=numeric] [Range= 0.0087721-1] [Missing=*]			
Statistics [NW/ W]	[Valid=4670 /-] [Invalid=0 /-]			
Literal question	Rate			
<b>File DONKEY</b>				
<b>#1 V01: Region</b>				
Information	[Type= discrete] [Format=numeric] [Range= 1-15] [Missing=*]			
Statistics [NW/ W]	[Valid=17196 / 3066989.38 ] [Invalid=0 / 0 ]			
Literal question	Region			
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Weighted</b>	<b>Percentage (Weighted)</b>
1	Tigray	2302	287390.4	9.4%
2	Afar	260	6242.2	0.2%
3	Amhara	4429	1100239.9	35.9%
4	Oromiya	5673	1325832.2	43.2%
5	Somalie	1008	57458.6	1.9%
6	Benshangul	503	29824.5	1.0%
7	Snp	2044	242474.7	7.9%
12	Gambela	0	0.0	0.0%
13	Harari	254	5547.1	0.2%
14	Addis ababa	406	3952.2	0.1%
15	Dire dawa	317	8027.8	0.3%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
<b>#2 V02: Zone</b>				
Information	[Type= continuous] [Format=numeric] [Range= 1-21] [Missing=*]			
Statistics [NW/ W]	[Valid=17196 /-] [Invalid=0 /-]			
Literal question	Zone			
<b>#3 V03: Wereda</b>				
Information	[Type= continuous] [Format=numeric] [Range= 1-35] [Missing=*]			
Statistics [NW/ W]	[Valid=17196 /-] [Invalid=0 /-]			
Literal question	Wereda			

<b>File DONKEY</b>	
<b>#4 V04: Farmers' association</b>	
Information	[Type= continuous] [Format=numeric] [Range= 1-126] [Missing=*]
Statistics [NW/ W]	[Valid=17196 /-] [Invalid=0 /-]
Literal question	Farmers' association
Notes	Farm association code for households who live in resettlement areas are started from 151.
<b>#5 V05: Enumeration area</b>	
Information	[Type= continuous] [Format=numeric] [Range= 1-12] [Missing=*]
Statistics [NW/ W]	[Valid=17196 /-] [Invalid=0 /-]
Literal question	Enumeration area
<b>#6 V06: Household number</b>	
Information	[Type= continuous] [Format=numeric] [Range= 1-819] [Missing=*]
Statistics [NW/ W]	[Valid=17196 /-] [Invalid=0 /-]
Literal question	Household number
<b>#7 V07: Holder number</b>	
Information	[Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=17196 /-] [Invalid=0 /-]
Literal question	Holder number
<b>#8 P160: Total asses of all ages</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-10] [Missing=*]
Statistics [NW/ W]	[Valid=17196 / 3066989.38 ] [Invalid=0 / 0 ] [Mean=1.401 / 1.399 ] [StdDev=0.731 / 0.704 ]
Literal question	Total asses of all ages
<b>#9 P161: Male asses of all ages</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=17196 / 3066989.38 ] [Invalid=0 / 0 ] [Mean=0.687 / 0.64 ] [StdDev=0.634 / 0.62 ]
Literal question	Male asses of all ages
<b>#10 P162: Female asses of all ages</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-7] [Missing=*]
Statistics [NW/ W]	[Valid=17196 / 3066989.38 ] [Invalid=0 / 0 ] [Mean=0.714 / 0.758 ] [StdDev=0.764 / 0.752 ]
Literal question	Female asses of all ages
<b>#11 P163: Total asses age less than 3 years</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-5] [Missing=*]
Statistics [NW/ W]	[Valid=17196 / 3066989.38 ] [Invalid=0 / 0 ] [Mean=0.306 / 0.329 ] [StdDev=0.51 / 0.519 ]
Literal question	Total asses age less than 3 years
<b>#12 P164: Male asses age less than 3 years</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-3] [Missing=*]
Statistics [NW/ W]	[Valid=17196 / 3066989.38 ] [Invalid=0 / 0 ] [Mean=0.156 / 0.165 ] [StdDev=0.38 / 0.387 ]
Literal question	Male asses age less than 3 years
<b>#13 P165: Female asses age less than 3 years</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-3] [Missing=*]

<b>File DONKEY</b>	
<b>#13 P165: Female asses age less than 3 years</b>	
<b>Statistics [NW/ W]</b>	[Valid=17196 / 3066989.38 ] [Invalid=0 / 0 ] [Mean=0.149 / 0.164 ] [StdDev=0.374 / 0.388 ]
<b>Literal question</b>	Female asses age less than 3 years
<b>#14 P166: Total asses age 3 years and older</b>	
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-10] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=17196 / 3066989.38 ] [Invalid=0 / 0 ] [Mean=1.095 / 1.07 ] [StdDev=0.559 / 0.533 ]
<b>Literal question</b>	Total asses age 3 years and older
<b>#15 P167: Male asses age 3 years and older</b>	
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-7] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=17196 / 3066989.38 ] [Invalid=0 / 0 ] [Mean=0.531 / 0.475 ] [StdDev=0.597 / 0.573 ]
<b>Literal question</b>	Male asses age 3 years and older
<b>#16 P168: Female asses age 3 years and older</b>	
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-7] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=17196 / 3066989.38 ] [Invalid=0 / 0 ] [Mean=0.564 / 0.595 ] [StdDev=0.602 / 0.588 ]
<b>Literal question</b>	Female asses age 3 years and older
<b>#17 P169: Total asses for draft purpose age 3 years and older</b>	
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-6] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=17196 / 3066989.38 ] [Invalid=0 / 0 ] [Mean=0.213 / 0.21 ] [StdDev=0.476 / 0.468 ]
<b>Literal question</b>	Total asses for draft purpose age 3 years and older
<b>#18 P170: Male asses for draft purpose age 3 years and older</b>	
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-3] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=17196 / 3066989.38 ] [Invalid=0 / 0 ] [Mean=0.107 / 0.0934 ] [StdDev=0.33 / 0.309 ]
<b>Literal question</b>	Male asses for draft purpose age 3 years and older
<b>#19 P171: Female asses for draft purpose age 3 years and older</b>	
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-4] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=17196 / 3066989.38 ] [Invalid=0 / 0 ] [Mean=0.106 / 0.117 ] [StdDev=0.335 / 0.345 ]
<b>Literal question</b>	Female asses for draft purpose age 3 years and older
<b>#20 P172: Total asses for transportation age 3 years and older</b>	
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-10] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=17196 / 3066989.38 ] [Invalid=0 / 0 ] [Mean=0.843 / 0.818 ] [StdDev=0.677 / 0.654 ]
<b>Literal question</b>	Total asses for transportation age 3 years and older
<b>#21 P173: Male asses for transportation age 3 years and older</b>	
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-7] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=17196 / 3066989.38 ] [Invalid=0 / 0 ] [Mean=0.411 / 0.37 ] [StdDev=0.574 / 0.545 ]
<b>Literal question</b>	Male asses for transportation age 3 years and older
<b>#22 P174: Female asses for transportation age 3 years and older</b>	
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-7] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=17196 / 3066989.38 ] [Invalid=0 / 0 ] [Mean=0.432 / 0.448 ] [StdDev=0.579 / 0.572 ]
<b>Literal question</b>	Female asses for transportation age 3 years and older

<b>File DONKEY</b>				
<b>#23 P175: Total asses for other purposes age 3 years and older</b>				
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-5] [Missing=*]			
<b>Statistics [NW/ W]</b>	[Valid=17196 / 3066989.38 ] [Invalid=0 / 0 ] [Mean=0.0391 / 0.0415 ] [StdDev=0.217 / 0.218 ]			
<b>Literal question</b>	Total asses for other purposes age 3 years and older			
<b>#24 P176: Male asses for other purposes age 3 years and older</b>				
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-5] [Missing=*]			
<b>Statistics [NW/ W]</b>	[Valid=17196 / 3066989.38 ] [Invalid=0 / 0 ] [Mean=0.0129 / 0.0114 ] [StdDev=0.125 / 0.116 ]			
<b>Literal question</b>	Male asses for other purposes age 3 years and older			
<b>#25 P177: Female asses for other purposes age 3 years and older</b>				
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-3] [Missing=*]			
<b>Statistics [NW/ W]</b>	[Valid=17196 / 3066989.38 ] [Invalid=0 / 0 ] [Mean=0.0263 / 0.0301 ] [StdDev=0.172 / 0.18 ]			
<b>Literal question</b>	Female asses for other purposes age 3 years and older			
<b>#26 weight: Household weight</b>				
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 2.51-652.19] [Missing=*]			
<b>Statistics [NW/ W]</b>	[Valid=17196 /-] [Invalid=0 /-]			
<b>Literal question</b>	Household weight			
<b>#27 rate: Rate</b>				
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0.0066831-1.5729272] [Missing=*]			
<b>Statistics [NW/ W]</b>	[Valid=17196 /-] [Invalid=0 /-]			
<b>Literal question</b>	Rate			
<b>File CAMEL</b>				
<b>#1 V01: Region</b>				
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-15] [Missing=*]			
<b>Statistics [NW/ W]</b>	[Valid=1791 / 133037.44 ] [Invalid=0 / 0 ]			
<b>Literal question</b>	Region			
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Weighted</b>	<b>Percentage (Weighted)</b>
1	Tigray	338	38354.8	28.8%
2	Afar	444	10999.6	8.3%
3	Amhara	60	8348.5	6.3%
4	Oromiya	199	41329.9	31.1%
5	Somalie	614	30006.1	22.6%
6	Benshangul	0	0.0	0.0%
7	Snp	3	572.3	0.4%
12	Gambela	0	0.0	0.0%
13	Harari	15	356.1	0.3%
14	Addis ababa	0	0.0	0.0%
15	Dire dawa	118	3070.2	2.3%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
<b>#2 V02: Zone</b>				
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 1-20] [Missing=*]			

<b>File CAMEL</b>	
<b>#2 V02: Zone</b>	
Statistics [NW/ W]	[Valid=1791 /-] [Invalid=0 /-]
Literal question	Zone
<b>#3 V03: Wereda</b>	
Information	[Type= continuous] [Format=numeric] [Range= 1-31] [Missing=*]
Statistics [NW/ W]	[Valid=1791 /-] [Invalid=0 /-]
Literal question	Wereda
<b>#4 V04: Farmers' association</b>	
Information	[Type= continuous] [Format=numeric] [Range= 1-90] [Missing=*]
Statistics [NW/ W]	[Valid=1791 /-] [Invalid=0 /-]
Literal question	Farmers' association
Notes	Farm association code for households who live in resettlement areas are started from 151.
<b>#5 V05: Enumeration area</b>	
Information	[Type= continuous] [Format=numeric] [Range= 1-11] [Missing=*]
Statistics [NW/ W]	[Valid=1791 /-] [Invalid=0 /-]
Literal question	Enumeration area
<b>#6 V06: Household number</b>	
Information	[Type= continuous] [Format=numeric] [Range= 1-716] [Missing=*]
Statistics [NW/ W]	[Valid=1791 /-] [Invalid=0 /-]
Literal question	Household number
<b>#7 V07: Holder number</b>	
Information	[Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=1791 /-] [Invalid=0 /-]
Literal question	Holder number
<b>#8 P178: Total camels of all ages</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-180] [Missing=*]
Statistics [NW/ W]	[Valid=1791 / 133037.44 ] [Invalid=0 / 0 ] [Mean=5.538 / 3.289 ] [StdDev=11.361 / 7.165 ]
Literal question	Total camels of all ages
<b>#9 P179: Male camels of all ages</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-48] [Missing=*]
Statistics [NW/ W]	[Valid=1791 / 133037.44 ] [Invalid=0 / 0 ] [Mean=1.843 / 1.348 ] [StdDev=3.071 / 2.092 ]
Literal question	Male camels of all ages
<b>#10 P180: Female camels of all ages</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-170] [Missing=*]
Statistics [NW/ W]	[Valid=1791 / 133037.44 ] [Invalid=0 / 0 ] [Mean=3.696 / 1.942 ] [StdDev=9.182 / 5.733 ]
Literal question	Female camels of all ages
<b>#11 P181: Total camels age less than 4 years</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-70] [Missing=*]
Statistics [NW/ W]	[Valid=1791 / 133037.44 ] [Invalid=0 / 0 ] [Mean=1.565 / 0.896 ] [StdDev=4.204 / 2.641 ]

<b>File CAMEL</b>	
<b>#11 P181: Total camels age less than 4 years</b>	
Literal question	Total camels age less than 4 years
<b>#12 P182: Male camels age less than 4 years</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-27] [Missing=*]
Statistics [NW/ W]	[Valid=1791 / 133037.44 ] [Invalid=0 / 0 ] [Mean=0.628 / 0.431 ] [StdDev=1.599 / 1.085 ]
Literal question	Male camels age less than 4 years
<b>#13 P183: Female camels age less than 4 years</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-62] [Missing=*]
Statistics [NW/ W]	[Valid=1791 / 133037.44 ] [Invalid=0 / 0 ] [Mean=0.937 / 0.465 ] [StdDev=3.031 / 1.893 ]
Literal question	Female camels age less than 4 years
<b>#14 P184: Total camels age 4 years and older</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-110] [Missing=*]
Statistics [NW/ W]	[Valid=1791 / 133037.44 ] [Invalid=0 / 0 ] [Mean=3.973 / 2.393 ] [StdDev=7.705 / 4.911 ]
Literal question	Total camels age 4 years and older
<b>#15 P185: Male camels age 4 years and older</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-26] [Missing=*]
Statistics [NW/ W]	[Valid=1791 / 133037.44 ] [Invalid=0 / 0 ] [Mean=1.214 / 0.916 ] [StdDev=1.902 / 1.44 ]
Literal question	Male camels age 4 years and older
<b>#16 P186: Female camels age 4 years and older</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-108] [Missing=*]
Statistics [NW/ W]	[Valid=1791 / 133037.44 ] [Invalid=0 / 0 ] [Mean=2.759 / 1.477 ] [StdDev=6.658 / 4.18 ]
Literal question	Female camels age 4 years and older
<b>#17 P187: Total camels for slaughter age 4 years and older</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-19] [Missing=*]
Statistics [NW/ W]	[Valid=1791 / 133037.44 ] [Invalid=0 / 0 ] [Mean=0.0793 / 0.0395 ] [StdDev=0.681 / 0.414 ]
Literal question	Total camels for slaughter age 4 years and older
<b>#18 P188: Male camels for slaughter age 4 years and older</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-10] [Missing=*]
Statistics [NW/ W]	[Valid=1791 / 133037.44 ] [Invalid=0 / 0 ] [Mean=0.0558 / 0.0298 ] [StdDev=0.445 / 0.312 ]
<b>#19 P189: Female camels for slaughter age 4 years and older</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-13] [Missing=*]
Statistics [NW/ W]	[Valid=1791 / 133037.44 ] [Invalid=0 / 0 ] [Mean=0.0235 / 0.00975 ] [StdDev=0.38 / 0.202 ]
Literal question	Female camels for slaughter age 4 years and older
<b>#20 P190: Total camles used for draft purpose age 4 years and older</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-5] [Missing=*]
Statistics [NW/ W]	[Valid=1791 / 133037.44 ] [Invalid=0 / 0 ] [Mean=0.0419 / 0.0396 ] [StdDev=0.257 / 0.247 ]
Literal question	Total camles used for draft purpose age 4 years and older

<b>File CAMEL</b>	
<b>#21 P191: Male camels used for draft purpose age 4 years and older</b>	
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-2] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=1791 / 133037.44 ] [Invalid=0 / 0 ] [Mean=0.0313 / 0.0304 ] [StdDev=0.18 / 0.179 ]
<b>Literal question</b>	Male camels used for draft purpose age 4 years and older
<b>#22 P192: Female camels used for draft purpose age 4 years and older</b>	
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-5] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=1791 / 133037.44 ] [Invalid=0 / 0 ] [Mean=0.0106 / 0.00919 ] [StdDev=0.181 / 0.165 ]
<b>Literal question</b>	Female camels used for draft purpose age 4 years and older
<b>#23 P193: Total camels for milk purpose age 4 years and older</b>	
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-62] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=1791 / 133037.44 ] [Invalid=0 / 0 ] [Mean=1.797 / 0.974 ] [StdDev=4.625 / 2.936 ]
<b>Literal question</b>	Total camels for milk purpose age 4 years and older
<b>#24 P194: Female camels for milk purpose age 4 years and older</b>	
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-62] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=1791 / 133037.44 ] [Invalid=0 / 0 ] [Mean=1.797 / 0.974 ] [StdDev=4.625 / 2.936 ]
<b>Literal question</b>	Female camels for milk purpose age 4 years and older
<b>#25 P195: Total camels for transportation purpose age 4 years and older</b>	
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-26] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=1791 / 133037.44 ] [Invalid=0 / 0 ] [Mean=1.018 / 0.81 ] [StdDev=1.441 / 1.209 ]
<b>Literal question</b>	Total camels for transportation purpose age 4 years and older
<b>#26 P196: Male camels for transportation purpose age 4 years and older</b>	
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-26] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=1791 / 133037.44 ] [Invalid=0 / 0 ] [Mean=0.914 / 0.734 ] [StdDev=1.289 / 1.089 ]
<b>Literal question</b>	Male camels for transportation purpose age 4 years and older
<b>#27 P197: Female camels for transportation purpose age 4 years and older</b>	
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-10] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=1791 / 133037.44 ] [Invalid=0 / 0 ] [Mean=0.104 / 0.0763 ] [StdDev=0.568 / 0.44 ]
<b>Literal question</b>	Female camels for transportation purpose age 4 years and older
<b>#28 P198: Total camels for other purposes age 4 years and older</b>	
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-78] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=1791 / 133037.44 ] [Invalid=0 / 0 ] [Mean=1.036 / 0.53 ] [StdDev=4.58 / 2.847 ]
<b>Literal question</b>	Total camels for other purposes age 4 years and older
<b>#29 P199: Male camels for other purposes age 4 years and older</b>	
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-18] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=1791 / 133037.44 ] [Invalid=0 / 0 ] [Mean=0.213 / 0.122 ] [StdDev=1.183 / 0.822 ]
<b>Literal question</b>	Total camels for other purposes age 4 years and older
<b>#30 P200: Female camels for other purposes age 4 years and older</b>	
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-78] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=1791 / 133037.44 ] [Invalid=0 / 0 ] [Mean=0.823 / 0.408 ] [StdDev=3.932 / 2.374 ]

<b>File CAMEL</b>				
<b>#30 P200: Female camels for other purposes age 4 years and older</b>				
<b>Literal question</b>	Female camels for other purposes age 4 years and older			
<b>#31 weight: Household weight</b>				
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 2.51-448.65] [Missing=*]			
<b>Statistics [NW/ W]</b>	[Valid=1791 /-] [Invalid=0 /-]			
<b>Literal question</b>	Household weight			
<b>#32 rate: Rate</b>				
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0.0125199-1.5729272] [Missing=*]			
<b>Statistics [NW/ W]</b>	[Valid=1791 /-] [Invalid=0 /-]			
<b>Literal question</b>	Rate			
<b>File POULTRY</b>				
<b>#1 V01: Region</b>				
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-15] [Missing=*]			
<b>Statistics [NW/ W]</b>	[Valid=37184 / 6177112.65] [Invalid=0 / 0]			
<b>Literal question</b>	Region			
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Weighted</b>	<b>Percentage (Weighted)</b>
1	Tigray	3942	501925.5	8.1%
2	Afar	337	6760.3	0.1%
3	Amhara	8240	2033712.5	32.9%
4	Oromiya	10917	2258316.2	36.6%
5	Somalie	407	17226.1	0.3%
6	Benshangul	1542	87566.4	1.4%
7	SNNP	10605	1249427.4	20.2%
12	Gambela	0	0.0	0.0%
13	Harari	314	6696.2	0.1%
14	Addis ababa	432	4297.7	0.1%
15	Dire dawa	448	11184.3	0.2%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
<b>#2 V02: Zone</b>				
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 1-21] [Missing=*]			
<b>Statistics [NW/ W]</b>	[Valid=37184 /-] [Invalid=0 /-]			
<b>Literal question</b>	Zone			
<b>#3 V03: Wereda</b>				
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 1-35] [Missing=*]			
<b>Statistics [NW/ W]</b>	[Valid=37184 /-] [Invalid=0 /-]			
<b>Literal question</b>	Wereda			
<b>#4 V04: Farmers' association</b>				
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 1-126] [Missing=*]			
<b>Statistics [NW/ W]</b>	[Valid=37184 /-] [Invalid=0 /-]			
<b>Literal question</b>	Farmers' association			

<b>File POULTRY</b>	
<b>#4 V04: Farmers' association</b>	
<b>Notes</b>	Farm association code for households who live in resettlement areas are started from 151.
<b>#5 V05: Enumeration area</b>	
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 1-12] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=37184 /-] [Invalid=0 /-]
<b>Literal question</b>	Enumeration area
<b>#6 V06: Household number</b>	
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 1-955] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=37184 /-] [Invalid=0 /-]
<b>Literal question</b>	Household number
<b>#7 V07: Holder number</b>	
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-7] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=37184 /-] [Invalid=0 /-]
<b>Literal question</b>	Holder number
<b>#8 P201: Poultry total</b>	
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-70] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=37184 / 6177112.65 ] [Invalid=0 / 0 ] [Mean=5.472 / 5.216 ] [StdDev=4.922 / 4.666 ]
<b>Literal question</b>	Poultry total
<b>#9 P202: Poultry total indigenous</b>	
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-70] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=37184 / 6177112.65 ] [Invalid=0 / 0 ] [Mean=5.165 / 4.91 ] [StdDev=4.874 / 4.602 ]
<b>Literal question</b>	Poultry total indigenous
<b>#10 P203: Poultry total hybrid</b>	
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-34] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=37184 / 6177112.65 ] [Invalid=0 / 0 ] [Mean=0.226 / 0.227 ] [StdDev=1.333 / 1.307 ]
<b>Literal question</b>	Poultry total hybrid
<b>#11 P204: Poultry total exotic</b>	
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-34] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=37184 / 6177112.65 ] [Invalid=0 / 0 ] [Mean=0.081 / 0.0792 ] [StdDev=0.62 / 0.657 ]
<b>Literal question</b>	Poultry total exotic
<b>#12 P205: Total laying hens</b>	
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-30] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=37184 / 6177112.65 ] [Invalid=0 / 0 ] [Mean=1.728 / 1.724 ] [StdDev=1.364 / 1.327 ]
<b>Literal question</b>	Total laying hens
<b>#13 P206: Laying hens indigenous</b>	
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-23] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=37184 / 6177112.65 ] [Invalid=0 / 0 ] [Mean=1.601 / 1.589 ] [StdDev=1.307 / 1.25 ]
<b>Literal question</b>	Laying hens indigenous

<b>File POULTRY</b>	
<b>#14 P207: Laying hens hybrid</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-14] [Missing=*]
Statistics [NW/ W]	[Valid=37184 / 6177112.65 ] [Invalid=0 / 0 ] [Mean=0.0845 / 0.0914 ] [StdDev=0.47 / 0.496 ]
Literal question	Laying hens hybrid
<b>#15 P208: Laying hens exotic</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-15] [Missing=*]
Statistics [NW/ W]	[Valid=37184 / 6177112.65 ] [Invalid=0 / 0 ] [Mean=0.0425 / 0.0437 ] [StdDev=0.335 / 0.361 ]
Literal question	Laying hens exotic
<b>#16 P209: Total non-laying hens</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-12] [Missing=*]
Statistics [NW/ W]	[Valid=37184 / 6177112.65 ] [Invalid=0 / 0 ] [Mean=0.192 / 0.184 ] [StdDev=0.619 / 0.6 ]
Literal question	Total non-laying hens
<b>#17 P210: Non-laying hens indigenous</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-12] [Missing=*]
Statistics [NW/ W]	[Valid=37184 / 6177112.65 ] [Invalid=0 / 0 ] [Mean=0.181 / 0.174 ] [StdDev=0.594 / 0.573 ]
Literal question	Non-laying hens indigenous
<b>#18 P211: Non-laying hens hybrid</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-10] [Missing=*]
Statistics [NW/ W]	[Valid=37184 / 6177112.65 ] [Invalid=0 / 0 ] [Mean=0.00737 / 0.00689 ] [StdDev=0.132 / 0.128 ]
Literal question	Non-laying hens hybrid
<b>#19 P212: Non-laying hens exotic</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=37184 / 6177112.65 ] [Invalid=0 / 0 ] [Mean=0.0039 / 0.00328 ] [StdDev=0.099 / 0.097 ]
Literal question	Non-laying hens exotic
<b>#20 P213: Total cocks</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-16] [Missing=*]
Statistics [NW/ W]	[Valid=37184 / 6177112.65 ] [Invalid=0 / 0 ] [Mean=0.569 / 0.548 ] [StdDev=0.831 / 0.791 ]
Literal question	Total cocks
<b>#21 P214: Cocks indigenous</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-16] [Missing=*]
Statistics [NW/ W]	[Valid=37184 / 6177112.65 ] [Invalid=0 / 0 ] [Mean=0.528 / 0.512 ] [StdDev=0.808 / 0.773 ]
Literal question	Cocks indigenous
<b>#22 P215: Cocks hybrid</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=37184 / 6177112.65 ] [Invalid=0 / 0 ] [Mean=0.0274 / 0.0262 ] [StdDev=0.218 / 0.203 ]
Literal question	Cocks hybrid
<b>#23 P216: Cocks exotic</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-7] [Missing=*]
Statistics [NW/ W]	[Valid=37184 / 6177112.65 ] [Invalid=0 / 0 ] [Mean=0.0133 / 0.00967 ] [StdDev=0.13 / 0.114 ]

<b>File POULTRY</b>	
<b>#23 P216: Cocks exotic</b>	
Literal question	Cocks exotic
<b>#24 P217: Total cockerels</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-18] [Missing=*]
Statistics [NW/ W]	[Valid=37184 / 6177112.65 ] [Invalid=0 / 0 ] [Mean=0.275 / 0.239 ] [StdDev=0.854 / 0.785 ]
Literal question	Total cockerels
<b>#25 P218: Cockerels indigenous</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-18] [Missing=*]
Statistics [NW/ W]	[Valid=37184 / 6177112.65 ] [Invalid=0 / 0 ] [Mean=0.26 / 0.225 ] [StdDev=0.825 / 0.756 ]
Literal question	Cocks indigenous
<b>#26 P219: Cockerels hybrid</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=37184 / 6177112.65 ] [Invalid=0 / 0 ] [Mean=0.0133 / 0.012 ] [StdDev=0.204 / 0.193 ]
Literal question	Cockerels hybrid
<b>#27 P220: Cockerels exotic</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-3] [Missing=*]
Statistics [NW/ W]	[Valid=37184 / 6177112.65 ] [Invalid=0 / 0 ] [Mean=0.00231 / 0.0022 ] [StdDev=0.0543 / 0.0514 ]
Literal question	Cockerels exotic
<b>#28 P221: Total pullets</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-26] [Missing=*]
Statistics [NW/ W]	[Valid=37184 / 6177112.65 ] [Invalid=0 / 0 ] [Mean=0.532 / 0.483 ] [StdDev=1.171 / 1.102 ]
Literal question	Total pullets
<b>#29 P222: Pullets indigenous</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-22] [Missing=*]
Statistics [NW/ W]	[Valid=37184 / 6177112.65 ] [Invalid=0 / 0 ] [Mean=0.494 / 0.448 ] [StdDev=1.118 / 1.049 ]
Literal question	Pullets indigenous
<b>#30 P223: Pullets hybrid</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=37184 / 6177112.65 ] [Invalid=0 / 0 ] [Mean=0.0243 / 0.0219 ] [StdDev=0.277 / 0.252 ]
Literal question	Pullets hybrid
<b>#31 P224: Pullets exotic</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-26] [Missing=*]
Statistics [NW/ W]	[Valid=37184 / 6177112.65 ] [Invalid=0 / 0 ] [Mean=0.0129 / 0.0129 ] [StdDev=0.256 / 0.256 ]
Literal question	Pullets exotic
<b>#32 P225: Total Chicks</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-35] [Missing=*]
Statistics [NW/ W]	[Valid=37184 / 6177112.65 ] [Invalid=0 / 0 ] [Mean=2.176 / 2.038 ] [StdDev=3.598 / 3.528 ]
Literal question	Total Chicks

File POULTRY				
<b>#33 P226: Chicks indigenous</b>				
Information	[Type= continuous] [Format=numeric] [Range= 0-35] [Missing=*]			
Statistics [NW/ W]	[Valid=37184 / 6177112.65 ] [Invalid=0 / 0 ] [Mean=2.101 / 1.962 ] [StdDev=3.534 / 3.45 ]			
Literal question	Chicks indigenous			
<b>#34 P227: Chicks hybrid</b>				
Information	[Type= continuous] [Format=numeric] [Range= 0-30] [Missing=*]			
Statistics [NW/ W]	[Valid=37184 / 6177112.65 ] [Invalid=0 / 0 ] [Mean=0.0695 / 0.069 ] [StdDev=0.758 / 0.777 ]			
Literal question	Chicks hybrid			
<b>#35 P228: Chicks exotic</b>				
Information	[Type= continuous] [Format=numeric] [Range= 0-33] [Missing=*]			
Statistics [NW/ W]	[Valid=37184 / 6177112.65 ] [Invalid=0 / 0 ] [Mean=0.0061 / 0.00741 ] [StdDev=0.299 / 0.345 ]			
Literal question	Chicks exotic			
<b>#36 weight: Household weight</b>				
Information	[Type= continuous] [Format=numeric] [Range= 2.51-652.19] [Missing=*]			
Statistics [NW/ W]	[Valid=37184 /-] [Invalid=0 /-]			
Literal question	Household weight			
<b>#37 rate: Rate</b>				
Information	[Type= continuous] [Format=numeric] [Range= 0.0066831-1.5729272] [Missing=*]			
Statistics [NW/ W]	[Valid=37184 /-] [Invalid=0 /-]			
Literal question	Rate			
File BEEHIVE				
<b>#1 V01: Region</b>				
Information	[Type= discrete] [Format=numeric] [Range= 1-15] [Missing=*]			
Statistics [NW/ W]	[Valid=70789 / 11328674.27 ] [Invalid=0 / 0 ]			
Literal question	Region			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	Tigray	6182	699850.9	6.2%
2	Afar	1336	28925.3	0.3%
3	Amhara	13539	3161515.0	27.9%
4	Oromiya	22291	4555682.9	40.2%
5	Somalie	2067	106461.0	0.9%
6	Benshangul	2487	138470.0	1.2%
7	SNNP	20742	2596860.5	22.9%
12	Gambela	0	0.0	0.0%
13	Harari	724	15710.9	0.1%
14	Addis ababa	698	6939.5	0.1%
15	Dire dawa	723	18258.2	0.2%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
<b>#2 V02: Zone</b>				
Information	[Type= continuous] [Format=numeric] [Range= 1-21] [Missing=*]			

File BEEHIVE				
<b>#2 V02: Zone</b>				
Statistics [NW/ W]	[Valid=70789 /-] [Invalid=0 /-]			
Literal question	Zone			
<b>#3 V03: Wereda</b>				
Information	[Type= continuous] [Format=numeric] [Range= 1-35] [Missing=*]			
Statistics [NW/ W]	[Valid=70789 /-] [Invalid=0 /-]			
Literal question	Wereda			
<b>#4 V04: Farmers' association</b>				
Information	[Type= continuous] [Format=numeric] [Range= 1-126] [Missing=*]			
Statistics [NW/ W]	[Valid=70789 /-] [Invalid=0 /-]			
Literal question	Farmers' association			
Notes	Farm association code for households who live in resettlement areas are started from 151.			
<b>#5 V05: Enumeration area</b>				
Information	[Type= continuous] [Format=numeric] [Range= 1-12] [Missing=*]			
Statistics [NW/ W]	[Valid=70789 /-] [Invalid=0 /-]			
Literal question	Enumeration area			
<b>#6 V06: Household number</b>				
Information	[Type= continuous] [Format=numeric] [Range= 0-989] [Missing=*]			
Statistics [NW/ W]	[Valid=70789 /-] [Invalid=0 /-]			
Literal question	Household number			
<b>#7 V07: Holder number</b>				
Information	[Type= continuous] [Format=numeric] [Range= 0-9] [Missing=*]			
Statistics [NW/ W]	[Valid=70789 /-] [Invalid=0 /-]			
Literal question	Holder number			
<b>#8 PQ2: Have beehives</b>				
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]			
Statistics [NW/ W]	[Valid=70789 / 11328674.27 ] [Invalid=0 / 0 ]			
Literal question	Did you have beehives?			
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Weighted</b>	<b>Percentage (Weighted)</b>
1	Yes	65357	10544785.2	93.1%
2	No	5395	774737.5	6.8%
9	Not stated	37	9151.6	0.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
<b>#9 P229: Total beehives</b>				
Information	[Type= continuous] [Format=numeric] [Range= 0-130] [Missing=*]			
Statistics [NW/ W]	[Valid=70789 / 11328674.27 ] [Invalid=0 / 0 ] [Mean=0.343 / 0.355 ] [StdDev=2.058 / 2.047 ]			
Literal question	Total beehives			
<b>#10 P230: Traditional beehives</b>				
Information	[Type= continuous] [Format=numeric] [Range= 0-130] [Missing=*]			

<b>File BEEHIVE</b>				
<b>#10 P230: Traditional beehives</b>				
<b>Statistics [NW/ W]</b>	[Valid=70789 / 11328674.27 ] [Invalid=0 / 0 ] [Mean=0.339 / 0.35 ] [StdDev=2.05 / 2.038 ]			
<b>Literal question</b>	Traditional beehives			
<b>#11 P231: Intermediate beehives</b>				
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-21] [Missing=*]			
<b>Statistics [NW/ W]</b>	[Valid=70789 / 11328674.27 ] [Invalid=0 / 0 ] [Mean=0.0015 / 0.00165 ] [StdDev=0.0981 / 0.102 ]			
<b>Literal question</b>	Intermediate beehives			
<b>#12 P232: Modern beehives</b>				
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-20] [Missing=*]			
<b>Statistics [NW/ W]</b>	[Valid=70789 / 11328674.27 ] [Invalid=0 / 0 ] [Mean=0.00291 / 0.0032 ] [StdDev=0.11 / 0.123 ]			
<b>Literal question</b>	Modern beehives			
<b>#13 PQ3: Had livestock the last 12 months</b>				
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]			
<b>Statistics [NW/ W]</b>	[Valid=70789 / 11328674.27 ] [Invalid=0 / 0 ]			
<b>Literal question</b>	Had livestock the last 12 months?			
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Weighted</b>	<b>Percentage (Weighted)</b>
1	Yes	18220	2570180.6	22.7%
2	No	50149	8396862.9	74.1%
8		2	250.9	0.0%
9	Not stated	2418	361379.8	3.2%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
<b>#14 weight: Household weight</b>				
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 2.51-652.19] [Missing=*]			
<b>Statistics [NW/ W]</b>	[Valid=70789 /-] [Invalid=0 /-]			
<b>Literal question</b>	Household weight			
<b>#15 rate: Rate</b>				
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0.0066831-1.5729272] [Missing=*]			
<b>Statistics [NW/ W]</b>	[Valid=70789 /-] [Invalid=0 /-]			
<b>Literal question</b>	Rate			
<b>File HONEY</b>				
<b>#1 V01: Region</b>				
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-15] [Missing=*]			
<b>Statistics [NW/ W]</b>	[Valid=6564 / 1136096.37 ] [Invalid=0 / 0 ]			
<b>Literal question</b>	Region			
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Weighted</b>	<b>Percentage (Weighted)</b>
1	Tigray	1097	141232.3	12.4%
2	Afar	10	221.6	0.0%
3	Amhara	1337	315497.2	27.8%
4	Oromiya	2042	463865.1	40.8%
5	Somalie	34	3674.3	0.3%

<b>File HONEY</b>				
<b>#1 V01: Region</b>				
Value	Label	Cases	Weighted	Percentage (Weighted)
6	Benshangul	270	15377.5	1.4%
7	SNNP	1709	195004.0	17.2%
12	Gambela	0	0.0	0.0%
13	Harari	22	481.8	0.0%
14	Addis ababa	21	207.9	0.0%
15	Dire dawa	22	534.7	0.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
<b>#2 V02: Zone</b>				
Information	[Type= continuous] [Format=numeric] [Range= 1-21] [Missing=*]			
Statistics [NW/ W]	[Valid=6564 /-] [Invalid=0 /-]			
Literal question	Zone			
<b>#3 V03: Wereda</b>				
Information	[Type= continuous] [Format=numeric] [Range= 1-35] [Missing=*]			
Statistics [NW/ W]	[Valid=6564 /-] [Invalid=0 /-]			
Literal question	Wereda			
<b>#4 V04: Farmers' association</b>				
Information	[Type= continuous] [Format=numeric] [Range= 1-162] [Missing=*]			
Statistics [NW/ W]	[Valid=6564 /-] [Invalid=0 /-]			
Literal question	Farmers' association			
<b>#5 V05: Enumeration area</b>				
Information	[Type= continuous] [Format=numeric] [Range= 1-12] [Missing=*]			
Statistics [NW/ W]	[Valid=6564 /-] [Invalid=0 /-]			
Literal question	Enumeration area			
<b>#6 V06: Household number</b>				
Information	[Type= continuous] [Format=numeric] [Range= 1-901] [Missing=*]			
Statistics [NW/ W]	[Valid=6564 /-] [Invalid=0 /-]			
Literal question	Household number			
<b>#7 V07: Holder number</b>				
Information	[Type= continuous] [Format=numeric] [Range= 1-4] [Missing=*]			
Statistics [NW/ W]	[Valid=6564 /-] [Invalid=0 /-]			
Literal question	Holder number			
<b>#8 p233: Average honey production/ traditional hive/harvest</b>				
Information	[Type= continuous] [Format=numeric] [Range= 0-279.2] [Missing=*]			
Statistics [NW/ W]	[Valid=6564 / 1136096.37 ] [Invalid=0 / 0 ] [Mean=4.376 / 4.6 ] [StdDev=6.294 / 6.868 ]			
Literal question	Average honey production/ traditional hive/harvest			
<b>#9 P234: Number of harvests/traditional hive/yaer</b>				
Information	[Type= continuous] [Format=numeric] [Range= 0-22] [Missing=*]			
Statistics [NW/ W]	[Valid=6564 / 1136096.37 ] [Invalid=0 / 0 ] [Mean=1.369 / 1.382 ] [StdDev=0.967 / 0.991 ]			

File HONEY				
<b>#9 P234: Number of harvests/traditional hive/yaer</b>				
Literal question	Number of harvests/traditional hive/yaer			
<b>#10 p235: Average honey production/ intermediate hive/harvest</b>				
Information	[Type= continuous] [Format=numeric] [Range= 0-30] [Missing=*]			
Statistics [NW/ W]	[Valid=6564 / 1136096.37 ] [Invalid=0 / 0 ] [Mean=0.0631 / 0.0625 ] [StdDev=0.961 / 0.947 ]			
Literal question	Average honey production/ intermediate hive/harvest			
<b>#11 P236: Number of harvests/intermediate hive/year</b>				
Information	[Type= continuous] [Format=numeric] [Range= 0-3] [Missing=*]			
Statistics [NW/ W]	[Valid=6564 / 1136096.37 ] [Invalid=0 / 0 ] [Mean=0.00975 / 0.00937 ] [StdDev=0.128 / 0.124 ]			
Literal question	Number of harvests/intermediate hive/year			
<b>#12 p237: Average honey production/ modern hive/harvest</b>				
Information	[Type= continuous] [Format=numeric] [Range= 0-43.75] [Missing=*]			
Statistics [NW/ W]	[Valid=6564 / 1136096.37 ] [Invalid=0 / 0 ] [Mean=0.189 / 0.179 ] [StdDev=1.804 / 1.771 ]			
Literal question	Average honey production/ modern hive/harvest			
<b>#13 P238: Number of harvest/modern hive/year</b>				
Information	[Type= continuous] [Format=numeric] [Range= 0-6] [Missing=*]			
Statistics [NW/ W]	[Valid=6564 / 1136096.37 ] [Invalid=0 / 0 ] [Mean=0.0219 / 0.0196 ] [StdDev=0.2 / 0.185 ]			
Literal question	Number of harvest/modern hive/year			
<b>#14 weight: Household weight</b>				
Information	[Type= continuous] [Format=numeric] [Range= 0.9-635.75] [Missing=*]			
Statistics [NW/ W]	[Valid=6564 /-] [Invalid=0 /-]			
Literal question	Household weight			
<b>#15 rate: Rate</b>				
Information	[Type= continuous] [Format=numeric] [Range= 0.0066831-1] [Missing=*]			
Statistics [NW/ W]	[Valid=6564 /-] [Invalid=0 /-]			
Literal question	Rate			
File COWCAMEL				
<b>#1 V01: Region</b>				
Information	[Type= discrete] [Format=numeric] [Range= 1-15] [Missing=*]			
Statistics [NW/ W]	[Valid=67776 / 11070890.77 ] [Invalid=0 / 0 ]			
Literal question	Region			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	Tigray	6113	693639.9	6.3%
2	Afar	1324	28682.8	0.3%
3	Amhara	13324	3119991.6	28.2%
4	Oromiya	21039	4436429.1	40.1%
5	Somalie	2043	105501.0	1.0%
6	Benshangul	2057	107432.8	1.0%
7	SNNP	19764	2538677.5	22.9%

<b>File COWCAMEL</b>				
<b>#1 V01: Region</b>				
Value	Label	Cases	Weighted	Percentage (Weighted)
12	Gambela	0	0.0	0.0%
13	Harari	720	15615.4	0.1%
14	Addis ababa	668	6635.2	0.1%
15	Dire dawa	724	18285.6	0.2%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
<b>#2 V02: Zone</b>				
Information	[Type= continuous] [Format=numeric] [Range= 1-21] [Missing=*]			
Statistics [NW/ W]	[Valid=67776 /-] [Invalid=0 /-]			
Literal question	Zone			
<b>#3 V03: Wereda</b>				
Information	[Type= continuous] [Format=numeric] [Range= 1-35] [Missing=*]			
Statistics [NW/ W]	[Valid=67776 /-] [Invalid=0 /-]			
Literal question	Wereda			
<b>#4 V04: Farmers' association</b>				
Information	[Type= continuous] [Format=numeric] [Range= 1-162] [Missing=*]			
Statistics [NW/ W]	[Valid=67776 /-] [Invalid=0 /-]			
Literal question	Farmers' association			
<b>#5 V05: Enumeration area</b>				
Information	[Type= continuous] [Format=numeric] [Range= 1-12] [Missing=*]			
Statistics [NW/ W]	[Valid=67776 /-] [Invalid=0 /-]			
Literal question	Enumeration area			
<b>#6 V06: Household number</b>				
Information	[Type= continuous] [Format=numeric] [Range= 1-989] [Missing=*]			
Statistics [NW/ W]	[Valid=67776 /-] [Invalid=0 /-]			
Literal question	Household number			
<b>#7 V07: Holder number</b>				
Information	[Type= continuous] [Format=numeric] [Range= 0-9] [Missing=*]			
Statistics [NW/ W]	[Valid=67776 /-] [Invalid=0 /-]			
Literal question	Holder number			
<b>#8 P239: Number of cows that gave milk during the reference period</b>				
Information	[Type= continuous] [Format=numeric] [Range= 0-50] [Missing=*]			
Statistics [NW/ W]	[Valid=67776 / 11070890.77 ] [Invalid=0 / 0 ] [Mean=0.73 / 0.74 ] [StdDev=1.229 / 1.082 ]			
Literal question	Number of cows that gave milk during the reference period			
<b>#9 P240: Average number of months cows actually milked</b>				
Information	[Type= continuous] [Format=numeric] [Range= 0-58] [Missing=*]			
Statistics [NW/ W]	[Valid=67776 / 11070890.77 ] [Invalid=0 / 0 ] [Mean=2.931 / 3.203 ] [StdDev=3.692 / 3.796 ]			
Literal question	Average number of months cows actually milked			

<b>File COWCAMEL</b>	
<b>#10 P241: Average lactation period of cows in months</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-1000] [Missing=*]
Statistics [NW/ W]	[Valid=67776 / 11070890.77 ] [Invalid=0 / 0 ] [Mean=7.899 / 8.088 ] [StdDev=4.981 / 4.325 ]
Literal question	Average lactation period of cows in months
<b>#11 p242: Milk production per day per cow in liters</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-1000] [Missing=*]
Statistics [NW/ W]	[Valid=67776 / 11070890.77 ] [Invalid=0 / 0 ] [Mean=0.651 / 0.672 ] [StdDev=5.781 / 5.635 ]
Literal question	Milk production per day per cow in liters
<b>#12 P243: Number of camels that gave milk during the reference period</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-500] [Missing=*]
Statistics [NW/ W]	[Valid=67776 / 11070890.77 ] [Invalid=0 / 0 ] [Mean=0.0386 / 0.017 ] [StdDev=1.992 / 2.073 ]
Literal question	Number of camels that gave milk during the reference period
<b>#13 P244: Average number of months camels actually milked</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-790] [Missing=*]
Statistics [NW/ W]	[Valid=67776 / 11070890.77 ] [Invalid=0 / 0 ] [Mean=0.109 / 0.0377 ] [StdDev=3.212 / 0.946 ]
Literal question	Average number of months camels actually milked
<b>#14 P245: Average lactation period of camels in months</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-103] [Missing=*]
Statistics [NW/ W]	[Valid=67776 / 11070890.77 ] [Invalid=0 / 0 ] [Mean=1.185 / 0.712 ] [StdDev=3.809 / 3.019 ]
Literal question	Average lactation period of camels in months
<b>#15 p246: Milk production per day per camel</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-15.33] [Missing=*]
Statistics [NW/ W]	[Valid=67776 / 11070890.77 ] [Invalid=0 / 0 ] [Mean=0.0404 / 0.0142 ] [StdDev=0.449 / 0.26 ]
Literal question	Milk production per day per camel
<b>#16 weight: Household weight</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0.9-652.19] [Missing=*]
Statistics [NW/ W]	[Valid=67776 /-] [Invalid=0 /-]
Literal question	Household weight
<b>#17 rate: Rate</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0.0066831-1.5729272] [Missing=*]
Statistics [NW/ W]	[Valid=67776 /-] [Invalid=0 /-]
Literal question	Rate
<b>File EGG</b>	
<b>#1 V01: Region</b>	
Information	[Type= discrete] [Format=numeric] [Range= 1-15] [Missing=*]
Statistics [NW/ W]	[Valid=54749 / 8880500.74 ] [Invalid=0 / 0 ]
Literal question	Region

## File EGG

### #1 V01: Region

Value	Label	Cases	Weighted	Percentage (Weighted)
1	Tigray	4978	629090.9	7.1%
2	Afar	963	19903.7	0.2%
3	Amhara	10385	2536850.0	28.6%
4	Oromiya	17373	3498840.1	39.4%
5	Somalie	1122	46835.2	0.5%
6	Benshangul	2157	121463.0	1.4%
7	SNNP	16134	1995702.2	22.5%
12	Gambela	0	0.0	0.0%
13	Harari	498	10727.9	0.1%
14	Addis ababa	503	5015.1	0.1%
15	Dire dawa	636	16072.6	0.2%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### #2 V02: Zone

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 1-21] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=54749 /-] [Invalid=0 /-]
<b>Literal question</b>	Zone

### #3 V03: Wereda

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 1-35] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=54749 /-] [Invalid=0 /-]
<b>Literal question</b>	Wereda

### #4 V04: Farmers' association

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 1-126] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=54749 /-] [Invalid=0 /-]
<b>Literal question</b>	Farmers' association
<b>Notes</b>	Farm association code for households who live in resettlement areas are started from 151.

### #5 V05: Enumeration area

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 1-12] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=54749 /-] [Invalid=0 /-]
<b>Literal question</b>	Enumeration area

### #6 V06: Household number

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-989] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=54749 /-] [Invalid=0 /-]
<b>Literal question</b>	Household number

### #7 V07: Holder number

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-9] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=54749 /-] [Invalid=0 /-]
<b>Literal question</b>	Holder number

<b>File EGG</b>	
<b>#8 P247: Egg production per hen per clutch-indigenous</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-250] [Missing=*]
Statistics [NW/ W]	[Valid=54749 / 8880500.74 ] [Invalid=0 / 0 ] [Mean=7.583 / 7.796 ] [StdDev=6.257 / 6.149 ]
Literal question	Egg production per hen per clutch-indigenous
<b>#9 P248: Egg production per hen per clutch-hybrid</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-365] [Missing=*]
Statistics [NW/ W]	[Valid=54749 / 8880500.74 ] [Invalid=0 / 0 ] [Mean=1.024 / 1.173 ] [StdDev=10.695 / 11.49 ]
Literal question	Egg production per hen per clutch-hybrid
<b>#10 P249: Egg production per hen per clutch-exotic</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-365] [Missing=*]
Statistics [NW/ W]	[Valid=54749 / 8880500.74 ] [Invalid=0 / 0 ] [Mean=1.497 / 1.622 ] [StdDev=18.526 / 19.696 ]
Literal question	Egg production per hen per clutch-exotic
<b>#11 P250: Average number of days per clutch-indigenous</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-365] [Missing=*]
Statistics [NW/ W]	[Valid=54749 / 8880500.74 ] [Invalid=0 / 0 ] [Mean=12.86 / 13.362 ] [StdDev=10.738 / 10.683 ]
Literal question	Average number of days per clutch-indigenous
<b>#12 P251: Average number of days per clutch-hybrid</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-375] [Missing=*]
Statistics [NW/ W]	[Valid=54749 / 8880500.74 ] [Invalid=0 / 0 ] [Mean=1.201 / 1.374 ] [StdDev=11.837 / 12.612 ]
Literal question	Average number of days per clutch-hybrid
<b>#13 P252: Average number of days per clutch-exotic</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-1826] [Missing=*]
Statistics [NW/ W]	[Valid=54749 / 8880500.74 ] [Invalid=0 / 0 ] [Mean=1.583 / 1.691 ] [StdDev=20.51 / 21.416 ]
Literal question	Average number of days per clutch-exotic
<b>#14 P253: Total number of clutch during the reference period-indigenous</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-86] [Missing=*]
Statistics [NW/ W]	[Valid=54749 / 8880500.74 ] [Invalid=0 / 0 ] [Mean=3.291 / 3.518 ] [StdDev=2.395 / 2.327 ]
Literal question	Total number of clutch during the reference period-indigenous
<b>#15 P254: Total number of clutch during the reference period-hybrid</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-342] [Missing=*]
Statistics [NW/ W]	[Valid=54749 / 8880500.74 ] [Invalid=0 / 0 ] [Mean=0.205 / 0.224 ] [StdDev=1.826 / 1.948 ]
Literal question	Total number of clutch during the reference period-hybrid
<b>#16 P255: Total number of clutch during the reference period-exotic</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-364] [Missing=*]
Statistics [NW/ W]	[Valid=54749 / 8880500.74 ] [Invalid=0 / 0 ] [Mean=0.075 / 0.0738 ] [StdDev=2.368 / 2.283 ]
Literal question	Total number of clutch during the reference period-exotic
<b>#17 weight: Household weight</b>	
Information	[Type= continuous] [Format=numeric] [Range= 2.51-652.19] [Missing=*]
Statistics [NW/ W]	[Valid=54749 /-] [Invalid=0 /-]

<b>File EGG</b>				
<b>#17 weight: Household weight</b>				
Literal question	Household weight			
<b>#18 rate: Rate</b>				
Information	[Type= continuous] [Format=numeric] [Range= 0.0066831-1.5729272] [Missing=*]			
Statistics [NW/ W]	[Valid=54749 /-] [Invalid=0 /-]			
Literal question	Rate			
<b>File DISEASE</b>				
<b>#1 V01: Region</b>				
Information	[Type= discrete] [Format=numeric] [Range= 1-15] [Missing=*]			
Statistics [NW/ W]	[Valid=53181 / 7862162.56 ] [Invalid=0 / 0 ]			
Literal question	Region			
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Weighted</b>	<b>Percentage (Weighted)</b>
1	Tigray	3796	447177.8	5.7%
2	Afar	1436	30762.8	0.4%
3	Amhara	8658	2086017.8	26.5%
4	Oromiya	17890	3379258.5	43.0%
5	Somalie	1566	62570.0	0.8%
6	Benshangul	2877	170595.3	2.2%
7	SNNP	15460	1654858.5	21.0%
12	Gambela	0	0.0	0.0%
13	Harari	395	8709.7	0.1%
14	Addis ababa	391	3987.3	0.1%
15	Dire dawa	712	18224.8	0.2%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
<b>#2 V02: Zone</b>				
Information	[Type= continuous] [Format=numeric] [Range= 1-21] [Missing=*]			
Statistics [NW/ W]	[Valid=53181 /-] [Invalid=0 /-]			
Literal question	Zone			
<b>#3 V03: Wereda</b>				
Information	[Type= continuous] [Format=numeric] [Range= 1-35] [Missing=*]			
Statistics [NW/ W]	[Valid=53181 /-] [Invalid=0 /-]			
Literal question	Wereda			
<b>#4 V04: Farmers' association</b>				
Information	[Type= continuous] [Format=numeric] [Range= 1-126] [Missing=*]			
Statistics [NW/ W]	[Valid=53181 /-] [Invalid=0 /-]			
Literal question	Farmers' association			
Notes	Farm association code for households who live in resettlement areas are started from 151.			
<b>#5 V05: Enumeration area</b>				
Information	[Type= continuous] [Format=numeric] [Range= 1-12] [Missing=*]			
Statistics [NW/ W]	[Valid=53181 /-] [Invalid=0 /-]			

<b>File DISEASE</b>				
<b>#5 V05: Enumeration area</b>				
Literal question	Enumeration area			
<b>#6 V06: Household number</b>				
Information	[Type= continuous] [Format=numeric] [Range= 0-989] [Missing=*]			
Statistics [NW/ W]	[Valid=53181 /-] [Invalid=0 /-]			
Literal question	Household number			
<b>#7 V07: Holder number</b>				
Information	[Type= continuous] [Format=numeric] [Range= 0-8] [Missing=*]			
Statistics [NW/ W]	[Valid=53181 /-] [Invalid=0 /-]			
Literal question	Holder number			
<b>#8 pq151: Livestock type</b>				
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]			
Statistics [NW/ W]	[Valid=53181 / 7862162.56 ] [Invalid=0 / 0 ]			
Literal question	Livestock type			
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Weighted</b>	<b>Percentage (Weighted)</b>
1	Cattel	20327	3064284.5	39.0%
2	Sheep	7532	1324676.2	16.8%
3	Goats	8697	952806.6	12.1%
4	Horses	891	197552.7	2.5%
5	Donkeys	1960	332163.0	4.2%
6	Mules	272	45835.0	0.6%
7	Camels	382	21834.4	0.3%
8	Poultry	13120	1923010.0	24.5%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
<b>#9 pq1531: Total afflicted/diseased</b>				
Information	[Type= continuous] [Format=numeric] [Range= 0-120] [Missing=*]			
Statistics [NW/ W]	[Valid=53181 / 7862162.56 ] [Invalid=0 / 0 ] [Mean=3.622 / 3.383 ] [StdDev=5.161 / 4.786 ]			
Literal question	Total afflicted/diseased			
<b>#10 pq1532: Male afflicted/diseased</b>				
Information	[Type= continuous] [Format=numeric] [Range= 0-34] [Missing=*]			
Statistics [NW/ W]	[Valid=53181 / 7862162.56 ] [Invalid=0 / 0 ] [Mean=0.724 / 0.662 ] [StdDev=1.181 / 1.076 ]			
Literal question	Male afflicted/diseased			
<b>#11 pq1533: Female afflicted/diseased</b>				
Information	[Type= continuous] [Format=numeric] [Range= 0-98] [Missing=*]			
Statistics [NW/ W]	[Valid=53181 / 7862162.56 ] [Invalid=0 / 0 ] [Mean=1.142 / 1.036 ] [StdDev=2.211 / 1.805 ]			
Literal question	Female afflicted/diseased			
<b>#12 pq1551: Total treated</b>				
Information	[Type= continuous] [Format=numeric] [Range= 0-100] [Missing=*]			
Statistics [NW/ W]	[Valid=53181 / 7862162.56 ] [Invalid=0 / 0 ] [Mean=0.663 / 0.586 ] [StdDev=2.01 / 1.819 ]			
Literal question	Total treated			

<b>File DISEASE</b>				
<b>#13 pq1552: Male treated</b>				
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-34] [Missing=*]			
<b>Statistics [NW/ W]</b>	[Valid=53181 / 7862162.56 ] [Invalid=0 / 0 ] [Mean=0.264 / 0.225 ] [StdDev=0.761 / 0.697 ]			
<b>Literal question</b>	Male treated			
<b>#14 pq1553: Female treated</b>				
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= -9-98] [Missing=*]			
<b>Statistics [NW/ W]</b>	[Valid=53181 / 7862162.56 ] [Invalid=0 / 0 ] [Mean=0.337 / 0.309 ] [StdDev=1.311 / 1.185 ]			
<b>Literal question</b>	Female treated			
<b>#15 WEIGHT: Household weight</b>				
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 2.51-652.19] [Missing=*]			
<b>Statistics [NW/ W]</b>	[Valid=53181 /-] [Invalid=0 /-]			
<b>Literal question</b>	Household weight			
<b>#16 RATE: Rate</b>				
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0.0066831-1.5729272] [Missing=*]			
<b>Statistics [NW/ W]</b>	[Valid=53181 /-] [Invalid=0 /-]			
<b>Literal question</b>	Rate			
<b>File NEWBIRTH</b>				
<b>#1 V01: Region</b>				
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-15] [Missing=*]			
<b>Statistics [NW/ W]</b>	[Valid=138267 / 22472023.25 ] [Invalid=0 / 0 ]			
<b>Literal question</b>	Region			
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Weighted</b>	<b>Percentage (Weighted)</b>
1	Tigray	12460	1538942.8	6.8%
2	Afar	3168	69637.0	0.3%
3	Amhara	27662	6715402.5	29.9%
4	Oromiya	43717	8980759.0	40.0%
5	Somalie	4062	204210.3	0.9%
6	Benshangul	4540	260520.0	1.2%
7	SNNP	38227	4614777.2	20.5%
12	Gambela	0	0.0	0.0%
13	Harari	1310	28345.4	0.1%
14	Addis ababa	1267	12592.5	0.1%
15	Dire dawa	1854	46836.4	0.2%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
<b>#2 V02: Zone</b>				
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 1-21] [Missing=*]			
<b>Statistics [NW/ W]</b>	[Valid=138267 /-] [Invalid=0 /-]			
<b>Literal question</b>	Zone			
<b>#3 V03: Wereda</b>				
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 1-35] [Missing=*]			

File NEWBIRTH				
<b>#3 V03: Wereda</b>				
Statistics [NW/ W]	[Valid=138267 /-] [Invalid=0 /-]			
Literal question	Wereda			
<b>#4 V04: Farmers' association</b>				
Information	[Type= continuous] [Format=numeric] [Range= 1-126] [Missing=*]			
Statistics [NW/ W]	[Valid=138267 /-] [Invalid=0 /-]			
Literal question	Farmers' association			
Notes	Farm association code for households who live in resettlement areas are started from 151.			
<b>#5 V05: Enumeration area</b>				
Information	[Type= continuous] [Format=numeric] [Range= 1-12] [Missing=*]			
Statistics [NW/ W]	[Valid=138267 /-] [Invalid=0 /-]			
Literal question	Enumeration area			
<b>#6 V06: Household number</b>				
Information	[Type= continuous] [Format=numeric] [Range= 0-989] [Missing=*]			
Statistics [NW/ W]	[Valid=138267 /-] [Invalid=0 /-]			
Literal question	Household number			
<b>#7 V07: Holder number</b>				
Information	[Type= continuous] [Format=numeric] [Range= 0-9] [Missing=*]			
Statistics [NW/ W]	[Valid=138267 /-] [Invalid=0 /-]			
Literal question	Holder number			
<b>#8 pq161: Livestock type</b>				
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]			
Statistics [NW/ W]	[Valid=138267 / 22472023.25 ] [Invalid=0 / 0 ]			
Literal question	Livestock type			
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Weighted</b>	<b>Percentage (Weighted)</b>
1	Cattel	44058	7241723.6	32.2%
2	Sheep	24455	4395950.6	19.6%
3	Goats	23295	3180791.8	14.2%
4	Horses	1965	428009.0	1.9%
5	Donkeys	5583	1015487.1	4.5%
6	Mules	575	111288.1	0.5%
7	Camels	792	57238.5	0.3%
8	Poultry	37544	6041534.6	26.9%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
<b>#9 pq1631: Births-Total</b>				
Information	[Type= continuous] [Format=numeric] [Range= 0-180] [Missing=*]			
Statistics [NW/ W]	[Valid=138267 / 22472023.25 ] [Invalid=0 / 0 ] [Mean=2.938 / 2.787 ] [StdDev=5.593 / 5.286 ]			
Literal question	Births-Total			
<b>#10 pq1632: Births-Male</b>				
Information	[Type= continuous] [Format=numeric] [Range= 0-130] [Missing=*]			

<b>File NEWBIRTH</b>	
<b>#10 pq1632: Births-Male</b>	
Statistics [NW/ W]	[Valid=138267 / 22472023.25 ] [Invalid=0 / 0 ] [Mean=1.346 / 1.297 ] [StdDev=2.693 / 2.56 ]
Literal question	Births-Male
<b>#11 pq1633: Births-Female</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-120] [Missing=*]
Statistics [NW/ W]	[Valid=138267 / 22472023.25 ] [Invalid=0 / 0 ] [Mean=1.593 / 1.49 ] [StdDev=3.218 / 3.02 ]
Literal question	Births-Female
<b>#12 pq1641: Purchases-Total</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-500] [Missing=*]
Statistics [NW/ W]	[Valid=138267 / 22472023.25 ] [Invalid=0 / 0 ] [Mean=0.614 / 0.604 ] [StdDev=2.686 / 3.016 ]
Literal question	Purchases-Total
<b>#13 pq1642: Purchase-Male</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-500] [Missing=*]
Statistics [NW/ W]	[Valid=138267 / 22472023.25 ] [Invalid=0 / 0 ] [Mean=0.257 / 0.262 ] [StdDev=2.065 / 2.225 ]
Literal question	Purchase-Male
<b>#14 pq1643: Purchase-Female</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-345] [Missing=*]
Statistics [NW/ W]	[Valid=138267 / 22472023.25 ] [Invalid=0 / 0 ] [Mean=0.357 / 0.341 ] [StdDev=1.436 / 1.688 ]
Literal question	Purchase-Female
<b>#15 pq1651: Acquired-Total</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-133] [Missing=*]
Statistics [NW/ W]	[Valid=138267 / 22472023.25 ] [Invalid=0 / 0 ] [Mean=0.136 / 0.0626 ] [StdDev=0.723 / 0.477 ]
Literal question	Acquired-Total
<b>#16 pq1652: Acquired-Male</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-133] [Missing=*]
Statistics [NW/ W]	[Valid=138267 / 22472023.25 ] [Invalid=0 / 0 ] [Mean=0.0569 / 0.0188 ] [StdDev=0.484 / 0.287 ]
Literal question	Acquired-Male
<b>#17 pq1653: Acquired-Female</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-37] [Missing=*]
Statistics [NW/ W]	[Valid=138267 / 22472023.25 ] [Invalid=0 / 0 ] [Mean=0.0788 / 0.0438 ] [StdDev=0.452 / 0.332 ]
Literal question	Acquired-Female
<b>#18 pq1661: Sales-Total</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-506] [Missing=*]
Statistics [NW/ W]	[Valid=138267 / 22472023.25 ] [Invalid=0 / 0 ] [Mean=0.795 / 0.842 ] [StdDev=2.954 / 3.283 ]
Literal question	Sales-Total
<b>#19 pq1662: Sales-Male</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-506] [Missing=*]
Statistics [NW/ W]	[Valid=138267 / 22472023.25 ] [Invalid=0 / 0 ] [Mean=0.446 / 0.463 ] [StdDev=2.212 / 2.345 ]
Literal question	Sales-Male

<b>File NEWBIRTH</b>	
<b>#20 pq1663: Sales-Female</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-335] [Missing=*]
Statistics [NW/ W]	[Valid=138267 / 22472023.25 ] [Invalid=0 / 0 ] [Mean=0.349 / 0.379 ] [StdDev=1.448 / 1.754 ]
Literal question	Sales-Female
<b>#21 pq1671: Slaughters-Total</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-92] [Missing=*]
Statistics [NW/ W]	[Valid=138267 / 22472023.25 ] [Invalid=0 / 0 ] [Mean=0.46 / 0.485 ] [StdDev=1.412 / 1.378 ]
Literal question	Slaughters-Total
<b>#22 pq1672: Slaughters-Male</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-50] [Missing=*]
Statistics [NW/ W]	[Valid=138267 / 22472023.25 ] [Invalid=0 / 0 ] [Mean=0.295 / 0.311 ] [StdDev=0.915 / 0.901 ]
Literal question	Slaughters-Male
<b>#23 pq1673: Slaughters-Female</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-42] [Missing=*]
Statistics [NW/ W]	[Valid=138267 / 22472023.25 ] [Invalid=0 / 0 ] [Mean=0.165 / 0.174 ] [StdDev=0.698 / 0.682 ]
Literal question	Slaughters-Female
<b>#24 pq1681: Offered-Total</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-360] [Missing=*]
Statistics [NW/ W]	[Valid=138267 / 22472023.25 ] [Invalid=0 / 0 ] [Mean=0.0497 / 0.048 ] [StdDev=1.064 / 1.308 ]
Literal question	Offered-Total
<b>#25 pq1682: Offered-Male</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-360] [Missing=*]
Statistics [NW/ W]	[Valid=138267 / 22472023.25 ] [Invalid=0 / 0 ] [Mean=0.0183 / 0.019 ] [StdDev=0.986 / 1.247 ]
Literal question	Offered-Male
<b>#26 pq1683: Offered-Female</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-32] [Missing=*]
Statistics [NW/ W]	[Valid=138267 / 22472023.25 ] [Invalid=0 / 0 ] [Mean=0.0314 / 0.0291 ] [StdDev=0.337 / 0.331 ]
Literal question	Offered-Female
<b>#27 pq1691: Died due to diseases-Total</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-615] [Missing=*]
Statistics [NW/ W]	[Valid=138267 / 22472023.25 ] [Invalid=0 / 0 ] [Mean=1.198 / 1.033 ] [StdDev=4.207 / 3.63 ]
Literal question	Died due to diseases-Total
<b>#28 pq1692: Died due to diseases-Male</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-308] [Missing=*]
Statistics [NW/ W]	[Valid=138267 / 22472023.25 ] [Invalid=0 / 0 ] [Mean=0.46 / 0.404 ] [StdDev=1.76 / 1.581 ]
Literal question	Died due to diseases-Male
<b>#29 pq1693: Died due to diseases-Female</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-552] [Missing=*]
Statistics [NW/ W]	[Valid=138267 / 22472023.25 ] [Invalid=0 / 0 ] [Mean=0.738 / 0.628 ] [StdDev=2.832 / 2.36 ]

File NEWBIRTH				
<b>#29 pq1693: Died due to diseases-Female</b>				
Literal question	Died due to diseases-Female			
<b>#30 pq16101: Died due to other reasons-Total</b>				
Information	[Type= continuous] [Format=numeric] [Range= 0-107] [Missing=*]			
Statistics [NW/ W]	[Valid=138267 / 22472023.25 ] [Invalid=0 / 0 ] [Mean=0.604 / 0.582 ] [StdDev=2.308 / 2.289 ]			
Literal question	Died due to other reasons-Total			
<b>#31 pq16102: Died due to other reasons-Male</b>				
Information	[Type= continuous] [Format=numeric] [Range= 0-54] [Missing=*]			
Statistics [NW/ W]	[Valid=138267 / 22472023.25 ] [Invalid=0 / 0 ] [Mean=0.264 / 0.255 ] [StdDev=1.119 / 1.118 ]			
Literal question	Died due to other reasons-Male			
<b>#32 pq16103: Died due to other reasons-Female</b>				
Information	[Type= continuous] [Format=numeric] [Range= 0-53] [Missing=*]			
Statistics [NW/ W]	[Valid=138267 / 22472023.25 ] [Invalid=0 / 0 ] [Mean=0.341 / 0.327 ] [StdDev=1.297 / 1.274 ]			
Literal question	Died due to other reasons-Female			
<b>#33 WEIGHT: Household weight</b>				
Information	[Type= continuous] [Format=numeric] [Range= 2.51-652.19] [Missing=*]			
Statistics [NW/ W]	[Valid=138267 /-] [Invalid=0 /-]			
Literal question	Household weight			
<b>#34 RATE: Rate</b>				
Information	[Type= continuous] [Format=numeric] [Range= 0.0066831-1.5729272] [Missing=*]			
Statistics [NW/ W]	[Valid=138267 /-] [Invalid=0 /-]			
Literal question	Rate			
File VACCIN				
<b>#1 V01: Region</b>				
Information	[Type= discrete] [Format=numeric] [Range= 1-15] [Missing=*]			
Statistics [NW/ W]	[Valid=22793 / 3260856.78 ] [Invalid=0 / 0 ]			
Literal question	Region			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	Tigray	3440	472701.7	14.5%
2	Afar	385	7826.5	0.2%
3	Amhara	2701	644685.2	19.8%
4	Oromiya	8670	1463749.7	44.9%
5	Somalie	324	8902.1	0.3%
6	Benshangul	277	15890.6	0.5%
7	Snnp	6239	631082.9	19.4%
12	Gambela	0	0.0	0.0%
13	Harari	177	3848.9	0.1%
14	Addis ababa	152	1449.0	0.0%
15	Dire dawa	428	10720.2	0.3%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				

File VACCIN				
<b>#2 V02: Zone</b>				
Information	[Type= continuous] [Format=numeric] [Range= 1-21] [Missing=*]			
Statistics [NW/ W]	[Valid=22793 /-] [Invalid=0 /-]			
Literal question	Zone			
<b>#3 V03: Wereda</b>				
Information	[Type= continuous] [Format=numeric] [Range= 1-35] [Missing=*]			
Statistics [NW/ W]	[Valid=22793 /-] [Invalid=0 /-]			
Literal question	Wereda			
<b>#4 V04: Farmers' association</b>				
Information	[Type= continuous] [Format=numeric] [Range= 1-126] [Missing=*]			
Statistics [NW/ W]	[Valid=22793 /-] [Invalid=0 /-]			
Literal question	Farmers' association			
Notes	Farm association code for households who live in resettlement areas are started from 151.			
<b>#5 V05: Enumeration area</b>				
Information	[Type= continuous] [Format=numeric] [Range= 1-12] [Missing=*]			
Statistics [NW/ W]	[Valid=22793 /-] [Invalid=0 /-]			
Literal question	Enumeration area			
<b>#6 V06: Household number</b>				
Information	[Type= continuous] [Format=numeric] [Range= 1-840] [Missing=*]			
Statistics [NW/ W]	[Valid=22793 /-] [Invalid=0 /-]			
Literal question	Household number			
<b>#7 V07: Holder number</b>				
Information	[Type= continuous] [Format=numeric] [Range= 0-8] [Missing=*]			
Statistics [NW/ W]	[Valid=22793 /-] [Invalid=0 /-]			
Literal question	Holder number			
<b>#8 PQ171: Livestock type</b>				
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]			
Statistics [NW/ W]	[Valid=22793 / 3260856.78 ] [Invalid=0 / 0 ]			
Literal question	Livestock type			
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Weighted</b>	<b>Percentage (Weighted)</b>
1	Cattel	15940	2239688.6	68.7%
2	Sheep	1581	297455.2	9.1%
3	Goats	2888	256314.0	7.9%
4	Horses	602	135834.7	4.2%
5	Donkeys	1191	243285.3	7.5%
6	Mules	239	48372.8	1.5%
7	Camels	109	9977.0	0.3%
8	Poultry	243	29929.1	0.9%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				

<b>File VACCIN</b>	
<b>#9 PQ1731: Total vaccinated</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-150] [Missing=*]
Statistics [NW/ W]	[Valid=22793 / 3260856.78 ] [Invalid=0 / 0 ] [Mean=3.775 / 3.826 ] [StdDev=4.372 / 3.998 ]
Literal question	Total vaccinated
<b>#10 PQ1732: Male vaccinated</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-43] [Missing=*]
Statistics [NW/ W]	[Valid=22793 / 3260856.78 ] [Invalid=0 / 0 ] [Mean=1.564 / 1.525 ] [StdDev=1.802 / 1.723 ]
Literal question	Male vaccinated
<b>#11 PQ1733: Female vaccinated</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-135] [Missing=*]
Statistics [NW/ W]	[Valid=22793 / 3260856.78 ] [Invalid=0 / 0 ] [Mean=2.152 / 2.247 ] [StdDev=3.247 / 2.874 ]
Literal question	Female vaccinated
<b>#12 PQ1741: Total vaccinated against Anthrax ("Abasenga")</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-90] [Missing=*]
Statistics [NW/ W]	[Valid=22793 / 3260856.78 ] [Invalid=0 / 0 ] [Mean=1.078 / 1.24 ] [StdDev=2.468 / 2.749 ]
Literal question	Total vaccinated against Anthrax ("Abasenga")
<b>#13 PQ1742: Male vaccinated against Anthrax ("Abasenga")</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-43] [Missing=*]
Statistics [NW/ W]	[Valid=22793 / 3260856.78 ] [Invalid=0 / 0 ] [Mean=0.503 / 0.556 ] [StdDev=1.166 / 1.275 ]
Literal question	Male vaccinated against Anthrax ("Abasenga")
<b>#14 PQ1743: Female vaccinated against Anthrax ("Abasenga")</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-47] [Missing=*]
Statistics [NW/ W]	[Valid=22793 / 3260856.78 ] [Invalid=0 / 0 ] [Mean=0.575 / 0.684 ] [StdDev=1.536 / 1.705 ]
Literal question	Female vaccinated against Anthrax ("Abasenga")
<b>#15 PQ1751: Total vaccinated against Blackleg ("Abagorba")</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-36] [Missing=*]
Statistics [NW/ W]	[Valid=22793 / 3260856.78 ] [Invalid=0 / 0 ] [Mean=0.903 / 0.957 ] [StdDev=2.216 / 2.275 ]
Literal question	Total vaccinated against Blackleg ("Abagorba")
<b>#16 PQ1752: Male vaccinated against Blackleg ("Abagorba")</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-18] [Missing=*]
Statistics [NW/ W]	[Valid=22793 / 3260856.78 ] [Invalid=0 / 0 ] [Mean=0.404 / 0.389 ] [StdDev=1.019 / 1.018 ]
Literal question	Male vaccinated against Blackleg ("Abagorba")
<b>#17 PQ1753: Female vaccinated against Blackleg ("Abagorba")</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-28] [Missing=*]
Statistics [NW/ W]	[Valid=22793 / 3260856.78 ] [Invalid=0 / 0 ] [Mean=0.499 / 0.568 ] [StdDev=1.429 / 1.493 ]
Literal question	Female vaccinated against Blackleg ("Abagorba")
<b>#18 PQ1761: Total vaccinated against tuberculosis (Pleuro-Pneumonia)</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-150] [Missing=*]
Statistics [NW/ W]	[Valid=22793 / 3260856.78 ] [Invalid=0 / 0 ] [Mean=0.692 / 0.541 ] [StdDev=2.963 / 2.292 ]

<b>File VACCIN</b>	
<b>#18 PQ1761: Total vaccinated against tuberculosis (Pleuro-Pneumonia)</b>	
Literal question	Total vaccinated against tuberculosis (Pleuro-Pneumonia)
<b>#19 PQ1762: Male vaccinated against tuberculosis (Pleuro-Pneumonia)</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-29] [Missing=*]
Statistics [NW/ W]	[Valid=22793 / 3260856.78 ] [Invalid=0 / 0 ] [Mean=0.238 / 0.189 ] [StdDev=0.961 / 0.837 ]
Literal question	Male vaccinated against tuberculosis (Pleuro-Pneumonia)
<b>#20 PQ1763: Female vaccinated against tuberculosis (Pleuro-Pneumonia)</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-135] [Missing=*]
Statistics [NW/ W]	[Valid=22793 / 3260856.78 ] [Invalid=0 / 0 ] [Mean=0.454 / 0.352 ] [StdDev=2.252 / 1.641 ]
Literal question	Female vaccinated against tuberculosis (Pleuro-Pneumonia)
<b>#21 PQ1771: Total vaccinated against Hemorrhagic Septicemia ("Gororsa")</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-60] [Missing=*]
Statistics [NW/ W]	[Valid=22793 / 3260856.78 ] [Invalid=0 / 0 ] [Mean=0.638 / 0.617 ] [StdDev=2.185 / 2.172 ]
Literal question	Total vaccinated against Hemorrhagic Septicemia ("Gororsa")
<b>#22 PQ1772: Male vaccinated against Hemorrhagic Septicemia ("Gororsa")</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-24] [Missing=*]
Statistics [NW/ W]	[Valid=22793 / 3260856.78 ] [Invalid=0 / 0 ] [Mean=0.264 / 0.247 ] [StdDev=0.909 / 0.905 ]
Literal question	Male vaccinated against Hemorrhagic Septicemia ("Gororsa")
<b>#23 PQ1773: Female vaccinated against Hemorrhagic Septicemia ("Gororsa")</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-46] [Missing=*]
Statistics [NW/ W]	[Valid=22793 / 3260856.78 ] [Invalid=0 / 0 ] [Mean=0.373 / 0.37 ] [StdDev=1.463 / 1.44 ]
Literal question	Female vaccinated against Hemorrhagic Septicemia ("Gororsa")
<b>#24 PQ1781: Total vaccinated against other not mentioned above</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-120] [Missing=*]
Statistics [NW/ W]	[Valid=22793 / 3260856.78 ] [Invalid=0 / 0 ] [Mean=0.757 / 0.789 ] [StdDev=2.45 / 2.516 ]
Literal question	Total vaccinated against other not mentioned above
<b>#25 PQ1782: Male vaccinated against other not mentioned above</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-23] [Missing=*]
Statistics [NW/ W]	[Valid=22793 / 3260856.78 ] [Invalid=0 / 0 ] [Mean=0.311 / 0.295 ] [StdDev=0.939 / 0.938 ]
Literal question	Male vaccinated against other not mentioned above
<b>#26 PQ1783: Female vaccinated against other not mentioned above</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-97] [Missing=*]
Statistics [NW/ W]	[Valid=22793 / 3260856.78 ] [Invalid=0 / 0 ] [Mean=0.446 / 0.494 ] [StdDev=1.779 / 1.849 ]
Literal question	Female vaccinated against other not mentioned above
<b>#27 weight: Household weight</b>	
Information	[Type= continuous] [Format=numeric] [Range= 2.51-635.75] [Missing=*]
Statistics [NW/ W]	[Valid=22793 /-] [Invalid=0 /-]
Literal question	Household weight

<b>File VACCIN</b>				
<b>#28 rate: Rate</b>				
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0.0091878-1.5729272] [Missing=*]			
<b>Statistics [NW/ W]</b>	[Valid=22793 /-] [Invalid=0 /-]			
<b>Literal question</b>	Rate			
<b>File CATTLEFEED</b>				
<b>#1 V01: Region</b>				
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-15] [Missing=*]			
<b>Statistics [NW/ W]</b>	[Valid=397423 / 64015636.93 ] [Invalid=0 / 0 ]			
<b>Literal question</b>	Region			
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Weighted</b>	<b>Percentage (Weighted)</b>
1	Tigray	34503	4005237.6	6.3%
2	Afar	7897	171051.7	0.3%
3	Amhara	75662	18096928.2	28.3%
4	Oromiya	125521	25667406.8	40.1%
5	Somalie	12061	623530.8	1.0%
6	Benshangul	13538	765635.9	1.2%
7	SNNP	116007	14449998.0	22.6%
12	Gambela	0	0.0	0.0%
13	Harari	4219	91716.8	0.1%
14	Addis ababa	3784	37419.9	0.1%
15	Dire dawa	4231	106711.2	0.2%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
<b>#2 V02: Zone</b>				
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 1-21] [Missing=*]			
<b>Statistics [NW/ W]</b>	[Valid=397423 /-] [Invalid=0 /-]			
<b>Literal question</b>	Zone			
<b>#3 V03: Wereda</b>				
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 1-35] [Missing=*]			
<b>Statistics [NW/ W]</b>	[Valid=397423 /-] [Invalid=0 /-]			
<b>Literal question</b>	Wereda			
<b>#4 V04: Farmers' association</b>				
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 1-126] [Missing=*]			
<b>Statistics [NW/ W]</b>	[Valid=397423 /-] [Invalid=0 /-]			
<b>Literal question</b>	Farmers' association			
<b>Notes</b>	Farm association code for households who live in resettlement areas are started from 151.			
<b>#5 V05: Enumeration area</b>				
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 1-12] [Missing=*]			
<b>Statistics [NW/ W]</b>	[Valid=397423 /-] [Invalid=0 /-]			
<b>Literal question</b>	Enumeration area			

File CATTLEFEED					
<b>#6 V06: Household number</b>					
Information	[Type= continuous] [Format=numeric] [Range= 0-989] [Missing=*]				
Statistics [NW/ W]	[Valid=397423 /-] [Invalid=0 /-]				
Literal question	Household number				
<b>#7 V07: Holder number</b>					
Information	[Type= continuous] [Format=numeric] [Range= 0-9] [Missing=*]				
Statistics [NW/ W]	[Valid=397423 /-] [Invalid=0 /-]				
Literal question	Holder number				
<b>#8 PQ181: Serial number</b>					
Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]				
Statistics [NW/ W]	[Valid=397423 / 64015636.93 ] [Invalid=0 / 0 ]				
Literal question	Serial number				
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	1	66442	10705960.9	16.7%	
2	2	66239	10668773.2	16.7%	
3	3	66172	10657602.9	16.6%	
4	4	66212	10664062.0	16.7%	
5	5	66177	10659229.2	16.7%	
6	6	66181	10660008.8	16.7%	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>					
<b>#9 PQ182: Type of livestock feed</b>					
Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]				
Statistics [NW/ W]	[Valid=397423 / 64015636.93 ] [Invalid=0 / 0 ]				
Literal question	Type of livestock feed				
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	Grazing	66438	10705380.9	16.7%	
2	Crop residue	66246	10669272.2	16.7%	
3	Improved pasture	66166	10657499.3	16.6%	
4	Hay	66213	10663989.4	16.7%	
5	Grain byproduct	66176	10658877.8	16.7%	
6	Others	66184	10660617.3	16.7%	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>					
<b>#10 PQ183: Used the mentioned livestock feed</b>					
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]				
Statistics [NW/ W]	[Valid=397423 / 64015636.93 ] [Invalid=0 / 0 ]				
Literal question	Have you used the livestock feed?				
Value	Label	Cases	Weighted	Percentage (Weighted)	
1	Yes	148019	24739165.9	38.6%	
2	No	249036	39171191.4	61.2%	
9	Not stated	368	105279.6	0.2%	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>					

**File CATTLEFEED****#11 PQ184: Percentage used**

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 1-100] [Missing=*/0]
<b>Statistics [NW/ W]</b>	[Valid=148185 / 24762715.11 ] [Invalid=249238 / 39252921.82 ] [Mean=42.692 / 41.45 ] [StdDev=30.282 / 29.026 ]
<b>Literal question</b>	Percent form the total feed utilized

**#12 PQ185: Source of feed**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=397423 / 64015636.93 ] [Invalid=0 / 0 ]
<b>Literal question</b>	Source of feed

Value	Label	Cases	Weighted	Percentage (Weighted)
1	Own property	87302	15121948.0	23.6%
2	Purchased	8924	1503807.9	2.3%
3	Public property	26048	3672234.2	5.7%
4	1 & 2	6915	1384014.1	2.2%
5	1 & 3	13252	2224823.7	3.5%
6	2 & 3	379	66720.8	0.1%
7	1, 2 & 3	722	152295.3	0.2%
8	Other	4451	603262.8	0.9%
9	Not stated	249430	39286530.1	61.4%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**#13 weight: Household weight**

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 2.51-652.19] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=397423 /-] [Invalid=0 /-]
<b>Literal question</b>	Household weight

**#14 rate: Rate**

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0.0066831-1.5729272] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=397423 /-] [Invalid=0 /-]
<b>Literal question</b>	Rate

**File EXTENSION****#1 V01: Region**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-15] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=68486 / 10990449.77 ] [Invalid=0 / 0 ]
<b>Literal question</b>	Region

Value	Label	Cases	Weighted	Percentage (Weighted)
1	Tigray	5962	682626.6	6.2%
2	Afar	1332	28845.1	0.3%
3	Amhara	13093	3096333.4	28.2%
4	Oromiya	21442	4390348.5	39.9%
5	Somalie	2025	104409.0	0.9%
6	Benshangul	2407	134939.8	1.2%
7	SNNP	20148	2512942.9	22.9%

<b>File EXTENSION</b>				
<b>#1 V01: Region</b>				
Value	Label	Cases	Weighted	Percentage (Weighted)
12	Gambela	0	0.0	0.0%
13	Harari	719	15601.7	0.1%
14	Addis ababa	642	6340.7	0.1%
15	Dire dawa	716	18062.1	0.2%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
<b>#2 V02: Zone</b>				
Information	[Type= continuous] [Format=numeric] [Range= 1-21] [Missing=*]			
Statistics [NW/ W]	[Valid=68486 /-] [Invalid=0 /-]			
Literal question	Zone			
<b>#3 V03: Wereda</b>				
Information	[Type= continuous] [Format=numeric] [Range= 1-35] [Missing=*]			
Statistics [NW/ W]	[Valid=68486 /-] [Invalid=0 /-]			
Literal question	Wereda			
<b>#4 V04: Farmers' association</b>				
Information	[Type= continuous] [Format=numeric] [Range= 1-126] [Missing=*]			
Statistics [NW/ W]	[Valid=68486 /-] [Invalid=0 /-]			
Literal question	Farmers' association			
<b>#5 V05: Enumeration area</b>				
Information	[Type= continuous] [Format=numeric] [Range= 1-12] [Missing=*]			
Statistics [NW/ W]	[Valid=68486 /-] [Invalid=0 /-]			
Literal question	Enumeration area			
<b>#6 V06: Household number</b>				
Information	[Type= continuous] [Format=numeric] [Range= 0-989] [Missing=*]			
Statistics [NW/ W]	[Valid=68486 /-] [Invalid=0 /-]			
Literal question	Household number			
<b>#7 V07: Holder number</b>				
Information	[Type= continuous] [Format=numeric] [Range= 0-9] [Missing=*]			
Statistics [NW/ W]	[Valid=68486 /-] [Invalid=0 /-]			
Literal question	Holder number			
<b>#8 PQ19: Participate in any livestock extension program</b>				
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]			
Statistics [NW/ W]	[Valid=68486 / 10990449.77 ] [Invalid=0 / 0 ]			
Literal question	Did you participate in any livestock extension program during the reference period?			
Notes	Farm association code for households who live in resettlement areas are started from 151.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	Yes	1918	307148.5	2.8%
2	No	66345	10652668.7	96.9%
9	Not stated	223	30632.6	0.3%

## File EXTENSION

### #8 PQ19: Participate in any livestock extension program

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### #9 PQ20: Type of extension program

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=68486 / 10990449.77 ] [Invalid=0 / 0 ]
<b>Pre-question</b>	If 'Yes' for question 19
<b>Literal question</b>	What was the type of package (livestock extension program)?

Value	Label	Cases	Weighted	Percentage (Weighted)
0	Not participated in extension program	66405	10653346.0	96.9%
1	Package for milk	318	48193.2	0.4%
2	Package for improved meat	282	51186.2	0.5%
3	Package for improved poultry	729	125364.4	1.1%
4	Package for honey	156	23523.1	0.2%
5	Two or more packages	99	13565.9	0.1%
6	Other	497	75270.9	0.7%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### #10 weight: Household weight

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 2.51-652.19] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=68486 /-] [Invalid=0 /-]
<b>Literal question</b>	Household weight

### #11 rate: Rate

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0.0066831-1.5729272] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=68486 /-] [Invalid=0 /-]
<b>Literal question</b>	Rate

# Documentation

Reports and analytical documents.....	95
Study Documentation.....	95
Report on Livestock and Livestock Characteristics.....	95
Questionnaires.....	96
Livestock Sample Survey 2005-2006 (1998 E.C) - Questionnaire.....	96
Technical documents.....	96
Form for Requesting Access to Raw Data.....	96
Supervisor Manual.....	96
Enumerator Manual.....	96
Regions Code Book.....	96

## Reports and analytical documents

**Study Documentation**, Central Statistical Agency, Ethiopia [eth], English [eng], "Doc\Reports  
 \AgSSLV\_2005\_Metadata.pdf"

**Report on Livestock and Livestock Characteristics**, Central Statistical Agency, March 2006, Ethiopia [eth],  
 English [eng], "Doc\Reports\Livestok\_2005\_Final.pdf"

### Table of Contents

CHAPTER I.INTRODUCTION AND OBJECTIVES OF THE SURVEY .....	1
1.1 Introduction .....	1
1.2 Objectives of the Survey .....	2
CHAPTER II.SURVEY METHODOLOGY AND OPERATIONS .....	3
2.1 Coverage .....	3
2.2 Sampling Frame .....	3
2.3 Sample Design .....	4
2.4 Selection Procedure .....	4
2.5 Basic Concepts and Definitions .....	5
2.6 Field Organization .....	7
2.7 Training of Field Staff .....	7
2.8 Method of Data Collection .....	7
2.9 Data Processing .....	8
2.9.1 Editing, Coding, and Verification .....	8
2.9.2 Data Entry, Cleaning, and Processing .....	8
CHAPTER III.SUMMARY OF THE SURVEY RESULTS .....	9
3.1 LIVESTOCK NUMBER BY BREED, AGE, SEX, AND PURPOSE .....	9
3.1.1 Cattle Population .....	9
3.1.2 Sheep and Goat Populations .....	12
3.1.3 Horse, Donkey, Mule, and Camel Populations .....	16
3.1.4 Poultry Population .....	20
3.1.5 Beehive Population .....	22
3.2 NUMBERS OF BIRTHS, PURCHASES, AND ACQUIRED ANIMALS BY TYPE .....	23
3.3 NUMBERS OF SALES, SLAUGHTERS, DEATHS, AND OFFERINGS BY TYPE .....	24
3.4 LIVESTOCK PRODUCTS .....	25
3.4.1 Milk Production .....	25
3.4.2 Honey Production .....	26
3.4.3 Egg Production .....	26
3.5 LIVESTOCK VACCINATION, DISEASES, AND TREATMENT .....	27
3.6 NUMBER OF HOLDINGS BY SIZE OF LIVESTOCK .....	29
3.7 ANIMAL FEED .....	31
3.8 LIVESTOCK EXTENSION .....	33
Statistical Tables .....	35
Annex Tables .....	177
Appendix I .....	187
Appendix II .....	193
Appendix III .....	199

## Questionnaires

**Livestock Sample Survey 2005-2006 (1998 E.C) - Questionnaire**, Central Statistical Agency, Ethiopia [eth], English [eng], "Doc\Questionnaires\Questionnaire.pdf"

## Technical documents

**Form for Requesting Access to Raw Data**, Central Statistical Agency, Ethiopia [eth], English [eng], "Doc\Technical\CSA\_data\_request\_form.pdf"

**Supervisor Manual**, Central Statistical Agency, Ethiopia [eth], Amharic [amh], "Doc\Technical\supervisors manual.pdf"

**Enumerator Manual**, Central Statistical Agency, Ethiopia [eth], Amharic [amh], "Doc\Technical\enumerator manual.pdf"

**Regions Code Book**, Central Statistical Agency, Ethiopia [eth], English [eng], "Doc\Technical\Codes of Regions.pdf"